

FastEcho

Say the goal. FastEcho handles the rest.

A voice-first browser agent for blind users.

HackYeah 2026



The web still excludes blind people from everyday tasks

When you cannot see the interface, many everyday online tasks are simply impossible to complete without help.

**"I just want to check
where my parcel is."**

USER

A blind person who wants to use the web independently every day.

MOMENT

Everyday browsing: information, shopping, forms and online services.

FRICTION

Browsers and websites are built around visual elements a blind user cannot see or easily operate.

CONSEQUENCE

On many websites, ordinary tasks become impossible to complete independently.

"I cannot see. That should not mean I cannot use the web on my own."

FastEcho gives blind users independence on the web

The user says what they want to do. FastEcho handles the page.

TODAY: SCREEN READER

- 1 The reader announces the page
- 2 Move through elements one by one
- 3 Find the tracking section
- 4 Listen for the parcel status


WITH FASTECHO

- ✓ Say: **"Where is my parcel?"**
- ✓ FastEcho finds the parcel status
- ✓ Hear the result

"With FastEcho, I can use the web independently."

Demo: one request. One result.

No page structure to learn. No button hunting.



parcel.example

Track parcel

Find

On the way to the parcel locker

"Your parcel is on the way to the parcel locker."

01 "Where is my parcel?"

02 FastEcho understands the request and handles the website.

03 Hear the result

"Your parcel is on the way to the parcel locker."

AI understands the intent. The browser performs the action.

AI matters where users speak naturally and every website is structured differently.



WHY AI?

A blind user only says what they want to achieve. The model interprets the current page structure and selects the right actions.

AI removes the technical barrier between user intent and the website.

How it works — in 30 seconds

Each step is mapped to a specific layer of the solution.



TypeScript · Chrome Extension · Python / FastAPI · STT · OpenRouter / LLM · local Piper TTS

We start with blind users. The potential is much broader.

The same interaction model applies wherever the outcome matters more than learning the interface.

FIRST USERS

Blind users

01 **Everyday information**

02 **Public e-services**

03 **Banking**

04 **E-commerce**

05 **Logistics**

06 **Healthcare portals**

First, give blind users independent access to everyday online tasks. Then expand to more digital services.

What works now — and what we validate next

We do not want to promise more than the current prototype proves.

 **working prototype**

 **E2E tests in Chrome**

 **Polish voice interface**

KNOWN	ASSUMED	TO VALIDATE
✓ The agent runs in real Chrome ✓ Voice control increases user independence ✓ The result is returned to the user by voice	~ The same interaction model will transfer to more online services ~ Model quality will hold across many real websites	? Operation across multiple real services ? Resilience to website interface changes ? Reliability and latency in real use

Next step: a pilot on real-world websites

One real service. One concrete journey. Clear success criteria.

01

TASK COMPLETION

Did the user reach the goal?



02

TIME & CORRECTIONS

How much effort do we actually save?



03

TRUST

Does the user understand and control the action?



Prototype → validation → pilot → responsible scale

With FastEcho, a blind user can simply say what they need and use the web independently.



[github.com/llama-lovers
HackYeah2026-challenge](https://github.com/llama-lovers/HackYeah2026-challenge)

Code & demo