# Assignment 5: API Spec

CS 493: Cloud Application Development

Fall 2021

Oregon State University

**Matthew Llanes** 

URL: https://final-project-llanesm.uw.r.appspot.com

#### Example Users:

Username/Email: wallace@cheese.com Password: Cheese123

Username/Email: <a href="mailto:derplander@test.com">derplander@test.com</a> Password: Password1

## Data Model

The app stores three kinds of entities in Datastore, Boats, Loads, and Owners.

## Boats

Property	Data Type	Notes
id	Integer	The id of the boat automatically generated by datastore
name	String	Name of the boat.
type	String	Type of the boat. E.g., Sailboat, Catamaran, etc.
length	Integer	The length of the boat in feet.
loads	Array	Load objects stored on the boat
owner	String	Owner of the boat represented as an Auth0 sub value

## Loads

Property	Data Type	Notes
id	Integer	The id of the boat automatically generated by datastore
volume	String	Amount of content the load can hold in square feet
content	String	Description of content in the load
creation_date	Date and time	Date and time the load was created
carrier	Array	Boat id that load is stored upon

### Owners

Property	Data Type	Notes
id	Integer	The id of the boat automatically generated by datastore
username	String	Auth0 username/password
password	String	Auth0 password
sub	String	Auth0 sub

### Create a Boat

Allows you to create a new boat.

## POST /boats

Request

Path Parameters

None

Request Body

Required

Request Body Format

JSON

Protected

Yes

### Request JSON Attributes

Name	Description	Required?
name	The name of the boat.	Yes
type	The type of the boat. E.g., Sailboat, Catamaran, etc.	Yes
length	Length of the boat in feet.	Yes

## Request Body Example

```
{
  "name": "Sea Witch",
  "type": "Catamaran",
  "length": 28
}
```

### Response

Response Body Format

**JSON** 

### Response Statuses

Outcome	Status Code	Notes
Success	201 Created	
Failure	400 Bad Request	Must have all three requested attributes present
Failure	415 Unsupported	Request must be in JSON format
	Media Type	
Failure	403 Forbidden	Boat names must be unique
Failure	401 Unauthorized	Must have valid JWT

## Response Examples

```
Status: 201 Created
{
    "id": 123,
```

```
"name": "Sea Witch",
  "type": "Catamaran",
  "length": 28,
  "self": https:// final-project-llanesm.uw.r.appspot.com/boats/123
  "loads": []
}
```

```
Status: 400 Bad Request
{
"Error": "The request object is missing at least one of the required attributes"
}
```

#### Failure

```
Status: 415 Unsupported Media Type

{
    "Error": "Accepted media type: application/json
}
```

#### Failure

```
Status: 403 Forbidden

{
"Error": "Boat with that name already exists"
}
```

```
Status: 401 Unauthorized

{
"Error": "Invalid JWT"
}
```

#### **Get Boats**

Retrieve all boats of a user

#### **GET /boats**

Request

Path Parameters

None

Request Body

None

Response Body Format

**JSON** 

Protected

No

#### **Response Statuses**

Outcome	Status Code	Notes
Success	200 Ok	Invalid JWT results in empty list of boats

#### Response Examples

```
Status: 200 Ok
  "boats": [
      "length": 50,
      "owner": "auth0|61ad8bf7036abd006bc4eefa",
      "type": "Pilgrim Boat",
      "name": "Santa Maria",
      "loads": [],
      "id": 5186724158242816,
      "self": "https://final-project-llanesm.uw.r.appspot.com/boats/5186724158242816"
    },
      "length": 33,
      "name": "The Black Pearl",
      "type": "Pirate Ship",
      "owner": "auth0|61ad8bf7036abd006bc4eefa",
      "loads": [
          "id": 5172667434926080,
          "self": "https://final-project-llanesm.uw.r.appspot.com/loads/5172667434926080"
```

```
},
        "id": 6660331464032256,
        "self": "https://final-project-llanesm.uw.r.appspot.com/loads/6660331464032256"
    ],
    "id": 5528646773112832,
    "self": "https://final-project-llanesm.uw.r.appspot.com/boats/5528646773112832"
  },
    "length": 22,
    "name": "BoatySmithMcBoater",
    "type": "Yacht",
    "loads": [],
    "owner": "auth0|61ad8bf7036abd006bc4eefa",
    "id": 5669152601669632,
    "self": "https://final-project-llanesm.uw.r.appspot.com/boats/5669152601669632"
  },
    "name": "Boaty McBoatster",
    "length": 42,
    "type": "Tugboat",
    "owner": "auth0|61ad8bf7036abd006bc4eefa",
    "loads": [],
    "id": 6298567341768704,
    "self": "https://final-project-llanesm.uw.r.appspot.com/boats/6298567341768704"
  },
    "loads": [],
    "name": "Lil boaty",
    "length": 19,
    "type": "Sailboat",
    "owner": "auth0|61ad8bf7036abd006bc4eefa",
    "id": 6586623114346496,
    "self": "https://final-project-llanesm.uw.r.appspot.com/boats/6586623114346496"
  }
],
"next": "https://final-project-llanesm.uw.r.appspot.com/boats?limit=5&offset=5"
```

### Get a Boat

Allows you to get an existing boat

```
GET /boats/:boat_id
```

### Request

#### Path Parameters

Name	Description
boat_id	ID of the boat

#### Request Body

None

#### Response

Response Body Format

JSON/HTML

#### Protected

Yes

#### **Response Statuses**

Outcome	Status Code	Notes
Success	200 OK	
Failure	404 Not Found	No boat with this boat_id exists
Failure	401 Unauthorized	Invalid JWT
Failure	403 Forbidden	Boat owned by someone else

### Response Examples

#### Success

```
Status: 200 OK

{
    "id": 123,
    "name": "Sea Witch",
    "type": "Catamaran",
    "length": 28,
    "self": https:// final-project-llanesm.uw.r.appspot.com/boats/123
    "loads": []
}
```

#### Success

```
Status: 200 OK

{"id": 5710353417633792, "name": "Sea Witch", "type": "Catamaran", "length": 28, "loads":[],"self": "https://hw5-llanesm.uw.r.appspot.com/boats/5710353417633792/5710353417633792"}
```

```
Status: 404 Not Found
{
"Error": "No boat with this boat_id exists"
```

```
Failure
```

```
Status: 401 Unauthorized

{
"Error": "Invalid JWT"
}
```

```
Status: 403 Forbidden

{
"Error": "Boat owned by someone else"
}
```

## Delete a Boat

Allows you to delete a boat.

## DELETE /boats/:boat\_id

### Request

#### Path Parameters

Name	Description
boat_id	ID of the boat

### Request Body

None

### Response

No body

### Response Body Format

Success: No body

Failure: JSON

#### Protected

Yes

### Response Statuses

Outcome	Status Code	Notes
Success	204 No Content	
Failure	404 Not Found	No boat with this boat_id exists
Failure	401 Unauthorized	Invalid JWT
Failure	403 Forbidden	Boat owned by someone else

### Response Examples

#### Success

### Status: 204 No Content

#### Failure

```
Status: 404 Not Found

{
"Error": "No boat with this boat_id exists"
}
```

#### Failure

```
Status: 401 Unauthorized

{
"Error": "Invalid JWT"
}
```

#### Failure

Status: 403 Forbidden

```
{
"Error": "Boat owned by someone else"
}
```

## Edit (Put) a Boat

Allows you to replace a boat's properties

### PUT /boats/:boat\_id

Request

Path Parameters

None

Request Body

Required

Request Body Format

**JSON** 

### Request JSON Attributes

Name	Description	Required?
name	The name of the boat.	Yes
type	The type of the boat. E.g., Sailboat, Catamaran, etc.	Yes
length	Length of the boat in feet.	Yes

## Request Body Example

```
{
  "name": "Sea Witch",
  "type": "Catamaran",
  "length": 28
}
```

### Response

Response Body Format

**JSON** 

### Response Statuses

Outcome	Status Code	Notes
Success	303 See Other	Content-location URL in header of response
Failure	400 Bad Request	Must have all three requested attributes present
Failure	415 Unsupported	Request must be in JSON format
	Media Type	
Failure	403 Forbidden	Boat names must be unique, boat owned by someone
		else
Failure	404 Not Found	
Failure	406 Not Acceptable	Client must accept response as JSON
Failure	401 Unauthorized	Invalid JWT

#### Response Examples

#### Success

```
Status: 303 See Other

{
    "id": 123,
    "name": "Sea Witch",
    "type": "Catamaran",
    "length": 28,
    "loads": []
    "self": "https://<your-app>/boats/123"
}
```

#### Failure

```
Status: 400 Bad Request

{
    "Error": "The request object is missing at least one of the required attributes"
}
```

#### Failure

```
Status: 415 Unsupported Media Type

{
    "Error": "Accepted media type: application/json
}
```

#### Failure

```
Status: 403 Forbidden

{
"Error": "Boat with that name already exists"
}
```

#### Failure

```
Status: 403 Forbidden

{
"Error": "Boat owned by someone else"
}
```

#### Failure

```
Status: 404 Not Found
{
"Error": "The specified boat does not exist"
}
```

```
Status: 406 Not Acceptable

{
"Error": "Client must accept media type application/json"
```

```
}
```

```
Status: 401 Unauthorized

{
"Error": "Invalid JWT"
}
```

## Edit (Patch) a Boat

Allows you to selectively update properties of a boat.

## PUT /boats/:boat\_id

Request

Path Parameters

None

Request Body

Optional

Request Body Format

JSON

Protected

Yes

### Request JSON Attributes

Name	Description	Required?
name	The name of the boat.	No
type	The type of the boat. E.g., Sailboat, Catamaran, etc.	No
length	Length of the boat in feet.	No

## Request Body Example

```
{
    "length": 28
}
```

### Response

Response Body Format

JSON

### Response Statuses

Outcome	Status Code	Notes
Success	200 OK	
Failure	400 Bad Request	Must have all three requested attributes present
Failure	415 Unsupported	Request must be in JSON format
	Media Type	
Failure	403 Forbidden	Boat names must be unique, boat owned by someone
		else
Failure	404 Not Found	
Failure	406 Not Acceptable	Client must accept JSON
Failure	401 Unauthorized	Invalid JWT

### Response Examples

#### Success

Status: 200 OK

```
"id": 123,
  "name": "Sea Witch",
 "type": "Catamaran",
"length": 28,
  "self": "https://<your-app>/boats/123"
Failure
Status: 400 Bad Request
"Error": "The request object is missing at least one of the required attributes"
Failure
Status: 415 Unsupported Media Type
"Error": "Accepted media type: application/json
Failure
Status: 403 Forbidden
"Error": "Boat with that name already exists"
Failure
Status: 403 Forbidden
"Error": "Boat owned by someone else"
Failure
Status: 404 Not Found
"Error": "The specified boat does not exist"
Failure
Status: 406 Not Acceptable
"Error": "Client must accept media type application/json"
Failure
Status: 401 Unauthorized
```

"Error": "Invalid JWT" }

### Create a Load

Allows you to create a new load.

#### POST /loads

Request

Path Parameters

None

Request Body

Required

Request Body Format

JSON

Protected

No

### Request JSON Attributes

Name	Description	Required?
volume	Amount the container can hold in sq. ft.	Yes
content	Description of the content contained in the load	Yes

### Request Body Example

```
{
  "volume": 88,
  "content": "Some stuff"
}
```

#### Response

Response Body Format

JSON

#### Response Statuses

Outcome	Status Code	Notes
Success	201 Created	
Failure	400 Bad Request	Must have all three requested attributes present
Failure	415 Unsupported	Request must be in JSON format
	Media Type	

### Response Examples

```
Status: 201 Created

{
    "id": 123,
    "volume": 88,
    "content": "Some stuff"
    "carrier": null,
    "creation_date": "2021-12-07 05:11:58.629715+00:00",
```

```
"self": https:// final-project-llanesm.uw.r.appspot.com/loads/123
}
```

```
Status: 400 Bad Request

{
    "Error": "The request object is missing at least one of the required attributes"
}
```

```
Status: 415 Unsupported Media Type

{
"Error": "Accepted media type: application/json
}
```

### Get Loads

Retrieve all loads in the collection

#### **GET /loads**

Request

Path Parameters

None

Request Body

None

Response Body Format

JSON

Protected

No

#### **Response Statuses**

Outcome	Status Code	Notes
Success	200 Ok	

### Response Examples

```
Status: 200 Ok
  "loads": [
      "carrier": null,
      "content": "Some other stuff",
      "creation date": "2021-12-07 05:11:58.629715+00:00",
      "volume": 12,
      "id": 4858468934615040,
      "self": "https://final-project-llanesm.uw.r.appspot.com/loads"
    },
      "content": "Some things",
      "creation date": "2021-12-07 05:12:03.104352+00:00",
      "carrier": null,
      "volume": 9,
      "id": 5112644562321408,
      "self": "https://final-project-llanesm.uw.r.appspot.com/loads"
      "carrier": 789824563,
      "content": "Some other other stuff",
      "volume": 115,
      "creation_date": "2021-12-07 05:12:00.821611+00:00",
```

```
"id": 5117579211309056,
    "self": "https://final-project-llanesm.uw.r.appspot.com/loads"
  },
    "creation date": "2021-12-07 04:50:07.469170+00:00",
    "content": "Some other stuff",
    "volume": 12,
    "carrier": {
      "id": 5528646773112832,
      "self": "https://final-project-llanesm.uw.r.appspot.com/boats/5528646773112832"
    },
    "id": 5172667434926080,
    "self": "https://final-project-llanesm.uw.r.appspot.com/loads"
  },
    "carrier": 1231445456,
    "volume": 101,
    "creation_date": "2021-12-07 05:12:07.195616+00:00",
    "content": "Some other other things",
    "id": 5180720062398464,
    "self": "https://final-project-llanesm.uw.r.appspot.com/loads"
  }
],
"next": "https://final-project-llanesm.uw.r.appspot.com/loads?limit=5&offset=5"
```

### Get a Load

Allows you to get an existing load

```
GET /loads/:load id
```

#### Request

#### Path Parameters

Name	Description
load_id	ID of the load

#### Request Body

None

#### Response

Response Body Format

JSON/HTML

#### Protected

No

#### **Response Statuses**

Outcome	Status Code	Notes
Success	200 OK	
Failure	404 Not Found	No boat with this boat_id exists

#### Response Examples

#### Success

```
Status: 200 OK

{
    "id": 123,
    "volume": 88,
    "content": "Some stuff",
    "carrier": 75423451345,
    "creation_date": "2021-12-07 05:11:58.629715+00:00",
    "self": https:// final-project-llanesm.uw.r.appspot.com/loads/123
}
```

#### Success

```
Status: 200 OK
{"id":123,"volume":88,"content":"Some stuff","carrier":75423451345,
"creation_date":"2021-12-07 05:11:58.629715+00:00",
"self":https:// final-project-llanesm.uw.r.appspot.com/loads/123}
```

```
Status: 404 Not Found

{
"Error": "No boat with this load_id exists"
}
```

## Delete A Load

Allows you to delete a load.

## DELETE /loads/:load\_id

### Request

### Path Parameters

Name	Description
load_id	ID of the load

## Request Body

None

### Response

No body

## Response Body Format

Success: No body

Failure: JSON

#### Protected

No

## Response Statuses

Outcome	Status Code	Notes
Success	204 No Content	
Failure	404 Not Found	No boat with this boat_id exists

## Response Examples

#### Success

## Status: 204 No Content

```
Status: 404 Not Found
{
"Error": "No load with this load_id exists"
}
```

## Edit (Put) a Load

Allows you to replace a load's properties

## PUT /loads/:load\_id

Request

Path Parameters

None

Request Body

Required

Request Body Format

**JSON** 

Protected

No

### Request JSON Attributes

Name	Description	Required?
volume	Size of the load in sq. ft.	Yes
content	Description of the load's content	Yes

### Request Body Example

```
{
  "volume": 99,
  "content": "Some other stuff"
}
```

### Response

Response Body Format

JSON

#### Response Statuses

Outcome	Status Code	Notes
Success	303 See Other	Content-location URL in header of response
Failure	400 Bad Request	Must have all three requested attributes present
Failure	415 Unsupported	Request must be in JSON format
	Media Type	
Failure	404 Not Found	
Failure	406 Not Acceptable	Client must accept response as JSON

### Response Examples

```
Status: 303 See Other

{
    "id": 123,
    "volume": 99,
    "content": "Some other stuff"
```

```
"carrier": 123423452345,
   "creation_date": "2021-12-07 05:11:58.629715+00:00"
   "self": https:// final-project-llanesm.uw.r.appspot.com/loads/123
}
```

```
Status: 400 Bad Request

{
"Error": "The request object is missing at least one of the required attributes"
}
```

#### Failure

```
Status: 415 Unsupported Media Type

{
    "Error": "Accepted media type: application/json
}
```

#### Failure

```
Status: 404 Not Found

{
"Error": "The specified load does not exist"
}
```

```
Status: 406 Not Acceptable

{
"Error": "Client must accept media type application/json"
}
```

## Edit (Patch) a Load

Allows you to selectively update properties of a load.

## PUT /loads/:load\_id

Request

Path Parameters

None

Request Body

Required

Request Body Format

**JSON** 

Protected

No

### Request JSON Attributes

Name	Description	Required?
volume	Size of the load in sq. ft.	Yes
content	Description of the load's content	Yes

### Request Body Example

```
{
    "volume": 99,
}
```

#### Response

Response Body Format

**JSON** 

#### **Response Statuses**

Outcome	Status Code	Notes
Success	200 Ok	
Failure	415 Unsupported	Request must be in JSON format
	Media Type	
Failure	404 Not Found	
Failure	406 Not Acceptable	Client must accept response as JSON

### Response Examples

```
Status: 200 Ok

{
    "id": 123,
    "volume": 99,
    "content": "Some stuff"
    "carrier": 123423452345,
    "creation_date": "2021-12-07 05:11:58.629715+00:00"
```

```
"self": <a href="https://final-project-llanesm.uw.r.appspot.com/loads/123">https://final-project-llanesm.uw.r.appspot.com/loads/123</a>
```

```
Status: 415 Unsupported Media Type

{
    "Error": "Accepted media type: application/json
}
```

#### Failure

```
Status: 404 Not Found
{
"Error": "The specified load does not exist"
}
```

```
Status: 406 Not Acceptable

{
"Error": "Client must accept media type application/json"
}
```

### **Get Owners**

Retrieve all owners in the collection

#### **GET /owners**

Request

Path Parameters

None

Request Body

None

Response Body Format

**JSON** 

Protected

No

#### **Response Statuses**

Outcome	Status Code	Notes
Success	200 Ok	

### Response Examples