

1.

What will be the output of the following C code?

```
#include<stdio.h>
char demo(char ch1,char ch2,char ch3);
int main()
{
    char ch = demo('~'D',~'A','C');
    printf("%c",~ch);
    return 0;
}
char demo(char ch1,char ch2,char ch3)
{
    char result=0;
    return result = ch1 + ch2 + ch3;
}
```

- A. Garbage value
- B. C
- C. c
- D. Compile time error
- E. Run time error

Answer : B

2. What will be the output of the following C code?

```
#include<stdio.h>
int main(void)
{
    extern int num;
    for( static int i =1 ; i < num ; i++)
        printf("%d ",num++);
    return 0;
}
int num = 3;
```

- A. Three garbage values print
- B. 0,garbage,garbage
- C. Compile time error
- D. Runtime Error
- E. infinite loop

Answer: C

3. What will be the output of the following C code?

```
#include <stdio.h>
int fun(float a);
int main( void )
{
    static float x;

    x=(float)fun(100.51F);

    printf(" x = %.f ",x);

    return 0;
}
int fun(float a)
{
    return a ==100.51f ? 500.51 : 1000.1000;
}
```

- A. Compile time error
- B. x = 1001.000000
- C. x = 500
- D. x = 1000
- E. x = 501.000000

Answer: C

4.

What will be the output of the following C code?

```
#include<stdio.h>
int main(void)
{
    int result;
    int i=20,j=10;
    result=add(i,j);
    printf("i=%d \n",result);
    return 0;
}
int add(int a,int b)
{
    int result;
    result=a+b;
    return result, a+b, a-b;
}
```

- A. Compile time error :function declaration is missing.
- B. i=40
- C. i=30
- D. i=10

Answer: D

5.

What will be the output of the following C code?

```
#include<stdio.h>
int function(int,int);
int main(void)
{
    int i=121,a=121,k;

    k=function(!++i,!++a);

    printf("i=%d a=%d k=%d\n",i,a,k);

    return 0;
}
int function(int m,int n)
{
    int k;
    k=m++ + n++;
    return !k;
}
```

- A. i=122 a=122 k=1
- B. i=122 a=122 k=0
- C. i=122 a=122 k=244
- D. i=121 a=121 k=1

Answer: A