

1.

What will be the output of the following C code

```
#include <stdio.h>
void function(int * const value)
{
    *value = 300;
    return ;
}
int main( void )
{
    const int a = 100;
    function(&a);
    printf("a = %d\n", a);

    return 0;
}
```

- A. a = 100
- B. a = 300
- C. garbage value
- D. None of above

Answer: B

2.

What will be the output of the following C code

```
#include <stdio.h>
float x=20;
void callbyaddress(float *ptr_x)
{
    x=*ptr_x * *ptr_x / x*x;
    printf(" x = %.2f ",x);
}
```

```
int main( void )
{
    float x=100;
    printf(" x = %.2f ",x);
    callbyaddress(&x);
    printf(" x = %.2f ",x);
    return 0;
}
```

- A. x = 100.00 x = 10000.00 x = 100.00
- B. x = 100 x = 250.00 x = 100
- C. x = 20.00 x = 5000.00 x = 20.00
- D. Compile time error
- E. x = 20.00 x = 25.00 x = 20.00

Answer: A

3. What will be the output of the following C code

```
#include <stdio.h>
static int no=100;
int* fun1(int *ptr_num)
{
    no /= *ptr_num **ptr_num;
    return &no;
}
int main( void )
{
    int no=10;
    int *value=fun1(&no);
    printf(" value= %d", *value);
    return 0;
}
```

- A. value = 10
- B. value = 1
- C. compile time error
- D. run time error
- E. value = 100

Answer: B

4.

What will be the output of the following C code

```
#include<stdio.h>
int main(void)
{
    int no1 = 100, no2=150;
    int *p = &no2, *pp = p;
    *pp = no1;
    ++*pp;

    printf("no1=%d *p=%d *pp=%d\n", no1, *p, ++*pp);

    return 0;
}
```

- A. no1=102 *p=102 *pp=102
- B. no1=152 *p=152 *pp=152
- C. no1=101 *p=102 *pp= garbage value
- D. compile time error
- E. no1=100 *p=102 *pp=102

Answer: E

5.

What will be the output of the following C code?

```
#include<stdio.h>
unsigned char* convert1(int *data)
{
    return (unsigned char*)data;
}
char* convert2(int *data)
{
    return (signed char*)data;
}
int main(void)
{
    int a = 129;
    unsigned char *data1=NULL;
    char *data2=NULL;
    data1 =convert1(&a);
    printf("%d ",*data1);

    ++*data1;

    data2 =convert2(&a);
    printf("%d ",*data2);
    return 0;
}
```

- A. Compile time error
- B. 0 -1
- C. -126 129
- D. 129 -126
- E. 0 1

Answer: D