Quelques logiques non classiques

п	2	
\boldsymbol{r}	•	
	J	

NOT	
Т	F
F	Т
I	I

AND	Т	F	- 1
Т	Т	F	
F	F	F	F
ı	I	F	I

OR	Т	F	- 1
Т	Т	Т	Т
F	Т	F	1
ı	Т	1	1

IMP	Т	F	I
Т	Τ	F	
F	Т	Т	Т
	Т	1	I

EQV	Т	F	ı
Т	Т	F	
F	F	Т	- 1
I	I	1	I

B3 NOT T F F T

AND	Т	F	- 1
Т	Т	F	I
F	F	F	- 1
1	1	I	1

OR	Т	F	ı
Т	Т	Т	I
F	Т	F	- 1
I	I	I	İ

IMP	Т	F	- 1
Т	Т	F	I
F	Т	Т	- 1
- 1	I	I	- 1

EQV	Т	F	I
Т	Т	F	I
F	F	Т	- 1
1	I	I	-

SQL

OQL	
NOT	
Т	F
F	Т
U	U

AND	Т	F	U
Т	Т	F	U
F	F	F	F
- 11	- 11	F	- 11

OR	Т	F	U
Т	Т	Т	Т
F	Т	F	U
U	T	U	U

"IMP"	Т	F	U
Т	Т	F	U
F	Т	Τ	Т
U	Т	U	U

IS	Т	F	U
Т	Т	F	F
F	F	Т	F
U	F	F	Т

SQL - CHECK

SQL - C	
NOT	
Т	F
F	Т
U	U

AND	Т	F	U
Т	Т	F	Т
F	F	F	F
U	Т	F	Т

OR	Т	F	U
Т	Т	Т	Т
F	Т	F	Т
U	Т	Т	Т

"IMP"	Т	F	U
Т	Т	F	Т
F	Т	Т	Т
U	Т	Т	Т

IS	Т	F	U
Т	Τ	F	F
F	F	Т	F
U	F	F	Т

SQL - WHERE

F
Т
F

AND	Т	F	U
Т	Т	F	F
F	F	F	F
U	F	F	F

OR	Т	F	U
Т	Т	Т	Т
F	Т	F	F
U	Т	F	F

"IMP"	Т	F	U
Т	Т	F	F
F	Т	Т	Т
U	Т	F	F

IS	Т	F	U
Т	Т	F	F
F	F	Т	F
U	F	F	Т