

```
data = read.csv('C:\\Users\\Mega Store\\Documents\\data.csv')
```

```
cuisine = table(data$Favourite_Cuisine)
```

```
mean = cuisine/length(cuisine)
```

```
mean
```

```
median(cuisine)
```

```
mode = max(cuisine)
```

```
mode
```

```
sd(cuisine)
```

```
regime = table(data$Food.Regime)
```

```
regime
```

```
mean2 = regime/length(regime)
```

```
mean2
```

```
median(regime)
```

```
mode2 = max(regime)
```

```
mode2
```

```
sd(regime)
```

```
diet = table(data$Diet)
```

```
mean3 = diet/length(diet)
```

```
mean3
```

```
median(diet)
```

```
mode3 = max(diet)
```

```
mode3
```

```
sd(diet)
```

```
v = table(data$EatingVarious_Vegetables.Fruits)
```

```
mean4 =v/length(v)
```

```
mean4
```

```
median(v)
```

```
mode4 = max(v)
```

```
mode4
```

```
sd(v)
```

p-Value less than the significance level of 0.05, we reject the null hypothesis and conclude that the two variables are in fact dependent.

```
chisq.test(data$Favourite_Cuisine , data$Food.Regime)
```

```
chisq.test(data$Favourite_Cuisine , data$Favourite_Chef)
```

```
chisq.test(data$Favourite_Cuisine , data$Shopping_Food)
```

```
chisq.test(data$Favourite_Cuisine , data$Diet)
```

```
chisq.test(data$Favourite_Cuisine , data$Consumed_FastFood)
```

```

> data = read.csv('C:\\Users\\Mega Store\\Documents\\data.csv')
> cuisine = table(data$Favourite_Cuisine)
> mean = cuisine/length(cuisine)
> mean

               Chinese food               Egyptian food
Egyptian food, Chinese food      0.53846154      20.23076923
               0.46153846      Egyptian food, Lebanese food
               0.61538462
               Italian food               Italian food, Chinese food
               3.46153846      0.23076923
               Italian food, Egyptian food      0.23076923
               4.30769231      Italian food, Egyptian food, Chinese food
               Italian food, Egyptian food, Lebanese food, Chinese food
               0.84615385      0.69230769
               Italian food, Lebanese food      0.23076923
               0.38461538      Italian food, Lebanese food, Chinese food
               Lebanese food      0.07692308
               0.30769231

> median(cuisine)
[1] 7
> mode = max(cuisine)
> mode
[1] 263
> sd(cuisine)
[1] 71.36005
>
> regime = table(data$Food.Regime)
> regime

Meatatarian      232      None of the above Pescetarian (no meat ,but eat fish and/ or shellfish)
Vegetarian      50      105      34

> mean2 = regime/length(regime)
> mean2

Meatatarian      58.00      None of the above Pescetarian (no meat ,but eat fish and/ or shellfish)
Vegetarian      12.50      26.25      8.50

> median(regime)
[1] 77.5
> mode2 = max(regime)
> mode2
[1] 232
> sd(regime)
[1] 89.80488
>
> diet = table(data$Diet)
> mean3 = diet/length(diet)
> mean3

Healthy Non Healthy
83.5      127.0
> median(diet)

```

```

> median(diet)
[1] 210.5
> mode3 = max(diet)
> mode3
[1] 254
> sd(diet)
[1] 61.51829
>
> v = table(data$EatingVarious_Vegetables.Fruits)
> mean4 = v/length(v)
> mean4

  No   Yes
20.5 190.0
> median(v)
[1] 210.5
> mode4 = max(v)
> mode4
[1] 380
> sd(v)
[1] 239.7092
>
> # p-value less than the significance level of 0.05, we reject the null hypothesis and conclude that the two variables are in fact dependent.
>
> chisq.test(data$Favourite_Cuisine , data$Food.Regime)

Pearson's Chi-squared test

data: data$Favourite_Cuisine and data$Food.Regime
X-squared = 35.103, df = 36, p-value = 0.5111

Warning message:
In chisq.test(data$Favourite_Cuisine, data$Food.Regime) :
  Chi-squared approximation may be incorrect
> chisq.test(data$Favourite_Cuisine , data$Favourite_Chef)

Pearson's Chi-squared test

data: data$Favourite_Cuisine and data$Favourite_Chef
X-squared = 2605.9, df = 2472, p-value = 0.02999

Warning message:
In chisq.test(data$Favourite_Cuisine, data$Favourite_Chef) :
  Chi-squared approximation may be incorrect
> chisq.test(data$Favourite_Cuisine , data$Shopping_Food)

Pearson's Chi-squared test

data: data$Favourite_Cuisine and data$Shopping_Food
X-squared = 459.81, df = 600, p-value = 1

Warning message:
In chisq.test(data$Favourite_Cuisine, data$Shopping_Food) :
  Chi-squared approximation may be incorrect

```

```

> chisq.test(data$Favourite_Cuisine , data$Diet)

Pearson's Chi-squared test

data: data$Favourite_Cuisine and data$Diet
X-squared = 13.704, df = 12, p-value = 0.32

Warning message:
In chisq.test(data$Favourite_Cuisine, data$Diet) :
  Chi-squared approximation may be incorrect
> chisq.test(data$Favourite_Cuisine , data$Consumed_FastFood)

Pearson's Chi-squared test

data: data$Favourite_Cuisine and data$Consumed_FastFood
X-squared = 593.95, df = 504, p-value = 0.003457

```