

Symbols

| operator 92

Numerics

68–95–99 rule 44

A

A_ub matrix 234–236
absorbing states 295, 311–317
 obtaining fundamental matrix 313
 predicting 315
 predicting programmatically 316
ACF (autocorrelation function) 197
 plot 199
'add' parameter 218
add_edges() method 290
addition rule 23
agent fees variable 285
agg() method 118, 152
Agile methodology 223–224, 226
AIC (Akaike information criterion) 210
Amount column 336
anytree library 283, 287
append() function 235
Apple 187
apply() method 90, 331, 334
AR (autoregression) 185
 autoregression component 192, 205–207
 moving average component 206
Area variable 125

ARIMA (autoregressive integrated moving
 average) 185
 class 207–208
 models 192–215
assign() method 321, 326–327, 338
astype() method 332
AUC (area under ROC curve) 137
Augmented Dickey–Fuller (ADF) test 201

B

b_ub vector 234–236
bagging (bootstrap aggregating) 141
basketball games 73
benford library 332
Benford's law 320–324
 distortion factor and z-statistic 343
 mantissa statistics 344
 mean absolute deviation 342
 validating 338
Besni class label 117
beta distribution 355
BIC (Bayesian information criterion) 210
binom module 53
binomial distribution 50
 computing probabilities 54
 properties 51
bln_msk Boolean mask 197
boldface type 285
bounded, defined 37
Breusch–Pagan test 108
budget 350
 constraints 231

C

c-charts 394–396
 CDF (cumulative distribution function) 33, 37–39, 245
 chance nodes 282
 chi-square test 338
 chi-square statistic 339
 degrees of freedom 341
 p-value 341
 CL (center line) 381
 Class variable 117–118, 121–123, 125, 128
 classification metrics 131
 accuracy 136
 area under ROC curve 137
 confusion matrix 132
 false positive/negative rate 135
 misclassification rate 136
 ROC curve 138
 sensitivity 133
 specificity 134
 clf object 160–161, 163
 close_prices data frame 188, 214, 262, 265
 close_prices index 189
 coef (coefficients) 95
 coeff parameter 211
 collectively exhaustive 296
 combinations 23–30
 with replacement 24–30
 without replacement 25–27
 complement rule for probability 65–66
 conditional covariance 198
 conditional probabilities 72–77
 examples of 72–73
 formulaic approach to 76–77
 calculating $P(A | B)$ 77
 calculating $P(A \text{ and } B)$ 76
 calculating $P(B)$ 76
 defining events 76
 independence and 73
 intuitive approach to 74–76
 conditional variance 198
 confusion matrix 132, 161, 178
 conservative approach 277
 constraints 231, 233–236
 contingency table 74–75
 continuous random variables 30–34
 cumulative distribution function 33
 examples 31
 probability density function 32
 control charts
 for attributes 388–398
 for variables 398–408

CONVERT class labels 161, 165, 181
 CONVERT variable 146, 159
 ConvexArea variable 125
 copy() method 327
 corr() method 123
 count variable 326–327
 counting rules 22–30
 addition rule 23
 combinations 23–30
 multiplication rule 22
 Pascal's triangle 27
 permutations 23–30
 counting, continuous random variables 30–34
 cumulative distribution function 33
 examples 31
 probability density function 32
 Counts column 338
 covariance (Cov) 198
 CPM (critical path method) 349
 criterion function 160
 cross-tabulation 74
 cumulative probability distribution,
 computing 248–249

D

data
 exploring 115–116, 118–119, 122, 148, 150, 152, 154–155
 importing 186–191
 plotting 190
 understanding 189
 data definition 231
 data exploration 88
 data filtering 144
 data transformation 145
 data type conversion 146
 dataclass decorator 232
 decision trees 140–142, 157–173, 271, 282–292
 advantages and disadvantages of 173
 creating schema 283–289
 decision-making without probabilities 273–282
 evaluating model 161
 exploring data 148, 150, 152, 154–155
 fitting 141–142
 fitting model 160
 fitting random forests 174–183
 importing data 142
 interpreting and understanding 164–173
 predicting responses 161
 splitting data 158
 understanding data 143
 wrangling data 144–146

- decision variable bounds 231, 236
- decision-making without probabilities 273–282
 - EV method 279–282
 - Maximax method 273–276
 - Maximin method 277
 - Minimax Regret method 277–279
- DecisionTreeClassifier() method 160, 175–176
- defects per unit, quality control measures 386
- dependencies, defined 351
- derived variable 146
- DES (double exponential smoothing) 216–217
- descriptive statistics 3
- DF (distortion factor) 343
- diameter variable 399
- differencing 195
 - purpose 195
 - stationarity and 197–205
 - types 195
- discrete random variables 30, 35–39
 - cumulative distribution function 37–39
 - examples 35
 - probability mass function 36
- discrete uniform distribution 56
 - computing probabilities 58
 - properties of 56
- distortion factor 343
- distributions, discrete uniform 56
- dot product 302
- dot() method 305
- DOWN variable 144
- dropna() method 202, 263
- Durbin–Watson test 107

E

- Eccentricity variable 125–126, 128
- empirical probabilities 19
- ensemble techniques 141
- epic constraints 231
- epics list 235
- equilibrium conditions 295, 307–311
 - predicting programmatically 308–311
- equilibrium distribution 308
- EV (Expected Value) method 272, 279–282
- EV data frame 281
- evaluating model, confusion matrix 161
- EWMA charts 407
- examples, number sequences
 - payment amounts 336
 - street addresses 330–333
 - world population figures 334–335
- excess kurtosis measures 345
- Expected column 338

- expected value calculation 255
- explanatory variable 81
- ExponentialSmoothing class 217–218
- Extent variable 125–126, 128

F

- F-statistic 103
- factorial() method 26, 28–29
- false positive/negative rate 135
- feature importance 179
- features list 233
- fetch_stock_data() function 187–188
- fillna() method 145
- financial data, fetching 187–189
- financial investments 73
- first_digit variable 331, 334–337
- first_probability variable 49
- first-digit law 320
- first-order differencing 202–205
- fit() method 160, 176–177, 208, 217
- fitting linear regression
 - interpreting and evaluating results 95, 99, 103, 105
 - simple linear regression 87
 - testing model assumptions 105–108
- fitting models 93, 160
 - decision trees 141–142
 - random forests 141–142
 - time series 215–220
 - time series models 192–215
 - AR and MA components 205–207
 - autoregression (AR) component 192
 - combining ARIMA components 192
 - differencing 195
 - evaluating model fit 209–213
 - fitting models 207–209
 - forecasting 214
 - integration (I) component 192
 - MA (moving average) component 192
 - stationarity and differencing applied 197–205
 - ACF plot 199
 - Augmented Dickey–Fuller (ADF) test 201
 - first-order differencing 202–205
 - PACF plot 200
 - visual inspection 197
 - stationarity, statistical properties 193
- floats 189
- Forecast variable 214
- forecasts, distinguishing from predictions 185
- fundamental matrix 313

G

g-charts 396–398
 Gini impurity 165
 GM (General Motors) 261
 groupby() method 118, 165, 326, 400

H

head() method 89, 116–117, 130–131, 147, 189, 195, 326–327, 331, 334, 336, 345–346, 389, 400
 heat maps, correlation 122
 histograms, logistic regression 119
 historical data 259
 history() method 188
 Holt's linear trend model 217
 Holt–Winters exponential smoothing (H-W) 216
 Holt–Winters model 218–220
 forecasting 219
 model evaluation and comparison 219
 homoscedasticity of residuals 107
 HQIC (Hannan–Quinn information criterion) 210

I

I-MR charts 405–407
 IDEs (integrated development environments) 6–7
 IDLE (Integrated Development and Learning Environment) 6
 iloc attribute 75
 importing data 142, 186–191
 fetching financial data 187–189
 logistic regression 115
 computing basic statistics 118
 correlation heat maps 122
 histograms 119
 understanding data 115
 viewing data 116
 plotting data 190
 understanding data 189
 independence 73
 of residuals 107
 inequalities 230
 inferential statistics 3
 info() method 88–89, 115, 146, 189, 330, 334, 336, 389, 399
 integration (I) component 192
 intercept 94
 internal nodes 164, 169–173

investment_alternatives vector 274
 ISO 8601 date formats 188

J

Jarque–Bera test 109
 Jupyter Notebook 7

K

Kecimen class label 117
 kurtosis() method 346

L

lambda functions 152
 law of anomalous numbers 338
 LCL (lower control limit) 380
 leaf nodes 164, 169–173
 len() method 132, 197
 line of best fit 85
 linear equations 230
 linear programming 222
 developing linear optimization
 framework 229–241
 constraints 233–236
 data definition 231–232
 decision variable bounds 236
 linear equations and inequalities 230
 objective function 233
 result evaluation 239–241
 solving linear programming problem 236–238
 problem formulation 223–229
 approach 225–227
 challenge 224
 feature summaries 227–229
 scenario 224
 linear regression 81–87
 conditions for best fit 86–87
 fitting 79
 interpreting and evaluating results 95, 99, 103, 105
 testing model assumptions 105–108
 with simple linear regression 87
 fitting model 93
 goodness of fit 85
 importing and exploring data 88–92
 linear equation 81–83
 vs. logistic regression 113
 linearity between variables 106
 list comprehensions 233

- list() method 321
- LLR (log-likelihood ratio) 126
- llr p-value 130
- log returns 259, 262
- log variable 345
- log_model regression 125
- logistic function 113
- logistic regression
 - defined 111
 - exploring data 115–116, 118–119, 122
 - fitting model 125
 - fitting, classification metrics 131–139
 - importing data 115–116, 118–119, 122
 - interpreting and evaluating results 128–130
 - multiple logistic regression 115
 - vs. linear regression 113
- logit() method 125, 128
- lower_threshold 92

M

- MA (moving average) component 192–207
 - autoregression component 205
 - moving average component 206
- machine learning, overview 4
- MAD (mean absolute deviation) 342
- MAE (mean absolute error) 141
- MajorAxisLength variable 125
- majority vote 141
- mantissa statistics 344
- map() method 117
- Markov analysis 294
 - absorbing states 311–317
 - equilibrium conditions 307–311
 - mechanics of 295
 - states 296–307
- Markov property 295
- MA (moving averages) 185
- math.comb() method 28, 30, 70–71
- math.factorial() method 55
- math.perm() method 26, 71
- matplotlib library 83, 179, 322, 390
- matrices, of transition probabilities 300–307
 - making future state predictions
 - programmatically 305–307
 - predicting period 1 given period 0 302
 - predicting period 2 given period 0 303–305
 - predicting period 2 given period 1 302
- max (maximum) 118
- max_depth parameter 160
- maximax data frame 276
- Maximax method 272–276
 - identifying possible states of nature 274
 - list of payoffs for each alternative and state of nature combination 274
 - list of possible alternatives 273
 - selecting decision-making method and making decision 275
- maximin data frame 277
- Maximin method 272, 277
- Maximum column 278–279
- mds data frame 94
- mean 90, 118, 345
 - quality control measures 381
- mean() method 150, 152, 343, 346
- median 90, 118
- medical testing 72
- metrics_accuracy_score() method 177
- min (minimum) 118
- Minimax Regret method 272, 277–279
- MinorAxisLength variable 125–128
- misclassification rate 136
- missing values 145
- MLE (maximum likelihood estimation) 208
- model class 208
- model_fit method 208
- model_fit.forecast() method 214
- model.fit() method 208
- models, fitting time series models 192–215
 - AR and MA components 205–207
 - autoregression (AR) component 192
 - combining ARIMA components 192
 - differencing 195
 - evaluating model fit 209–213
 - fitting models 207–209
 - forecasting 214
 - integration (I) component 192
 - MA (moving average) component 192
 - stationarity, statistical properties 193
- Monte Carlo simulations 242
 - applications and benefits of 243
 - automating simulations on continuous data 259–270
 - analyzing historical data 261
 - analyzing results 268–270
 - calculating log returns 262
 - computing statistical parameters 264
 - generating random daily returns 265
 - predicting stock prices with Monte Carlo simulations 259
 - simulating multiple trials 267
 - simulating prices 266
 - automating simulations on discrete data 255–259
 - plotting and analyzing results 257–259

Monte Carlo simulations (*continued*)
 staffing levels example 246–255
 analyzing results 254
 computing cumulative probability distribution 248–249
 establishing interval of random numbers for each variable 250–252
 establishing probability distribution 246
 expected value calculation 255
 generating random numbers 252
 simulating series of trials 253
 step-by-step process 244
 moving range, quality control measures 386
 MSE (mean squared error) 141
 mu parameter 266
 multicollinearity 110
 multiple logistic regression 115
 multiplication rule 22
 multistate systems, vector of state probabilities for 297–300
 mutually exclusive 296

N

NaN (Not a Number) 145
 naturally occurring number sequences 324
 Negative class 75
 Newcomb–Benford law 321
 nfl_pbp data set 158, 165
 nondecreasing 37
 nonnegativity 36
 norm module 47
 normal distribution 42
 computing probabilities 48
 probability density function 46
 properties of 42
 normality, testing for 91
 of residuals 108
 np-charts 392–394
 np.arrange() method 51, 327
 np.dot() method 306–307
 np.log() method 324
 np.random_choice() method 327
 np.random.normal() method 44
 np.random.randint() method 326, 329
 np.std() method 344
 num_days parameter 266
 num_simulations parameter 266
 num_trials parameter 256
 number of defective items, quality control measures 384–385
 number sequences 319
 Benford's law 320–324

chi-square test 338–339, 341
 distortion factor and z-statistic 343
 examples 330–336
 mantissa statistics 344
 mean absolute deviation 342
 naturally occurring 324
 plotted distributions 328–330
 random distributions 325–330
 uniform distributions 325–330
 validating Benford's law 338

O

objective function 231, 233
 OFFENSIVE_TEAM_VENUE variable 145, 154, 171
 oj data frame 389–390, 392
 OLS() method 93, 127
 opg method 209
 optimistic approach 273
 optimization 4
 optimize module 237
 order of magnitude 324
 order parameter 207–208
 outliers 86
 detecting 92

P

p_bar variable 390
 p-charts (proportion charts) 379, 388–392
 p-value, chi-square test 341
 PACF (partial autocorrelation function) 197
 plot 200
 pandas library 88, 115–116, 143
 Pascal's triangle 27
 payments data frame 336
 payoff table 275–278, 280–281
 pd.concat() method 165
 pd.DataFrame() method 75, 321
 pd.read_csv() method 88, 115, 143, 330, 334, 336, 389, 399
 pd.set_option() method 147
 PDF (probability density function) 32, 42
 Perimeter variable 125, 128
 permutations 23–30
 with replacement 24
 without replacement 25
 PERT (program evaluation review technique) 349
 pessimistic approach 277
 pistons data frame 399–400

- planning, overview 350
- PLAY_TYPE variable 144, 155, 165, 171
- plot_acf() method 199
- plot_pacf() method 200
- plot_tree() method 163
- plot() method 149
- plotted distributions 328–330
- plotting
 - data 190
 - decision tree 163
- PMF (probability mass function) 35–36, 51
- pmf_values variable 58
- Poisson distribution 60, 247
 - computing probabilities 62
 - properties of 60
- poisson module 62
- poisson_table data frame 247
- poisson.cdf() method 249
- poisson.pmf() function 62
- populations data frame 334, 338, 342, 345, 347
- Positive class 75
- pow() method 25, 66
- predicting responses 161
- prediction variable 131
- predictions, distinguishing forecasts from 185
- predictor variable 81
- print() function 338
- print() method 89, 161, 177, 233–234, 237
- priority scores 225
- Prob (f-statistic) 105
- probability 3, 16
 - complement rule for 65–66
 - computing 48
 - converting and measuring 19
 - counting rules 22–30
 - examples and solutions 68–71
 - of on-time completion 349
 - reference guide for 67
 - types of 19
- probability density function 46
- probability distributions 42
 - and conditional probabilities 41
 - binomial distribution 50–51, 54
 - establishing 246
 - normal distribution 42
 - Poisson distribution 60, 62
- probability_not_4 variable 65
- probability_not_4_both variable 66
- process capability indices, quality control
 - measures 387
- programming, making future state predictions
 - programmatically 305–307

- project crashing 349
- project management 350
 - estimating activity times with PERT 354–357
 - WBS (work breakdown structure) 350–354
- proportion defective, quality control
 - measures 383
- proportion variable 390
- pseudo R-squared 129
- PyCharm 7
- PyDev 7
- Python 4–6
 - ease of learning 5
 - ecosystem 4
 - IDEs 6
 - industry adoption 6
 - online support and community 5
 - using for precision and efficiency 13
 - versatility 6

Q

- Q–Q plot 108
- quality control
 - control charts for attributes 388–398
 - c-charts 394–396
 - g-charts 396–398
 - np-charts 392–394
 - p-charts 388–392
 - control charts for variables 398–408
 - EWMA charts 407
 - I-MR charts 405–407
 - r-charts 402
 - s-charts 403
 - x-bar charts 400
 - visualizing 378
- quality control measures 380–388
 - defects per unit 386
 - mean and center line 381
 - moving range 386
 - number of defective items 384
 - number of defects 385
 - process capability indices 387
 - proportion defective 383
 - range 382
 - sample size 383
 - standard deviation 381
 - UCL and LCL 380
 - upper control limit and lower control
 - limit 380
 - z-score 386
- quantitative methods 2–4
- QUARTER variable 148

R

- r-charts 402
- R-squared 8, 82, 85, 99
- random daily returns 260
- random distributions 325–330
- random forest classifier object 175–177
- random forests 140–142
 - fitting 141–142, 174–183
 - importing data 142
 - understanding data 143
 - wrangling data 144
- random numbers
 - establishing interval of 250–252
 - generating 252
- random variables 30, 59
 - continuous 30–34
 - discrete 35–39
- random_distribution variable 327
- random_state parameter 160
- RandomForestClassifier() method 175
- range, quality control measures 382
- rank variable 346
- recall_score() method 134
- rectangular distribution 56
- regression
 - analysis 4
 - line 81, 85
 - table 94
- regret data frame 278
- reset_index() method 326
- residual error 83
- residuals 211
 - homoscedasticity of 107
 - independence of 107
 - normality of 108
- response variable 81
- result evaluation 231
- right-continuous 38
- ROC (receiver operating characteristic)
 - curve 138
- roc_auc_score() method 137
- root node 164–167
- round() method 321
- row_number variable 325, 327

S

- s-charts 403
- sample size, quality control measures 383
- sample variable 389, 399
- samples array 45
- schedule 350

- scipy library 47, 59, 339
- scipy.stats 59, 62
- scope 350
- SCORE_DIFFERENTIAL variable 145, 152, 171–172
- seaborn library 123
- second_probability variable 49
- sensitivity 133
- SES (simple exponential smoothing) 216–217
- set_option() method 116
- set() method 331
- shape attribute 159
- shapiro() method 92
- shift(1) method 263
- sigma parameter 266
- sigma2 parameter 211
- sigmoid function 113
- SimpleExpSmoothing class 217
- simulating multiple trials 260
- simulating prices 260
- simulation 4
- simulation_df data frame 266
- size variable 389
- size() method 165, 326
- skew() method 346
- skewness measures 345
- sklearn (scikit-learn) library 134
- sklearn.tree module 163
- sort_values() method 346
- specificity, defined 134
- splitting data 158
- sprints, defined 352
- Spyder 7
- SSE (sum of squares error) 103
- SSR (sum of squares regression) 99–100, 103
- SST (sum of squares total) 99–100
- stage1 predictor variable 94
- standard deviation 90
 - quality control measures 381
- states 296–307
 - matrix of transition probabilities 300–307
 - vector of state probabilities for multistate systems 297–300
- stationarity 193
 - differencing applied 197–205
 - ACF plot 199
 - Augmented Dickey–Fuller (ADF) test 201
 - first-order differencing 202–205
 - PACF plot 200
 - visual inspection 197
 - statistical properties 193
- statistical parameters 260

- statistics
 - benefits of learning 8–11
 - book structure 12–14
 - overview 1
 - probability distributions and conditional probabilities 41
 - quantitative methods 2–4
 - what this book does not cover 14
- stats module 92, 339
- stats.chisquare() method 339–341
- stats.randint() method 59
- statsmodels library 93, 125, 127, 199–200, 207
- statsmodels.stats package 107
- statsmodels.stats.diagnostic module 108
- statsmodels.tsa.arima.model module 207
- statstools module 107
- Stays Healthy node 292
- std (standard deviation) 118
- std err parameter 211
- steady-state probabilities 308
- stock_data data frame 188
- street addresses 330–333
- Strong column 278
- strong_econ estimate 281
- strong_economy vector 275
- subjective probability 19
- subtasks 351
- subtrees 288
- sum() method 97, 322
- summary statistics 90
- summation, defined 36
- symptoms variable 75

T

- tail() method 89, 116–117, 130–131, 189, 326–327, 346
- target variable 81
- tasks 224, 351
- terminal nodes 164
- test data frame 197, 214
- test_results variable 75
- theoretical probabilities 19
- three-sigma rule 44
- Ticker object 188
- ticker symbols 187
- time series models 184
 - distinguishing forecasts from predictions 185
 - importing and plotting data 186–191
- time series, fitting models 192, 207–220
 - applicability 216
 - AR and MA components 205–207
 - autoregression (AR) component 192

- choosing between ARIMA and exponential smoothing 217
- combining ARIMA components 192
- differencing 195
- evaluating model fit 209–213
- forecasting 214
- Holt–Winters model 218–220
- integration (I) component 192
- MA (moving average) component 192
- mathematical properties 216
- model structure 216
- SES and DES models 217
- stationarity 193
- stationarity and differencing applied 197–205
- types of 216
- total_cost variable 234
- total_outcomes variable 58
- traffic 72
- train data frame 197, 202, 208
- train_diff data frame 204
- train_test_split() method 159
- transition probabilities, matrix of 300–307
 - making future state predictions
 - programmatically 305–307
 - predicting period 1 given period 0 302
 - predicting period 2 given period 0 303–305
 - predicting period 2 given period 1 302
- trees, decision trees 157–173
 - advantages and disadvantages of 173
 - evaluating model, confusion matrix 161
 - fitting model 160
 - interpreting and understanding 164–173
 - plotting 163
 - predicting responses 161
 - splitting data 158
- trials, simulating series of 253
- two-way table 74

U

- UCL (upper control limit) 380
- uniform distribution of mantissas 324
- uniform distributions 325–330
 - discrete 56, 58
- uniform module 59
- uniform_distribution vector 326
- unique_values variable 331
- upper_threshold 92
- usecols parameter 143, 330
- user stories 224

V

value_counts() method 148
var (variance) 118
variance measures 345
vector of state probabilities 296
VIF (variance inflation factor) 126
visual inspection 197
VS Code (Visual Studio Code) 7
vstack() function 235

W

WBS (work breakdown structure) 349–354
weak_econ estimate 281
weak_economy vector 275
weather forecasting 72
world population figures 334–335
wrangling data 142, 144
 data filtering 144
 data transformation 145
 data type conversion 146

derived variable 146
missing values 145

X

X_test test data 177
x-bar charts 400

Y

y_pred object 161, 177
y_train test data 177
YARDS_GAINED variable 145–146, 159
yf alias 187
yfinance library 187

Z

z parameter 211
z-score, quality control measures 386
z-statistic 343