


AEA 3

Compartició de recursos i seguretat en Windows Server 2022



Mòdul Professional 4, Sistemes operatius en xarxa
Cicle Formatiu de Grau Mitjà de Sistemes Microinformàtics i Xarxes
Curs 24/25

Índex

Objectiu	1
Desenvolupament de l'activitat	1
Avaluació	1
Pes sobre la UF	1
Entrega dels exercicis	1
Fitxa tècnica del servidor	1
Autovaloració	2
Pretestos	2
1. Permisos i seguretat	4
E1. Permisos NTFS locals	4
2. Compartició d'arxius i directoris	6
E2. Compartir carpeta amb eines gràfiques	6
E3. Compartir carpeta amb powershell	7
E4. Quotes i Filtres	8
E5. Comprovacions	8
3. Compartició d'impressores	10
E6. Impressores	10
4. Planificació de recursos compartits	11
E7. Planificació	11
Entrega	12

Objectiu

Realitzar la compartició amb eines gràfiques d'arxius i directoris i impressores.

Desenvolupament de l'activitat

Aquesta activitat es presenta repartida en diferents parts. Seguint un calendari establert, s'aniran explicant les diferents parts i caldrà fer els exercicis corresponents. **Es recomana prendre apunts.**

Un cop finalitzades totes les parts, es presentarà l'activitat en una sola entrega que compregui tots els exercicis. Aquesta entrega ha de tenir uns mínims de qualitat:

- Títol, autor, índex (amb les parts) i numeració de pàgines.
- Cal diferenciar entre enunciats i respostes de l'alumne d'una manera clara.
- Sense faltes d'ortografia.
- Captures de pantalla. Cal complir aquests punts o es considerarà que la imatge no hi és (i, per tant, abaixarà la nota):
 - En totes les captures heu d'indicar què voleu ensenyar.
 - S'ha d'identificar clarament que son vostres (dins la mateixa captura, no afegit després amb edició d'imatge).
 - A les captures de línia d'ordres s'ha de veure la comanda i el resultat.
 - Retalleu les captures perquè es vegi clar el que voleu mostrar, i res més.
- Explicacions coherents i sense ús d'IA. Si es detecta l'ús d'IA, la nota final de l'activitat serà de 0.

Avaluació

Pes sobre la UF

- Aquesta activitat té un pes d'un 10% sobre la nota final de la UF3

Entrega dels exercicis

Pes sobre l'activitat: 75%

- Només s'accepten entregues al moodle i en pdf. El nom ha de seguir aquest format: **AEA3_Exercicis_CognomNom.pdf** (només s'ha de posar el primer cognom i nom).
- Les dates d'entrega són finals. Un cop passada la data, no s'acceptaran entregues, sigui quin sigui el motiu. Recordeu que podeu fer múltiples entregues fins a la data límit, i sempre es corregirà l'última que hàgiu fet.
- A cada part tindreu indicat el seu pes en l'avaluació.

Fitxa tècnica del servidor

Pes sobre l'activitat: 10%

- Continuant la fitxa tècnica iniciada durant l'AEA1, segueix documentant totes les tasques que faràs sobre el servidor en cada exercici i penjar-la a l'entrega. Si les modificacions es reverteixen, cal documentar tant quan es fa com quan es retira.
- Només s'accepten entregues al moodle i en pdf. El nom ha de seguir aquest format: **AEA3_FitxaTecnica_CognomNom.pdf** (només s'ha de posar el primer cognom i nom).

Autovaloració

Pes sobre l'activitat: 15%

- Una vegada entregat se us demanarà fer una autovaloració on haureu d'identificar quins processos són necessaris per a dur a terme cada tasca i reflexionar sobre el grau d'èxit que heu tingut en aquestes.
- Aquesta part de la nota és definida pel grau d'encert d'aquesta reflexió personal.
- És necessari haver entregat l'activitat per poder fer l'autovaloració.

Pretestos

- S'obriran pretestos al moodle per poder practicar de cara a l'examen teòric que es farà al final del bloc de Windows Server (aproximadament el mes de novembre). Aquests pretestos no tenen un pes sobre la nota de la UF, però són molt recomanables per tenir consciència del nivell d'assoliment dels resultats d'aprenentatge.

Prèvia:

0.1 Cal que el teu domini tingui els usuaris i grups creats a l'activitat anterior. Aquí te'ls recordem:

Usuari	Nom complet	Grups
dmas	Daniela Mas	management i roaming
agrau	Arnau Grau	office i sysadmins
bllach	Beatriz Llach	office
rroig	Roger Roig	office

Grup	Membres	Membre de
management	dmas	Domain users, office
office	agrau, bllach, rroig	Domain users
sysadmins	agrau	Domain users, Domain admins
roaming	dmas	Domain users

0.2 Redueix la partició del sistema i crea un volum nou d'almenys 5 GB anomenat *Data* amb format NTFS. Dona-li com a identificador la lletra G:\. Pot ser que necessitis executar la comanda `chkdsk /f C:` i reiniciar la màquina en cas de problemes.


1. Permisos i seguretat

E1. Permisos NTFS locals

(2 punts) - Part de la valoració es fa a partir de les comprovacions que facis al E5.

Crea les següents carpetes. Configura els permisos locals NTFS amb la configuració avançada de seguretat (Advanced Security Settings). Documenta amb una captura per cada carpeta els resultats del procediment, no els passos.

Carpeta G:\Shares			
Tipus	Principal	Accés	Afecta a
Allow	SYSTEM	Control total	Aquesta carpeta i totes les subcarpetes i fitxers
Allow	sysadmins	Control total	Aquesta carpeta i totes les subcarpetes i fitxers
Allow	Domain Users	Llegir i executar	Aquesta carpeta
Altres			
Propietari:		sysadmin	
Herència:		Deshabilitada	
Propòsit:		Aquesta carpeta conté carpetes de diferents departaments de l'organització. Cada carpeta tindrà uns permisos diferents.	



Carpeta G:\Shares\Management			
Tipus	Principal	Accés	Afecta a
Allow	management	Modificar	Aquesta carpeta i totes les subcarpetes i fitxers
Deny	office	Control total	Aquesta carpeta i totes les subcarpetes i fitxers
<u>Altres</u>			
Propietari:		sysadmins	
Herència:		Habilitada	
Propòsit:		Aquesta carpeta conté dades de l'equip directiu.	

Advanced Security Settings for Management

Name: G:\Shares\Management

Owner: sysadmins (ADELP\sysadmins) [Change](#)

Permissions Auditing Effective Access

For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).

Permission entries:

Type	Principal	Access	Inherited from	Applies to
Deny	office (ADELP\office)	Full control	None	This folder, subfolders and files
Allow	management (ADELP\manage...	Modify	None	This folder, subfolders and files
Allow	sysadmins (ADELP\sysadmins)	Full control	G:\Shares\	This folder, subfolders and files
Allow	SYSTEM	Full control	G:\Shares\	This folder, subfolders and files

Add Remove View

Disable inheritance

☐ Replace all child object permission entries with inheritable permission entries from this object

OK Cancel Apply

Carpeta G:\Shares\Office			
Tipus	Principal	Accés	Afecta a
Allow	management	Modificar	Aquesta carpeta i totes les subcarpetes i fitxers
Allow	office	Lectura i execució	Aquesta carpeta i totes les subcarpetes i fitxers
Allow	office	Crear fitxers / escriure dades	Només aquesta carpeta
Allow	CREATOR OWNER	Modificar	Només subcarpetes i fitxers
<u>Altres</u>			
Propietari:		sysadmins	
Herència:		Habilitada	
Propòsit:		Aquesta carpeta conté fitxers de diferents departaments de l'organització. Els usuaris d'office poden crear fitxers i modificar només els seus. Tots els usuaris d'office poden consultar tots els fitxers.	

Advanced Security Settings for Office

Name: G:\Shares\Office

Owner: sysadmins (ADELP\sysadmins) [Change](#)

☐ Replace owner on subcontainers and objects

Permissions Auditing Effective Access

For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).

Permission entries:

Type	Principal	Access	Inherited from	Applies to
Allow	management (ADELP\manage...	Modify	None	This folder, subfolders and files
Allow	office (ADELP\office)	Read & execute	None	This folder, subfolders and files
Allow	office (ADELP\office)	Create files / write data	None	This folder only
Allow	CREATOR OWNER	Modify	None	Subfolders and files only
Allow	sysadmins (ADELP\sysadmins)	Full control	G:\Shares\	This folder, subfolders and files
Allow	SYSTEM	Full control	G:\Shares\	This folder, subfolders and files

< >

Add Remove Edit

Disable inheritance

☐ Replace all child object permission entries with inheritable permission entries from this object

OK Cancel Apply

Carpeta G:\Public			
Tipus	Principal	Accés	Afecta a
Allow	SYSTEM	Control total	Aquesta carpeta i totes les subcarpetes i fitxers
Allow	sysadmins	Control total	Aquesta carpeta i totes les subcarpetes i fitxers
Allow	Domain Users	Modify	Aquesta carpeta i totes les subcarpetes i fitxers
<u>Altres</u>			
Propietari:		sysadmin	
Herència:		Deshabilitada	
Propòsit:		Aquesta carpeta conté documents de caire públic que només poden ser llegits.	

Advanced Security Settings for Public

Name: G:\Public

Owner: sysadmins (ADELP\sysadmins) [Change](#)

☐ Replace owner on subcontainers and objects

Permissions Auditing Effective Access

For additional information, double-click a permission entry. To modify a permission entry, select the entry and click Edit (if available).

Permission entries:

Type	Principal	Access	Inherited from	Applies to
Allow	Administrators (ADELP\Adminis...	Full control	None	This folder only
Allow	SYSTEM	Full control	None	This folder, subfolders and files
Allow	sysadmins (ADELP\sysadmins)	Full control	None	This folder, subfolders and files
Allow	Domain Users (ADELP\Domain ...	Modify	None	This folder, subfolders and files


Add Remove Edit

Enable inheritance

☐ Replace all child object permission entries with inheritable permission entries from this object

OK Cancel Apply

Carpeta G:\sysadmins			
Tipus	Principal	Accés	Afecta a
Allow	SYSTEM	Control total	Aquesta carpeta i totes les subcarpetes i fitxers
Allow	sysadmins	Control total	Aquesta carpeta i totes les subcarpetes i fitxers
Altres			
Propietari:		sysadmins	
Herència:		Deshabilitada	
Propòsit:		Aquesta carpeta conté els fitxers que necessita l'equip d'administradors de sistemes per treballar al dia a dia.	



No oblidis documentar totes aquestes carpetes a la fitxa del servidor.

2. Compartició d'arxius i directoris

E2. Compartir carpeta amb eines gràfiques

(2 punts) - Part de la valoració es fa a partir de les comprovacions que facis al E5.

Crea les següents carpetes compartides utilitzant eines gràfiques. Documenta els passos per a compartir una de les carpetes desde Server Manager i mostra amb una captura la pestanya Share d'Advanced Security Settings de cada una. Les comprovacions es faran a l'exercici 5.

Carpeta compartida <i>Direccio</i>		
Carpeta local:	G:\Shares\Management	
Altres:	S'ha de crear una unitat de xarxa anomenada Direccio a la lletra M mitjançant una GPO que apliqui només als membres del grup management.	
Permisos de compartició		
Tipus	Principal	Accés
Allow	Management	Control total

Direccio Properties

Direccio

Show All

General -

Permissions -

Settings +

General

Server Name: EL-ADServer

Share name: Direccio

Share description:

Folder path: G:\shares\management

Protocol: SMB

Availability type: Not Clustered

Permissions

Permissions to access the files on a share are set using a combination of folder permissions, share permissions, and, optionally, a central access policy.


Share permissions: Custom

Folder permissions:

Type	Principal	Access	Applies To
Allow	NT AUTHORITY\SYSTEM	Full Control	This folder, subfolders, and files
Allow	ADELPSysadmins	Full Control	This folder, subfolders, and files
Allow	ADELP\management	Full Control	This folder, subfolders, and files
Deny	ADELP\office	Full Control	This folder, subfolders, and files

Customize permissions...

OK Cancel Apply



The screenshot shows the Group Policy Management console. The left pane displays the hierarchy: Forest: adELP.local > Domains > adELP.local > map-Direccio. The right pane shows the configuration for 'map-Direccio'.

map-Direccio

Scope: Details Settings Delegation

Links

Display links in this location: adELP.local

The following sites, domains, and OUs are linked to this GPO:

Location	Enforced	Link Enabled	Path
adELP.local	No	Yes	adELP.local

Security Filtering

The settings in this GPO can only apply to the following groups, users, and computers:

Name
management (ADELP\management)

Buttons: Add... Remove Properties


WMI Filtering

This GPO is linked to the following WMI filter:

<none> Open

Drive Maps	
Drive Map (Drive: M)	
M: (Order: 1)	
General	
Action	Create
Properties	M
Letter	\\EL-ADServer\adELP.local\Direccio
Location	Enabled
Reconnect	Enabled
Label as	Disabled
Use first available	No change
Hide/ Show this drive	No change
Hide/ Show all drives	No change

Carpeta compartida <i>Oficina</i>		
Carpeta local:	G:\Shares\Office	
Altres:	S'ha de crear una unitat de xarxa anomenada Oficina a la lletra N mitjançant una GPO que apliqui a tots els usuaris del domini.	
Permisos de compartició		
Tipus	Principal	Accés
Allow	All	Control total



New Share Wizard

Select the profile for this share

Select Profile

- Share Location
- Share Name
- Other Settings
- Permissions
- Confirmation
- Results

File share profile:

- SMB Share - Quick
- SMB Share - Advanced
- SMB Share - Applications
- NFS Share - Quick
- NFS Share - Advanced

Description:

This basic profile represents the fastest way to create an SMB file share, typically used to share files with Windows-based computers.

- Suitable for general file sharing
- Advanced options can be configured later by using the Properties dialog

< Previous Next > Create Cancel

New Share Wizard

Select the server and path for this share

Select Profile

Share Location

Share Name

Other Settings

Permissions

Confirmation

Results

Server:

Server Name	Status	Cluster Role	Owner Node
EL-ADServer	Online	Not Clustered	

Share location:

☐ Select by volume:

Volume	Free Space	Capacity	File System
C:	29,4 GB	41,3 GB	NTFS
G:	7,97 GB	8,00 GB	NTFS

The location of the file share will be a new folder in the \Shares directory on the selected volume.

☒ Type a custom path:

G:\shares\office Browse...

< Previous **Next >** Create Cancel

New Share Wizard

Specify share name

Select Profile

Share Location

Share Name

Other Settings

Permissions

Confirmation

Results



Share name: Oficina

Share description:

Local path to share: G:\shares\office

Remote path to share: \\EL-ADServer\Oficina

< Previous **Next >** Create Cancel



New Share Wizard

Confirm selections

Select Profile
Share Location
Share Name
Other Settings
Permissions
Confirmation
Results

Confirm that the following are the correct settings, and then click Create.

SHARE LOCATION	
Server:	EL-ADServer
Cluster role:	Not Clustered
Local path:	G:\shares\office

SHARE PROPERTIES	
Share name:	Oficina
Protocol:	SMB
Access-based enumeration:	Disabled
Caching:	Enabled
BranchCache:	Disabled
Encrypt data:	Disabled

< Previous Next > Create Cancel

New Share Wizard

View results

Select Profile
Share Location
Share Name
Other Settings
Permissions
Confirmation
Results

The share was successfully created.

Task	Progress	Status
Create SMB share		Completed
Set SMB permissions		Completed

< Previous Next > Close Cancel

Share	Local Path	Protocol	Availability Type
EL-ADServer (5)			
Direccio	G:\shares\management	SMB	Not Clustered
NETLOGON	C:\Windows\SYSVOL\sysvol\adEL...	SMB	Not Clustered
Personals	C:\Shares\Personals	SMB	Not Clustered
SYSVOL	C:\Windows\SYSVOL\sysvol	SMB	Not Clustered
Oficina	G:\shares\office	SMB	Not Clustered

N: Properties

General Common

Action: Create

Location: \\EL-ADServer.adELP.local\info

Reconnect: ☒ Label as: Oficina

Drive Letter

☐ Use first available, starting at: ☐ Use: N

Connect as (optional)

User name: Password: Confirm password:

Hide/Show this drive

☒ No change ☐ Hide this drive ☐ Show this drive

Hide/Show all drives

☒ No change ☐ Hide all drives ☐ Show all drives

OK Cancel Apply Help

Security Filtering

The settings in this GPO can only apply to the following groups, users, and computers:

Name

Authenticated Users

Domain Users (ADELP\Domain Users)

Add... Remove Properties

WMI Filtering

This GPO is linked to the following WMI filter:

<None> Open

Carpeta compartida Info

Carpeta local:

G:\Public

Altres:	S'ha de crear una unitat de xarxa anomenada Info a la lletra O mitjançant una GPO que apliqui a tots els usuaris del domini. Es pot reutilitzar l'anterior GPO, ja que apliquen als mateixos elements.	
Permisos de compartició		
Tipus	Principal	Accés
Allow	All	Llegir

Info Properties

Info

Show All

General

Permissions

Settings

General

Server Name: EL-ADServer

Share name: Info

Share description:

Folder path: G:\public

Protocol: SMB

Availability type: Not Clustered

Permissions

Permissions to access the files on a share are set using a combination of folder permissions, share permissions, and, optionally, a central access policy.

Share permissions: Everyone Read Only

Folder permissions:

Type	Principal	Access	Applies To
Allow	ADELPSysadmins	Full Contr...	This folder, subfolders, and files
Allow	ADELP\Domain Users	Modify	This folder, subfolders, and files
Allow	BUILTIN\Administrators	Full Contr...	This folder only
Allow	NT AUTHORITY\SYSTEM	Full Control	This folder, subfolders, and files

Customize permissions...

OK Cancel Apply

New Drive Properties

General Common

Action: Create

Location: \\EL-ADServer.adELP.local\Info

Reconnect: ☒ Label as: INFO

Drive Letter

☐ Use first available, starting at: ☒ Use: O

Connect as (optional)

User name:

Password: Confirm password:


Hide/Show this drive

☒ No change
☐ Hide this drive
☐ Show this drive

Hide/Show all drives

☒ No change
☐ Hide all drives
☐ Show all drives

OK Cancel Apply Help




E3. Compartir carpeta amb powershell

(1 punt) - Part de la valoració es fa a partir de les comprovacions que facis al E5.

Comparteix la carpeta restant mitjançant l'ordre de powershell adient en un script. Documenta l'ordre (explicant els paràmetres que utilitzes) i el resultat a la terminal. Les comprovacions es faran a l'exercici 5.

Carpeta compartida IT		
Carpeta local:	G:\sysadmins	
Altres:	La carpeta compartida ha de ser invisible, és a dir, no s'ha de veure desde \\<servidor>.	
Permisos de compartició		
Tipus	Principal	Accés
Allow	sysadmins	Control total



The image shows a Windows PowerShell script editor window titled "create_share.ps1" with a single line of code: `New-SmbShare -Name "IT$" -Path "G:\Sysadmins" -FullAccess sysadmins`. Below the editor is a PowerShell console window showing the execution of the script. The prompt is `PS C:\Users\Administrator.EL-ADSERVER.000> c:\create_share.ps1`. The output is a table with columns "Name", "ScopeName", "Path", and "Description". The table contains one row: "IT\$" with ScopeName "*", and Path "G:\Sysadmins". The console window ends with the prompt `PS C:\Users\Administrator.EL-ADSERVER.000>`.


```
create_share.ps1 X
1  New-SmbShare -Name "IT$" -Path "G:\Sysadmins" -FullAccess sysadmins


I

PS C:\Users\Administrator.EL-ADSERVER.000> c:\create_share.ps1
Name ScopeName Path Description
----
IT$ * G:\Sysadmins

PS C:\Users\Administrator.EL-ADSERVER.000>
```

Share	Local Path	Protocol	Availability Type
EL-ADServer (7)			
Direccio	G:\shares\management	SMB	Not Clustered
Info	G:\public	SMB	Not Clustered
NETLOGON	C:\Windows\SYSVOL\sysvol\adEL...	SMB	Not Clustered
Oficina	G:\shares\office	SMB	Not Clustered
Personals	C:\Shares\Personals	SMB	Not Clustered
SYSVOL	C:\Windows\SYSVOL\sysvol	SMB	Not Clustered
IT\$	G:\Sysadmins	SMB	Not Clustered







E4. Quotes i Filtres

(1 punt) - Part de la valoració es fa a partir de les comprovacions que facis al E5.

Configura les següents quotes i filtres en les carpetes que has creat prèviament. Documenta els passos que fas (incloent instal·lar els rols o característiques necessaris) per a realitzar les configuracions.



- Quota màxima de 100MB a la carpeta G:\Shares\Office. Ha d'avisar quan es passi del 80% i generar un esdeveniment.



File Server Resource Manager

File Action View Help

File Server Resource Manager (Local)

- Quota Management
 - Quotas
 - Quota Templates
- File Screening Management
- Storage Reports Management
- Classification Management
- File Management Tasks

Name

- Quotas
- Quota Templates

Monitor 10 TB Volume Usage	10.0 TB
Monitor 200 GB Volume Usage	200 GB
Monitor 3 TB Volume Usage	3.00 TB
Monitor 5 TB Volume Usage	5.00 TB
Monitor 500 MB Share	500 MB

Create Quota Template...

Refresh

View

Help

Quota Template Properties for 100MB-limit-office

Copy properties from quota template (optional):

100MB-limit-office

Copy

Settings

Template name:

100MB-limit-office

Description (optional):

Space limit

Limit:

100,000 MB

☒ Hard quota: Do not allow users to exceed limit

☐ Soft quota: Allow users to exceed limit (use for monitoring)

Notification thresholds

Threshold	E-mail	Event Log	Command	Report
Warning (80%)		✓		

Add...

Edit...

Remove

OK

Cancel

Add Threshold

Generate notifications when usage reaches (%):

80

E-mail Message Event Log Command Report

☒ Send warning to event log

Warning message

Type the text to use for the log entry.

To identify the quota, limit, usage or other information about the current threshold, you can use Insert Variable to insert a variable in your text.

Log entry:

User [Source Io Owner] has exceeded the [Quota Threshold]% quota threshold for the quota on [Quota Path] on server [Server]. The quota limit is [Quota Limit MB] MB, and [Quota Used MB] MB currently is in use ([Quota Used Percent]% of limit).

Select variable to insert:

[Admin Email] Insert Variable

Inserts the e-mail addresses of the administrators who receive the e-mail.

OK Cancel

Create Quota

Quota path:
G:\Shares\Office Browse...

☐ Create quota on path

☒ Auto apply template and create quotas on existing and new subfolders

Quota properties

You can either use properties from a quota template or define custom quota properties.

How do you want to configure quota properties?

☒ Derive properties from this quota template (recommended):

100MB-limit-office

☐ Define custom quota properties

Custom Properties ...

Summary of quota properties:


- Auto Apply Quota: G:\Shares\Office
 - Source template: 100MB-limit-office
 - Limit: 100 MB (Soft)
 - Notification: 2
 - Warning(80%): Event log


Create Cancel

Filter: Show all: 1 items

Quota Path	% Used	Limit	Quota Type	Source Template	Match Template	Description
Source Template: 100MB-limit-office (1 item)						
G:\Shares\Office*	---	100 MB	Soft (Auto Apply)	100MB-limit-office	Yes	

- Filtre actiu a la carpeta G:\Shares\Office que no permeti guardar arxius d'àudio, vídeo o executables. S'ha de generar un esdeveniment quan un usuari intenta fer-ho.





Create File Screen Template

Copy properties from template (optional):
Block Audio and Video Files Copy

Settings E-mail Message Event Log Command Report

☒ Send warning to event log

Warning message
Type the text to use for the log entry.
To identify the file screen, file group, user, or event associated with the current notification, you can use Insert Variable to insert a variable in your text

Log entry:
User [Source Io Owner] attempted to save [Source File Path] to [File Screen Path] on the [Server] server. This file is in the [Violated File Group] file group, which is not permitted on the server.


Select variable to insert:
[Admin Email] Insert Variable

Inserts the e-mail addresses of the administrators who receive the e-mail.

OK Cancel

[Filter:](#) Show all: 0 items

File Screen Path	Screening Type
Create File Screen... Create File Screen Exception... Refresh View > Help	



Filter: Show all: 1 items				
File Screen Path	Screening Type	File Groups	Source Template	Match Template
Source Template: block-video-executable-mp3 (1 item)				
G:\Shares\Office	Active	Block: Audio and Video Files, Executable Files	block-video-executable-mp3	Yes

E5. Comprovacions

(1 punt)

Realitza les següents comprovacions per a verificar el correcte funcionament de les carpetes compartides que has creat. Documenta el resultat de cada una i respon a les preguntes que hi ha.

A la pestanya Effective Access de la configuració avançada de les carpetes, comprova:

- **G:\Shares** → Usuaris dmas, agraui i bllach desde el client amb Windows 10. Tenen accés? Per què?

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: David Mas (dmas@adELP.local) [Select a user](#)
 Include group membership [Click Add items](#) [Add items](#)

Device: CLIENT-ERIC (ADELP\CLIENT-ERIC\$) [Select a device](#)
 Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)

Effective access	Permission	Access limited by
✗	Full control	File Permissions
✓	Traverse folder / execute file	
✓	List folder / read data	
✓	Read attributes	
✓	Read extended attributes	
✗	Create files / write data	File Permissions
✗	Create folders / append data	File Permissions
✗	Write attributes	File Permissions
✗	Write extended attributes	File Permissions
✗	Delete subfolders and files	File Permissions
✗	Delete	File Permissions
✓	Read permissions	
✗	Change permissions	File Permissions
✗	Take ownership	File Permissions

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: Arnau Grau (agrau@adELP.local) [Select a user](#)
 Include group membership [Click Add items](#) [Add items](#)

Device: CLIENT-ERIC (ADELP\CLIENT-ERIC\$) [Select a device](#)
 Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)

Effective access	Permission	Access limited by
✗	Full control	File Permissions
✓	Traverse folder / execute file	
✓	List folder / read data	
✓	Read attributes	
✓	Read extended attributes	
✗	Create files / write data	File Permissions
✗	Create folders / append data	File Permissions
✗	Write attributes	File Permissions
✗	Write extended attributes	File Permissions
✗	Delete subfolders and files	File Permissions
✗	Delete	File Permissions
✓	Read permissions	
✗	Change permissions	File Permissions
✗	Take ownership	File Permissions

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: Biel Llach (biilach@adelp.local) [Select a user](#)
 Include group membership [Click Add items](#) [Add items](#)

Device: CLIENT-ERIC (ADELP\CLIENT-ERIC\$) [Select a device](#)
 Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)

Effective access	Permission	Access limited by
✗	Full control	File Permissions
✓	Traverse folder / execute file	
✓	List folder / read data	
✓	Read attributes	
✓	Read extended attributes	
✗	Create files / write data	File Permissions
✗	Create folders / append data	File Permissions
✗	Write attributes	File Permissions
✗	Write extended attributes	File Permissions
✗	Delete subfolders and files	File Permissions
✗	Delete	File Permissions
✓	Read permissions	
✗	Change permissions	File Permissions
✗	Take ownership	File Permissions

- **G:\Shares\Management** → Usuaris dmas i roig desde el client amb Windows 10.

Advanced Security Settings for Management

Name: G:\Shares\Management
Owner: sysadmins (ADELP\sysadmins) [Change](#)

Permissions Share Auditing **Effective Access**

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: David Mas (dmas@adELP.local) [Select a user](#)
Include group membership [Click Add items](#) [Add items](#)

Device: CLIENT-ERIC (ADELP\CLIENT-ERIC\$) [Select a device](#)
Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)

Effective access	Permission	Access limited by
	Full control	
	Traverse folder / execute file	
	List folder / read data	
	Read attributes	
	Read extended attributes	
	Create files / write data	
	Create folders / append data	
	Write attributes	
	Write extended attributes	
	Delete subfolders and files	
	Delete	
	Read permissions	
	Change permissions	
	Take ownership	

OK Cancel Apply

Advanced Security Settings for Management

Name: G:\Shares\Management
Owner: sysadmins (ADELP\sysadmins) [Change](#)

Permissions Share Auditing **Effective Access**

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: Roger Roig (rroig@adELP.local) [Select a user](#)
Include group membership [Click Add items](#) [Add items](#)

Device: CLIENT-ERIC (ADELP\CLIENT-ERIC\$) [Select a device](#)
Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)

Effective access	Permission	Access limited by
×	Full control	Share, File Permissions
×	Traverse folder / execute file	Share, File Permissions
×	List folder / read data	Share, File Permissions
×	Read attributes	Share, File Permissions
×	Read extended attributes	Share, File Permissions
×	Create files / write data	Share, File Permissions
×	Create folders / append data	Share, File Permissions
×	Write attributes	Share, File Permissions
×	Write extended attributes	Share, File Permissions
×	Delete subfolders and files	Share, File Permissions
×	Delete	Share, File Permissions
×	Read permissions	Share, File Permissions
×	Change permissions	Share, File Permissions
×	Take ownership	Share, File Permissions

OK Cancel Apply

- **\\<servidor>\Direccio** → Usuaris dmas i roig desde el client amb Windows 10. Hi ha alguna diferència entre aquesta i l'anterior? Per què?

Advanced Security Settings for management

Name: G:\shares\management
Owner: sysadmins (ADELP\sysadmins) [Change](#)

Permissions Share Auditing **Effective Access**

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: David Mas (dmas@adelp.local) [Select a user](#)
Include group membership [Click Add items](#) [Add items](#)

Device: CLIENT-ERIC (ADELP\CLIENT-ERIC\$) [Select a device](#)
Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)

Effective access	Permission	Access limited by
	Full control	
	Traverse folder / execute file	
	List folder / read data	
	Read attributes	
	Read extended attributes	
	Create files / write data	
	Create folders / append data	
	Write attributes	
	Write extended attributes	
	Delete subfolders and files	
	Delete	
	Read permissions	
	Change permissions	
	Take ownership	

OK Cancel Apply

Advanced Security Settings for management

Name: G:\shares\management
Owner: sysadmins (ADELP\sysadmins) [Change](#)

Permissions Share Auditing **Effective Access**

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: Roger Roig (rroig@adelp.local) [Select a user](#)
Include group membership [Click Add items](#) [Add items](#)

Device: CLIENT-ERIC (ADELP\CLIENT-ERIC\$) [Select a device](#)
Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)

Effective access	Permission	Access limited by
	Full control	Share, File Permissions
	Traverse folder / execute file	Share, File Permissions
	List folder / read data	Share, File Permissions
	Read attributes	Share, File Permissions
	Read extended attributes	Share, File Permissions
	Create files / write data	Share, File Permissions
	Create folders / append data	Share, File Permissions
	Write attributes	Share, File Permissions
	Write extended attributes	Share, File Permissions
	Delete subfolders and files	Share, File Permissions
	Delete	Share, File Permissions
	Read permissions	Share, File Permissions
	Change permissions	Share, File Permissions
	Take ownership	Share, File Permissions

OK Cancel Apply

- **\\<servidor>\Oficina** → Usuaris dmas i roig desde el client amb Windows 10. Explica la diferència entre els seus permisos.

Advanced Security Settings for office

Name: G:\shares\office
Owner: sysadmins (ADELP\sysadmins) [Change](#)

Permissions Share Auditing **Effective Access**

Effective Access allows you to view the effective permissions for a user, group, or device account. If the account is a member of a domain, you can also evaluate the impact of potential additions to the security token for the account. When you evaluate the impact of adding a group, any group that the intended group is a member of must be added separately.

User/ Group: Roger Roig (rroig@adELP.local) [Select a user](#)
Include group membership [Click Add items](#) [Add items](#)


Device: \CLIENT-ERIC (ADELP\CLIENT-ERICS) [Select a device](#)
Include group membership [Click Add items](#) [Add items](#)

[Include a user claim](#)
[Include a device claim](#)

[View effective access](#)



Effective access	Permission	Access limited by
✗	Full control	File Permissions
✓	Traverse folder / execute file	
✓	List folder / read data	
✓	Read attributes	
✓	Read extended attributes	
✓	Create files / write data	
✗	Create folders / append data	File Permissions
✗	Write attributes	File Permissions
✗	Write extended attributes	File Permissions
✗	Delete subfolders and files	File Permissions
✗	Delete	File Permissions
✓	Read permissions	
✗	Change permissions	File Permissions
✗	Take ownership	File Permissions


OK Cancel Apply





Inicia sessió al client amb Windows 10 des dels usuaris que s'indica i fes les següents comprovacions:


- Usuari **agrau** (membre de office, sysadmin, usuaris del domini, administradors del domini):
 - Comprova quines unitats de xarxa té creades.
 - Intenta crear una carpeta anomenada "Finances" dins de la carpeta compartida Oficina. Pot crear-la? Per què?
 - Accedeix a \\<servidor\G\$. On porta aquesta ruta remota? Crea la carpeta "Finances" a la carpeta Office si no has pogut fer-ho en el punt anterior.
 - Accedeix a la carpeta compartida Admin i intenta crear un fitxer. Pot crear-lo? Per què?






Porta a la seccio de carpetes ocultas del servidor







El puc crear perque estic identificat com a administrador

- Usuari **billach** (membre de office i usuaris del domini):
 - Comprova quines unitats de xarxa té creades.




- Intenta crear un fitxer .txt a la carpeta compartida Oficina i a la carpeta Finances que hi ha dins. Intenta modificar el contingut i guardar. Pot crear fitxers? Pot modificar-los?






No tinc permisos per crear fitxer dins aquesta carpeta


- Usuari **dmass** (membre de management, usuaris del domini, administradors del domini):
 - Comprova quines unitats de xarxa té creades.




- Intenta crear una carpeta anomenada anomenada "Marketing" dins de la carpeta compartida Oficina. Pot crear-la? Per què?




- Intenta crear un fitxer .txt a les carpetes Finances i Marketing i modificar el contingut. Pot fer-ho? Per què?




- Intenta modificar el contingut dels fitxers .txt creats amb l'usuari bllach. Pot fer-ho? Per què?



- Usuari **rroig** (membre de office i usuaris del domini):
 - Comprova quines unitats de xarxa té creades.





- Intenta obrir i modificar els fitxers .txt que has creat amb els usuaris **blloch** i **dmaz**. Pot llegir els continguts? Pot modificar-los? Per què?




Nomes puc llegir els continguts

- Utilitza la comanda "`fsutil file createnew`" per a crear un fitxer .txt a l'escriptori que medeixi exactament 50MB (s'ha de veure així a les propietats del fitxer). Utilitzant la interfície gràfica intenta copiar-lo a la carpeta compartida Oficina tantes vegades com puguis (apunta l'hora i minut en el que fas la tasca). Quantes vegades has pogut fer-ho? Per què?





Nombre	Fecha de modificación	Tipo	Tamaño
finances	24/10/2024 16:47	Carpeta de archivos	
marketing	24/10/2024 16:48	Carpeta de archivos	
roig	24/10/2024 18:55	Documento de te...	51.200 KB
test	24/10/2024 16:49	Documento de te...	1 KB
test2	24/10/2024 19:06	Documento de te...	5 KB
2	24/10/2024 19:21	Documento de te...	48.829 KB



Level	Date and Time	Source	Event ID	Task Category
Warning	24/10/2024 19:20:57	SRMSVC	12325	None
Warning	24/10/2024 18:44:16	SRMSVC	12317	None
Warning	24/10/2024 15:07:10	SRMSVC	12317	None
Warning	21/10/2024 16:06:05	SRMSVC	12317	None
Warning	21/10/2024 15:07:38	SRMSVC	12317	None
Warning	18/10/2024 15:09:20	SRMSVC	12317	None



Event 12325, SRMSVC



General Details

User ADELPI\roig has exceeded the 80% quota threshold for the quota on G:\Shares\Office on server EL-ADSERVER. The quota limit is 100,00 MB, and 97,72 MB currently is in use (97% of limit).

Log Name: Application
 Source: SRMSVC
 Event ID: 12325
 Level: Warning
 User: N/A
 OpCode: Info
 Logged: 24/10/2024 19:20:57
 Task Category: None
 Keywords: Classic
 Computer: EL-ADServer.adELPlocal
 More Information: [Event Log Online Help](#)

- Esborra els fitxers creats en l'anterior pas i intenta crear un fitxer anomenat "programa xungo.exe", un fitxer d'àudio i un fitxer de vídeo. Apunta l'hora en el que ho fas. Pot fer-ho? Per què?





Finalment, ves al visor d'esdeveniments en el servidor amb el teu administrador i busca els esdeveniments creats relacionats amb les Quotes i Filtres en les dues darres tasques. Et pots ajudar de l'hora en que les has fet per a trobar-los. Fes captures d'aquests esdeveniments i explica quina informació donen aquests esdeveniments.

3. Compartició d'impressores

E6. Impressores

(2 punts)

Instal·la en el servidor els rols i característiques necessaris per a instal·lar una impressora en xarxa. Instal·la una impressora en xarxa "imaginaria" seguint la informació de la següent taula. Documenta tots els passos.

Impressora "Oficina 1 - <Model>"		
Tipus	En xarxa instal·lat al servidor	
IP	192.168.33.250	
Model i Drivers	Cal buscar un model d'impressora que permeti instal·lar-la en xarxa i sigui compatible amb Windows 10 i Windows Server 2022. Cal descarregar els drivers compatibles. Es recomana baixar els drivers sense instal·lador i afegir el fitxer .inf.	
Permisos de compartició		
Tipus	Principal	Accés
Allow	sysadmins	Tot
Allow	managers	Imprimir i administrar documents
Allow	office	Imprimir

A més, cal que realitzeu el següent mitjançant GPOs (si és convenient es poden utilitzar d'exercicis o pràctiques anteriors). Pot ser necessari investigar quines directives cal definir i com.

- L'impressora s'ha d'afegir en totes les màquines per a tots els usuaris automàticament.
- Només els membres del grup sysadmins poden afegir impressores en equips del domini.

Finalment, inicia sessió amb l'usuari roig i intenta imprimir un document en aquesta impressora des del client amb Windows 10. Des del Windows Server examina la cua d'impressió de l'impressora amb l'administrador i verifica que el document enviat a imprimir està allà.

Network Printer Installation Wizard

Printer Found
The printer is ready to be installed. Please review the printer settings below, and then click Next to install the printer.

Name: oficina 1-HP LaserJet Pro M404n
Share Name: oficina 1-HP LaserJet Pro M404n-share
Model: HP Universal Printing PCL 6
Port Type: Standard TCP/IP Port
Port Name: 192.168.33.250
Location:
Publish: No
Comment:

< Back Next > Cancel

oficina 1-HP LaserJet Pro M404n Properties

General Common

 Action: Update

☐ Delete all shared printer connections

Shared printer

Share path: \\EL-ADServer\oficina 1-HP LaserJet Pro M4C ...

☒ Set this printer as the default printer...
☐ ...only if a local printer is not present

Map to local port (optional)

Local port:

☐ Reconnect
☐ Unmap all local ports


OK Cancel Apply Help

Security Filtering


The settings in this GPO can only apply to the following groups, users, and computers:

Name

 Authenticated Users



Policies	
Windows Settings	
Security Settings	
Local Policies/ User Rights Assignment	
Policy	Setting
Load and unload device drivers	sysadm, ADELP\sysadmins



Printer Name	Queue Status	Jobs In Queue	Server Name	Driver Name	Driver Version	Driver Type
oficina 1-HP LaserJet Pro M404n	Ready	1	EL-ADServer (lo...	HP Universal Printing PCL 6	61.300.1.25780	Type 3 - User Mode
office1-HP LaserJet Pro M404n	Ready	0	EL-ADServer (lo...	HP Universal Printing PCL 6		
Microsoft XPS Document Writer	Ready	0	EL-ADServer (lo...	Microsoft XPS Document Writer v4	10.0.20348.1	Type 4 - User Mode
Microsoft Print to PDF	Ready	0	EL-ADServer (lo...	Microsoft Print To PDF	10.0.20348.1	Type 4 - User Mode

4. Planificació de recursos compartits

E7. Planificació

(2 punts)

Utilitza [aquesta plantilla](#) per a recollir la informació de la planificació de recursos compartits que faràs a partir del context següent:

Després de l'excel·lent treball que vam fer dissenyant i implantant un domini per a Montserrat Alimentació S.A., l'empresa està interessada en que també dissenyem i implantem una sèrie de carpetes compartides i impressores. El motiu de tot això és poder minimitzar costos i poder gestionar de manera centralitzada els recursos de l'empresa.

A partir de les diferents entrevistes que hem tingut hem recollit els següents requeriments:

- Ens recorden que tenen un departament financer, un de comercial, el departament administratiu i el magatzem.
- Cada departament ha de tenir una carpeta compartida per a guardar totes les dades importants. Aquestes carpetes apareixen automàticament com una unitat de xarxa en els treballadors que puguin accedir-hi.
- Els treballadors regulars no poden eliminar o modificar fitxers d'altres treballadors per defecte. Els caps sí que poden fer-ho i a més també poden canviar la propietat dels fitxers.
- Per motius de seguretat, no s'han de poder guardar fitxers potencialment perillosos en aquestes carpetes compartides.
- Si un usuari passa de 100GB s'ha de crear un esdeveniment i avisar a l'usuari, però no s'ha d'impedir seguir guardant fitxers.
- El departament IT té una carpeta compartida invisible a carpetes compartides. Es crea una unitat de xarxa automàticament que sí que es pot veure pels membres del departament.
- El departament IT pot veure i fer qualsevol acció sobre totes les carpetes compartides anteriors i tots els seus continguts.
- Cada departament té una impressora que s'haurà de poder utilitzar desde els equips del departament i només pels usuaris d'aquell departament.
- Ens demanen també que recomanem quin model d'impressora utilitzar.
- Per motius de seguretat no s'ha de permetre afegir impressores noves als usuaris que no siguin IT.

Entrega

Recorda que perquè l'activitat es pugui avaluar cal:

- Entregar el document PDF amb la resolució dels exercicis
- Entregar la fitxa tècnica del servidor amb tots els canvis que s'han anat realitzant
- Respondre el qüestionari d'autovaloració del Moodle.

Si l'activitat s'ha fet en grup, tothom ha de fer el seu qüestionari d'autovaloració individual, però només un dels membres ha de fer l'entrega dels documents, especificant els membres del grup. Compte! Si diversos membres del grup feu l'entrega, i no especifiqueu tots que sou del mateix grup, es considera plagi.