

K Means Clustering Project II Public vs Private Schools

October 27, 2016

1 K Means Clustering Project - Solutions

1.1 The Data

We will use a data frame with 777 observations on the following 18 variables. * Private A factor with levels No and Yes indicating private or public university * Apps Number of applications received * Accept Number of applications accepted * Enroll Number of new students enrolled * Top10perc Pct. new students from top 10% of H.S. class * Top25perc Pct. new students from top 25% of H.S. class * F.Undergrad Number of fulltime undergraduates * P.Undergrad Number of parttime undergraduates * Outstate Out-of-state tuition * Room.Board Room and board costs * Books Estimated book costs * Personal Estimated personal spending * PhD Pct. of faculty with Ph.D.'s * Terminal Pct. of faculty with terminal degree * S.F.Ratio Student/faculty ratio * perc.alumni Pct. alumni who donate * Expend Instructional expenditure per student * Grad.Rate Graduation rate

1.2 Import Libraries

** Import the libraries you usually use for data analysis.**

```
In [103]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
%matplotlib inline
```

1.3 Get the Data

```
In [104]: df = pd.read_csv('College_Data', index_col=0)
```

Check the head of the data

```
In [105]: df.head()
```

```
Out[105]:
```

	Private	Apps	Accept	Enroll	Top10perc	\
Abilene Christian University	Yes	1660	1232	721	23	
Adelphi University	Yes	2186	1924	512	16	
Adrian College	Yes	1428	1097	336	22	
Agnes Scott College	Yes	417	349	137	60	
Alaska Pacific University	Yes	193	146	55	16	

	Top25perc	F.Undergrad	P.Undergrad	Outstate	\
Abilene Christian University	52	2885	537	7440	
Adelphi University	29	2683	1227	12280	
Adrian College	50	1036	99	11250	
Agnes Scott College	89	510	63	12960	

Alaska Pacific University	44	249	869	7560
---------------------------	----	-----	-----	------

	Room.Board	Books	Personal	PhD	Terminal	\
Abilene Christian University	3300	450	2200	70	78	
Adelphi University	6450	750	1500	29	30	
Adrian College	3750	400	1165	53	66	
Agnes Scott College	5450	450	875	92	97	
Alaska Pacific University	4120	800	1500	76	72	

	S.F.Ratio	perc.alumni	Expend	Grad.Rate
Abilene Christian University	18.1	12	7041	60
Adelphi University	12.2	16	10527	56
Adrian College	12.9	30	8735	54
Agnes Scott College	7.7	37	19016	59
Alaska Pacific University	11.9	2	10922	15

In [106]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
Index: 777 entries, Abilene Christian University to York College of Pennsylvania
Data columns (total 18 columns):
Private      777 non-null object
Apps         777 non-null int64
Accept       777 non-null int64
Enroll       777 non-null int64
Top10perc    777 non-null int64
Top25perc    777 non-null int64
F.Undergrad  777 non-null int64
P.Undergrad  777 non-null int64
Outstate     777 non-null int64
Room.Board   777 non-null int64
Books        777 non-null int64
Personal     777 non-null int64
PhD          777 non-null int64
Terminal     777 non-null int64
S.F.Ratio    777 non-null float64
perc.alumni  777 non-null int64
Expend       777 non-null int64
Grad.Rate    777 non-null int64
dtypes: float64(1), int64(16), object(1)
memory usage: 115.3+ KB
```

In [107]: df.describe()

```
Out[107]:
```

	Apps	Accept	Enroll	Top10perc	Top25perc	\
count	777.000000	777.000000	777.000000	777.000000	777.000000	
mean	3001.638353	2018.804376	779.972973	27.558559	55.796654	
std	3870.201484	2451.113971	929.176190	17.640364	19.804778	
min	81.000000	72.000000	35.000000	1.000000	9.000000	
25%	776.000000	604.000000	242.000000	15.000000	41.000000	
50%	1558.000000	1110.000000	434.000000	23.000000	54.000000	
75%	3624.000000	2424.000000	902.000000	35.000000	69.000000	
max	48094.000000	26330.000000	6392.000000	96.000000	100.000000	

	F.Undergrad	P.Undergrad	Outstate	Room.Board	Books	\
--	-------------	-------------	----------	------------	-------	---

count	777.000000	777.000000	777.000000	777.000000	777.000000
mean	3699.907336	855.298584	10440.669241	4357.526384	549.380952
std	4850.420531	1522.431887	4023.016484	1096.696416	165.105360
min	139.000000	1.000000	2340.000000	1780.000000	96.000000
25%	992.000000	95.000000	7320.000000	3597.000000	470.000000
50%	1707.000000	353.000000	9990.000000	4200.000000	500.000000
75%	4005.000000	967.000000	12925.000000	5050.000000	600.000000
max	31643.000000	21836.000000	21700.000000	8124.000000	2340.000000

	Personal	PhD	Terminal	S.F.Ratio	perc.alumni \
count	777.000000	777.000000	777.000000	777.000000	777.000000
mean	1340.642214	72.660232	79.702703	14.089704	22.743887
std	677.071454	16.328155	14.722359	3.958349	12.391801
min	250.000000	8.000000	24.000000	2.500000	0.000000
25%	850.000000	62.000000	71.000000	11.500000	13.000000
50%	1200.000000	75.000000	82.000000	13.600000	21.000000
75%	1700.000000	85.000000	92.000000	16.500000	31.000000
max	6800.000000	103.000000	100.000000	39.800000	64.000000

	Expend	Grad.Rate
count	777.000000	777.000000
mean	9660.171171	65.46332
std	5221.768440	17.17771
min	3186.000000	10.00000
25%	6751.000000	53.00000
50%	8377.000000	65.00000
75%	10830.000000	78.00000
max	56233.000000	118.00000

1.4 EDA

****** Create a scatterplot of Grad.Rate versus Room.Board where the points are colored by the Private column.

```
In [111]: sns.set_style('whitegrid')
          sns.lmplot('Room.Board', 'Grad.Rate', data=df, hue='Private',
                    palette='coolwarm', size=6, aspect=1, fit_reg=False)
```


```
Out[111]: <seaborn.axisgrid.FacetGrid at 0x11db9da90>
```



Create a scatterplot of F.Undergrad versus Outstate where the points are colored by the Private column.


```
In [112]: sns.set_style('whitegrid')
          sns.lmplot('Outstate', 'F.Undergrad', data=df, hue='Private',
                    palette='coolwarm', size=6, aspect=1, fit_reg=False)
```

```
Out[112]: <seaborn.axisgrid.FacetGrid at 0x144b90b38>
```




** Create a stacked histogram showing Out of State Tuition based on the Private column.

```
In [109]: sns.set_style('darkgrid')
g = sns.FacetGrid(df,hue="Private",palette='coolwarm',size=6,aspect=2)
g = g.map(plt.hist,'Outstate',bins=20,alpha=0.7)
```



Create a similar histogram for the `Grad.Rate` column.

```
In [110]: sns.set_style('darkgrid')
          g = sns.FacetGrid(df,hue="Private",palette='coolwarm',size=6,aspect=2)
          g = g.map(plt.hist,'Grad.Rate',bins=20,alpha=0.7)
```



**** Notice how there seems to be a private school with a graduation rate of higher than 100%.What is the name of that school?****

```
In [113]: df[df['Grad.Rate'] > 100]
```

```
Out[113]:
```

	Private	Apps	Accept	Enroll	Top10perc	Top25perc	\
Cazenovia College	Yes	3847	3433	527	9	35	

	F.Undergrad	P.Undergrad	Outstate	Room.Board	Books	\
Cazenovia College	1010	12	9384	4840	600	

	Personal	PhD	Terminal	S.F.Ratio	perc.alumni	Expend	\
Cazenovia College	500	22	47	14.3	20	7697	

	Grad.Rate
Cazenovia College	118

```
In [93]: df['Grad.Rate']['Cazenovia College'] = 100
```

```
/Users/marci/anaconda/lib/python3.5/site-packages/ipykernel/_main_.py:1: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame
```


```
See the caveats in the documentation: http://pandas.pydata.org/pandas-docs/stable/indexing.html#indexing
if __name__ == '__main__':
```

```
In [94]: df[df['Grad.Rate'] > 100]
```

```
Out[94]: Empty DataFrame
```

```
Columns: [Private, Apps, Accept, Enroll, Top10perc, Top25perc, F.Undergrad, P.Undergrad, Outstate, Room.Board, Books, S.F.Ratio, perc.alumni, Expend, Grad.Rate]
Index: []
```

```
In [95]: sns.set_style('darkgrid')
g = sns.FacetGrid(df, hue="Private", palette='coolwarm', size=6, aspect=2)
g = g.map(plt.hist, 'Grad.Rate', bins=20, alpha=0.7)
```



1.5 K Means Cluster Creation

```
In [114]: from sklearn.cluster import KMeans
```

```
** Create an instance of a K Means model with 2 clusters.**
```

```
In [115]: kmeans = KMeans(n_clusters=2)
```

Fit the model to all the data except for the Private label.

```
In [116]: kmeans.fit(df.drop('Private',axis=1))
```

```
Out[116]: KMeans(copy_x=True, init='k-means++', max_iter=300, n_clusters=2, n_init=10,
               n_jobs=1, precompute_distances='auto', random_state=None, tol=0.0001,
               verbose=0)
```

**** What are the cluster center vectors?****

```
In [117]: kmeans.cluster_centers_
```

```
Out[117]: array([[ 1.81323468e+03,  1.28716592e+03,  4.91044843e+02,
                   2.53094170e+01,  5.34708520e+01,  2.18854858e+03,
                   5.95458894e+02,  1.03957085e+04,  4.31136472e+03,
                   5.41982063e+02,  1.28033632e+03,  7.04424514e+01,
                   7.78251121e+01,  1.40997010e+01,  2.31748879e+01,
                   8.93204634e+03,  6.51195815e+01],
                 [ 1.03631389e+04,  6.55089815e+03,  2.56972222e+03,
                   4.14907407e+01,  7.02037037e+01,  1.30619352e+04,
                   2.46486111e+03,  1.07191759e+04,  4.64347222e+03,
                   5.95212963e+02,  1.71420370e+03,  8.63981481e+01,
                   9.13333333e+01,  1.40277778e+01,  2.00740741e+01,
                   1.41705000e+04,  6.75925926e+01]])
```

1.6 Evaluation

There is no perfect way to evaluate clustering if you don't have the labels, however since this is just an exercise, we do have the labels, so we take advantage of this to evaluate our clusters, keep in mind, you usually won't have this luxury in the real world.

**** Create a new column for df called 'Cluster', which is a 1 for a Private school, and a 0 for a public school.****

```
In [118]: def converter(cluster):
           if cluster=='Yes':
               return 1
           else:
               return 0
```

```
In [119]: df['Cluster'] = df['Private'].apply(converter)
```

```
In [122]: df.head()
```

```
Out[122]:
```

	Private	Apps	Accept	Enroll	Top10perc	\
Abilene Christian University	Yes	1660	1232	721	23	
Adelphi University	Yes	2186	1924	512	16	
Adrian College	Yes	1428	1097	336	22	
Agnes Scott College	Yes	417	349	137	60	
Alaska Pacific University	Yes	193	146	55	16	

	Top25perc	F.Undergrad	P.Undergrad	Outstate	\
Abilene Christian University	52	2885	537	7440	
Adelphi University	29	2683	1227	12280	
Adrian College	50	1036	99	11250	
Agnes Scott College	89	510	63	12960	
Alaska Pacific University	44	249	869	7560	

	Room.Board	Books	Personal	PhD	Terminal	\
Abilene Christian University	3300	450	2200	70	78	
Adelphi University	6450	750	1500	29	30	
Adrian College	3750	400	1165	53	66	
Agnes Scott College	5450	450	875	92	97	
Alaska Pacific University	4120	800	1500	76	72	

	S.F.Ratio	perc.alumni	Expend	Grad.Rate	\
Abilene Christian University	18.1	12	7041	60	
Adelphi University	12.2	16	10527	56	
Adrian College	12.9	30	8735	54	
Agnes Scott College	7.7	37	19016	59	
Alaska Pacific University	11.9	2	10922	15	

	Cluster
Abilene Christian University	1
Adelphi University	1
Adrian College	1
Agnes Scott College	1
Alaska Pacific University	1

** Create a confusion matrix and classification report to see how well the Kmeans clustering worked without being given any labels.**

```
In [123]: from sklearn.metrics import confusion_matrix, classification_report
          print(confusion_matrix(df['Cluster'], kmeans.labels_))
          print(classification_report(df['Cluster'], kmeans.labels_))
```

```
[[138  74]
 [531  34]]
```

	precision	recall	f1-score	support
0	0.21	0.65	0.31	212
1	0.31	0.06	0.10	565
avg / total	0.29	0.22	0.16	777