Extra credit

INFO 2950 - Spring 2023

Lina Liu

5/10/23

Setup

Load packages and data:

```
library(tidyverse)
```

```
-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
        1.1.2
v dplyr
                   v readr
                                2.1.4
v forcats 1.0.0
                   v stringr
                                1.5.0
v ggplot2 3.4.2
                                3.2.1
                     v tibble
v lubridate 1.9.2
                     v tidyr
                                1.3.0
v purrr
           1.0.1
-- Conflicts ----- tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
                 masks stats::lag()
x dplyr::lag()
i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become
  library(usmap)
  library(ggplot2)
  library(wesanderson)
  library(scales)
```

Attaching package: 'scales'

The following object is masked from 'package:purrr':

discard

```
The following object is masked from 'package:readr':
   col_factor
  #| label: load-data
  childcare_costs <- readr::read_csv('https://raw.githubusercontent.com/rfordatascience/tidy
Rows: 34567 Columns: 61
-- Column specification ------
Delimiter: ","
dbl (61): county_fips_code, study_year, unr_16, funr_16, munr_16, unr_20to64...
i Use `spec()` to retrieve the full column specification for this data.
i Specify the column types or set `show_col_types = FALSE` to quiet this message.
  counties <- readr::read_csv('https://raw.githubusercontent.com/rfordatascience/tidytuesday</pre>
Rows: 3144 Columns: 4
-- Column specification -----
Delimiter: ","
chr (3): county_name, state_name, state_abbreviation
dbl (1): county_fips_code
i Use `spec()` to retrieve the full column specification for this data.
i Specify the column types or set `show_col_types = FALSE` to quiet this message.
```


Extra credit

Research Question: What is the labor force participation of mothers who have children throughout the United States in the year 2018? How does this compare to 2008?

```
#| label: labor-county
labor_part_2018 <- childcare_costs |>
    # select relevant columns to use for analysis
    select(county_fips_code, study_year, flfpr_20to64_under6, flfpr_20to64_6to17) |>
```

```
# filter so we only use the year 2018
 filter(study_year == "2018") |>
 # did this justttt in case if there's n/a values
 drop_na() |>
 # combine the column for labor participation of mothers with children under the age
 # of 6 alongside the labor participation of mothers with children 6 to 17.
 pivot longer(
    cols = -c("county_fips_code", "study_year"),
   names_transform = parse_number,
   values to = "pct"
 ) |>
 # get rid of the name column, which is kindaaa unnecessary :p
 select(-name) |>
 # because there's two rows of the same area (one for the labor participation
 # percentage of mothers with children under 6 age group and the other one for
  # the 6-17 age group), I decided to average them together to get the total
 # labor participation
 group_by(county_fips_code) |>
 summarize(pct = mean(pct)) |>
 \# aligning the fips code of the data so it matches \# the fips code and column
 # name that the usmap package gave. I added a leading zero in the beginning &
 # changed the column name to fips
 mutate(
    county_fips_code = as.character(county_fips_code),
    fips = if_else(nchar(county_fips_code) == 4,
                               paste0("0", county_fips_code),
                               county_fips_code),
   pct = pct/100)
#| label: labor-states
state_joined <- inner_join(x = childcare_costs, y = counties,
             by = "county_fips_code")
labor_part_2018_states <- state_joined |>
 select(study_year,
         flfpr_20to64_under6,
         flfpr_20to64_6to17,
         state abbreviation) |>
 filter(study_year == "2018") |>
 drop_na() |>
 pivot_longer(
```


```
cols = -c("study_year", "state_abbreviation"),
   names_transform = parse_number,
   values_to = "pct"
  ) |>
  group_by(state_abbreviation) |>
  summarize(pct = mean(pct)) |>
  mutate(
    state = state_abbreviation,
   pct = pct/100)
#| label: visualization-by-county
# I followed this tutorial for the US map:
# https://jtr13.github.io/cc19/different-ways-of-plotting-u-s-map-in-r.html
plot_usmap(data = labor_part_2018,
           values = "pct",
           linewidth = 0.0005) +
  labs(title = "Labor Force Participation of Mothers throughout the United States
by County",
       subtitle = "For the year 2018",
       caption = "Source: National Database of Childcare Prices",
       fill = "Labor Force Participation") +
  theme(panel.background = element_blank(),
        legend.position = "left") +
  scale_fill_gradientn(colours = wes_palette("Zissou1", 100,
                                             type = "continuous"),
                       labels = percent) +
# I referred to this source to make my state lines thicker:
# https://stackoverflow.com/questions/72543606/how-to-make-census-region-
# border-thicker-on-usmap-packake-r
  geom_polygon(data = usmapdata::us_map(regions = "states"),
               aes(x, y, group = group),
               fill = NA,
               linewidth = 0.7,
               color = "black")
```



```
#| label: visualization-by-state
state_map <- plot_usmap(data = labor_part_2018_states,</pre>
           values = "pct",
           linewidth = 0.7,
           labels = TRUE,
           color = "white") +
  labs(title = "Labor Force Participation of Mothers throughout the United States
by States",
       subtitle = "For the year 2018",
       caption = "Source: National Database of Childcare Prices",
       fill = "Labor Force Participation") +
  theme(panel.background = element_blank(),
        legend.position = "left") +
  scale_fill_gradientn(colours = wes_palette("Zissou1", 100,
                                              type = "continuous"),
                       labels = percent)
# Referred to this as source to make state abbr font smaller:
```

```
# https://stackoverflow.com/questions/60806822/how-do-i-change-state-or-counties-
# label-sizes-in-r-with-the-function-usmap
state_map$layers[[2]]$aes_params$size <- 3
print(state_map)</pre>
```


Labor Force Participation of Mothers throughout the United States by States
For the year 2018




Closer view of the map

The following maps show the labor force participation of mothers by region. I only added the code chunk for first map since the code is repetitive.


Labor Force Participation of Mothers in the East North Central region For the year 2018




Labor Force Participation of Mothers in the East South Central region For the year 2018




Labor Force Participation of Mothers in the Mid-west region For the year 2018




Labor Force Participation of Mothers in the Mid-Atlantic region For the year 2018




Labor Force Participation of Mothers in the Mountain region For the year 2018




Labor Force Participation of Mothers in the New England region For the year 2018




Labor Force Participation of Mothers in the Northeast region For the year 2018



Labor Force Participation of Mothers in the North Central region For the year 2018




Labor Force Participation of Mothers in the Pacific region For the year 2018




80%


60%

Labor Force Participation of Mothers in the South Atlantic region For the year 2018






Labor Force Participation of Mothers West North Central region For the year 2018



Labor Force Participation of Mothers in the West region For the year 2018



Labor Force Participation of Mothers in the West South Central region For the year 2018

