

Index

1D convolution, [66](#)

2D convolution, [66](#)

activation, [23](#), [41](#)

 function, [71](#), [99](#)

 map, [69](#)

Adam, [39](#), [154](#)

adapter, [153](#)

affine operation, [61](#)

artificial neural network, [8](#), [11](#)

attention operator, [88](#)

autoencoder, [159](#)

 denoising, [118](#)

Autograd, [42](#)

autoregressive model, *see* model, autoregressive

average pooling, [76](#)

backpropagation, [42](#)

backward pass, [42](#), [154](#)

basis function regression, [14](#)

batch, [21](#), [38](#)

batch normalization, [80](#), [104](#)

Bellman equation, 135

bias vector, 61, 67

BPE, *see* Byte Pair Encoding

Byte Pair Encoding, 34, 129

cache memory, 21

capacity, 16

causal, 32, 90, 111

 model, *see* model, causal

chain rule (derivative), 40

chain rule (probability), 30

chain-of-thought, 140, 149

channel, 23

checkpointing, 43

classification, 18, 26, 101, 120

CLIP, *see* Contrastive Language-Image
 Pre-training

CLS token, 115

computational cost, 43, 91

context size, 147

Contrastive Language-Image Pre-training, 131,
 156

contrastive loss, 27, 131

convnet, *see* convolutional network

convolution, 66

convolutional layer, *see* layer, convolutional

convolutional network, 101

cross-attention block, 94, 109, 111

cross-entropy, 27, 31, 45

data augmentation, [120](#)

deep learning, [8](#), [11](#)

Deep Q-Network, [135](#)

denoising autoencoder, *see* autoencoder,
denoising

density modeling, [18](#)

depth, [41](#)

diffusion model, [142](#)

dilation, [67](#), [74](#)

discriminator, [160](#)

downscaling residual block, [106](#)

downstream task, [50](#)

DQN, *see* Deep Q-Network

dropout, [77](#), [91](#)

embedding layer, *see* layer, embedding

epoch, [48](#)

equivariance, [67](#), [94](#)

feed-forward block, [108](#), [109](#)

few-shot prediction, [139](#)

filter, [66](#)

fine-tune, [124](#)

fine-tuning, [51](#), [141](#)

flops, [22](#)

forward pass, [41](#)

foundation model, [140](#)

FP32, [22](#)

framework, [23](#)

GAN, *see* Generative Adversarial Networks

GELU, [73](#)

Generative Adversarial Networks, [160](#)

Generative Pre-trained Transformer, [112](#), [131](#),
[139](#), [162](#)

generator, [160](#)

GNN, *see* Graph Neural Network

GPT, *see* Generative Pre-trained Transformer

GPU, *see* Graphical Processing Unit

gradient descent, [35](#), [37](#), [40](#), [45](#)

gradient norm clipping, [44](#)

gradient step, [35](#)

Graph Neural Network, [161](#)

Graphical Processing Unit, [8](#), [20](#)

ground truth, [18](#)

hidden layer, *see* layer, hidden

hidden state, [158](#)

hyper parameter, *see* parameter, hyper

hyperbolic tangent, [72](#)

image processing, [101](#)

image synthesis, [87](#), [142](#)

inductive bias, [17](#), [49](#), [66](#), [67](#), [96](#)

invariance, [76](#), [94](#), [96](#), [162](#)

kernel size, [66](#), [74](#)

key, [88](#)

Large Language Model, [51](#), [56](#), [88](#), [139](#), [146](#), [162](#)

- layer, [41](#), [59](#)
 - attention, [87](#)
 - convolutional, [66](#), [74](#), [87](#), [96](#), [101](#), [104](#), [121](#),
[126](#), [129](#)
 - embedding, [95](#), [111](#)
 - fully connected, [61](#), [87](#), [96](#), [99](#), [101](#)
 - hidden, [99](#)
 - linear, [61](#)
 - Multi-Head Attention, [93](#), [96](#), [111](#)
 - normalizing, [80](#)
 - reversible, [43](#)
- layer normalization, [83](#), [108](#), [111](#)
- Leaky ReLU, [72](#)
- learning rate, [35](#), [50](#)
- learning rate schedule, [50](#)
- LeNet, [101](#), [102](#)
- linear layer, *see* layer, linear
- LLM, *see* Large Language Model
- local minimum, [35](#)
- logit, [26](#), [31](#)
- LoRA, *see* Low-Rank Adaptation
- loss, [12](#)
- Low-Rank Adaptation, [153](#), [155](#)
- machine learning, [11](#), [17](#), [18](#)
- Markovian Decision Process, [134](#)
- Markovian property, [134](#)
- max pooling, [74](#), [101](#)
- MDP, *see* Markovian, Decision Process

- mean squared error, 14, 26
- memory requirement, 43
- memory speed, 21
- metric learning, 27
- MLP, *see* multi-layer perceptron, 154
- model, 12
 - autoregressive, 30, 31, 139
 - causal, 33, 91, 111, 112
 - parametric, 12
 - pre-trained, 51, 124, 128
- model merging, 156
- multi-layer perceptron, 45, 99–101, 108
- Natural Language Processing, 87
- NLP, *see* Natural Language Processing
- non-linearity, 71
- normalizing layer, *see* layer, normalizing
- object detection, 121
- overfitting, 17, 48
- padding, 67, 74
- parameter, 12
 - hyper, 13, 35, 48, 66, 67, 74, 93, 95
- parametric model, *see* model, parametric
- peak performance, 22
- Perplexity, 151
- perplexity, 31
- policy, 134
 - optimal, 134

- pooling, 74
- positional encoding, 96, 111
- Post-Training Quantization, 150
- posterior probability, 26
- pre-trained model, *see* model, pre-trained
- prompt, 139, 140
 - engineering, 147
- quantization, 150
- Quantization-Aware Training, 152
- query, 88
- RAG, *see* Retrieval-Augmented Generation
- random initialization, 62
- receptive field, 68, 69, 124
- rectified linear unit, 71, 158
- recurrent neural network, 158
- regression, 18
- Reinforcement Learning, 134, 141
- Reinforcement Learning from Human Feedback, 141
- ReLU, *see* rectified linear unit
- residual
 - block, 104
 - connection, 84, 103
 - network, 47, 84, 103
- ResNet-50, 103
- Retrieval-Augmented Generation, 149
- return, 134

reversible layer, *see* layer, reversible
RL, *see* Reinforcement Learning
RLHF, *see* Reinforcement Learning from Human
Feedback
RNN, *see* recurrent neural network

scaling laws, 52
self-attention block, 94, 109, 111
self-supervised learning, 162
semantic segmentation, 86, 126
SGD, *see* stochastic gradient descent
Single Shot Detector, 121
skip connection, 84, 127, 158
softargmax, 26, 89
softmax, 26
speech recognition, 129
SSD, *see* Single Shot Detector
stochastic gradient descent, 38, 45, 52
stride, 67, 74
supervised learning, 19

Tanh, *see* hyperbolic tangent
Task Arithmetic, 156
tensor, 23
tensor cores, 21
Tensor Processing Unit, 21
test set, 48
text synthesis, 139
token, 30

- tokenizer, [34](#), [129](#)
- TPU, *see* Tensor Processing Unit
- trainable parameter, [12](#), [23](#), [52](#)
- training, [12](#)
- training set, [12](#), [25](#), [48](#)
- Transformer, [47](#), [84](#), [88](#), [96](#), [108](#), [110](#), [129](#)
- transformer, [154](#)
- transposed convolution, [69](#), [126](#)

- underfitting, [16](#)
- universal approximation theorem, [99](#)
- unsupervised learning, [19](#)

- VAE, *see* variational, autoencoder
- validation set, [48](#)
- value, [88](#)
- vanishing gradient, [44](#), [58](#)
- variational
 - autoencoder, [160](#)
 - bound, [144](#)
- Vision Transformer, [113](#), [131](#)
- ViT, *see* Vision Transformer
- vocabulary, [30](#)

- weight, [13](#)
 - decay, [28](#)
 - matrix, [61](#)

- zero-shot prediction, [132](#)

This book is licensed under the [Creative Commons BY-NC-SA 4.0 International License](#).

V1.2–May 19, 2024