Analysis of amplitude information techniques in classification of regions

Eduarda Chagas May 7, 2020

In this script, we will evaluate the performance of the WATG technique for region classification in PolSAR textures.

Importing the packages

```
# Load some packages:
if(!require(caret)) install.packages("caret")
## Loading required package: caret
## Loading required package: lattice
## Loading required package: ggplot2
if(!require(MLmetrics)) install.packages("MLmetrics")
## Loading required package: MLmetrics
##
## Attaching package: 'MLmetrics'
## The following objects are masked from 'package:caret':
##
       MAE, RMSE
##
## The following object is masked from 'package:base':
##
##
       Recall
```

FGPE

```
Creating KNN model and predicting
set.seed(123)
ctrl = trainControl(method="repeatedcv", number = 10, repeats = 10)
knnFit = train(Region~., data = Entropy.Complexity, method = "knn",
               tuneLength = 20)
pred = predict(knnFit, newdata = x_validation)
xtab = table(pred, y_validation)
confusionMatrix(xtab)
## Confusion Matrix and Statistics
##
##
           y_validation
## pred
            Forest Sea Urban
                 2
    Forest
                     0
##
     Sea
                 4
                    12
                           0
    Urban
                 0
                     0
                           6
##
##
## Overall Statistics
##
##
                  Accuracy: 0.8333
                    95% CI: (0.6262, 0.9526)
##
##
       No Information Rate: 0.5
       P-Value [Acc > NIR] : 0.0007719
##
##
##
                     Kappa: 0.7143
##
##
  Mcnemar's Test P-Value : NA
```

##

```
1.00
## Neg Pred Value
                            0.81818
                                        1.0000
## Prevalence
                             0.25000
                                        0.5000
                                                       0.25
                                                       0.25
## Detection Rate
                             0.08333
                                        0.5000
## Detection Prevalence
                                                       0.25
                             0.08333
                                        0.6667
## Balanced Accuracy
                             0.66667
                                        0.8333
                                                       1.00
cat("Accuracy: ", Accuracy(pred, y_validation), " Recall: ", Recall(pred, y_validation), " Precision: "
## Accuracy: 0.8333333 Recall: 1 Precision: 0.3333333 F1-Score: 0.5
```

AAPE

```
n.total = 160
regions = c(rep("Forest",40), rep("Sea",80), rep("Urban", 40))
Entropy.Complexity = data.frame("Entropy" = numeric(n.total),
                                "Complexity" = numeric(n.total),
                                "Region" = character(n.total),
                                stringsAsFactors=FALSE)
Entropy.Complexity.csv = read.csv(file=".../../Data/EntropyComplexityAAPED3T1A1.csv",
                                  header=TRUE, sep=",")
Entropy.Complexity$Entropy = Entropy.Complexity.csv[,1]
Entropy.Complexity$Complexity = Entropy.Complexity.csv[,2]
Entropy.Complexity$Region = regions
split = 0.85
trainIndex = createDataPartition(Entropy.Complexity$Region, p = split, list = FALSE)
x = data.frame(Entropy.Complexity$Entropy[trainIndex], Entropy.Complexity$Complexity[trainIndex])
y = factor(Entropy.Complexity$Region[trainIndex])
x_validation = data.frame("Entropy" = Entropy.Complexity$Entropy[-trainIndex], "Complexity" = Entropy.C
y_validation = factor(Entropy.Complexity$Region[-trainIndex])
Entropy.Complexity = data.frame("Entropy" = Entropy.Complexity$Entropy[trainIndex],
                                "Complexity" = Entropy.Complexity$Complexity[trainIndex],
                                "Region" = Entropy.Complexity$Region[trainIndex],
                                stringsAsFactors=FALSE)
```

Creating KNN model and predicting

```
xtab = table(pred, y_validation)
confusionMatrix(xtab)
## Confusion Matrix and Statistics
##
##
          y_validation
## pred
          Forest Sea Urban
                3 0
##
    Forest
##
    Sea
                3 12
                          0
    Urban
                0 0
##
                          6
##
## Overall Statistics
##
##
                 Accuracy: 0.875
                   95% CI: (0.6764, 0.9734)
##
##
      No Information Rate: 0.5
      P-Value [Acc > NIR] : 0.0001386
##
##
##
                    Kappa: 0.7895
##
## Mcnemar's Test P-Value : NA
##
## Statistics by Class:
##
##
                       Class: Forest Class: Sea Class: Urban
                                         1.000
## Sensitivity
                              0.5000
                                                       1.00
                              1.0000
                                         0.750
                                                       1.00
## Specificity
## Pos Pred Value
                             1.0000
                                         0.800
                                                       1.00
## Neg Pred Value
                              0.8571
                                         1.000
                                                       1.00
## Prevalence
                              0.2500
                                         0.500
                                                       0.25
## Detection Rate
                                         0.500
                                                       0.25
                             0.1250
## Detection Prevalence
                            0.1250
                                          0.625
                                                       0.25
                              0.7500
                                          0.875
                                                       1.00
## Balanced Accuracy
cat("Accuracy: ", Accuracy(pred, y_validation), " Recall: ", Recall(pred, y_validation), " Precision: "
## Accuracy: 0.875 Recall: 1 Precision: 0.5 F1-Score: 0.6666667
```