



PaymentGatewayAdapter Interface

`PaymentGatewayAdapters` can implement this interface in order to process requests.

Namespace

[CommercePayments](#)

- [PaymentGatewayAdapter Methods](#)

PaymentGatewayAdapter Methods

The following are methods for `PaymentGatewayAdapter`.

- [processRequest\(var1\)](#)
The entry point for processing payment requests. Returns the response from the payment gateway.

processRequest(var1)

The entry point for processing payment requests. Returns the response from the payment gateway.

Signature

```
global commercepayments.GatewayResponse processRequest(commercepayments.PaymentGatewayContext var1)
```

Parameters

var1

Type: [commercepayments.PaymentGatewayContext](#)

You can retrieve the request type and the request from the Context object.

Return Value

Type: `commercepayments.GatewayResponse`

The response from the payment gateway.

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



Tableau

Commerce Cloud

Lightning Design System

Einstein

Quip

APIs

Trailhead

Sample Apps

Podcasts

AppExchange

Partner Community

Blog

Salesforce Admins

Salesforce Architects

© Copyright 2025 Salesforce, Inc. [All rights reserved](#). Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)

[Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)