☰

Developers   ⌄

NotificationClient Class ☰

NotificationClient Class

Communicates with the payment platform regarding the gateway's notification.

Namespace

[CommercePayments](#)

Usage

Specify the `CommercePayments` namespace when creating an instance of this class. The constructor of this class takes no arguments. For example:

```
CommercePayments.NotificationClient ntc = new CommercePayments.NotificationClient();
```

This class is used in asynchronous payment gateway adapters. The notification client contains API for communicating with the payments platform regarding the gateway's notification. When the gateway sends a notification, the gateway adapter invokes the `record` method in `NotificationClient` to request that the platform updates notification details.

Example

The `NotificationSaveResult` class creates a saveResult object to store the result of the save request made to the payment gateway.

```
commercepayments.NotificationSaveResult saveResult =
commercepayments.NotificationClient.record(notification);
```

- [NotificationClient Methods](#)

NotificationClient Methods

The following are methods for `NotificationClient`.

- [record(notification)](#)
  Stores the results of a notification request.

record(notification)

Stores the results of a notification request.

Signature

```
global static commercepayments.NotificationSaveResult record(commercepayments.BaseNotification
notification)
```

Parameters

notification
  Type: BaseNotification

Return Value

Let us know so we can improve!

Share your feedback

DEVELOPER CENTERS

Heroku

MuleSoft

Tableau

Commerce Cloud

Lightning Design System

Einstein

Quip

POPULAR RESOURCES

Documentation

Component Library

APIs

Trailhead

Sample Apps

Podcasts

AppExchange

COMMUNITY

Trailblazer Community

Events and Calendar

Partner Community

Blog

Salesforce Admins

Salesforce Architects

Privacy Information　　　Terms of Service　　　Legal　　　Use of Cookies　　　Trust　　　Cookie Preferences

Your Privacy Choices　　　Responsible Disclosure　　　Contact