☰   Developers   🔍 👤   ⌄

BasePaymentMethodRequest Class   ☰

Apex Reference Guide / CommercePayments Namespace / BasePaymentMethodRequest Class

BasePaymentMethodRequest Class

Abstract class for storing information about payment methods.

Namespace

CommercePayments

Usage

The `BasePaymentMethodRequest` class contains fields common to `CardPaymentMethodRequest`.

- **BasePaymentMethodRequest Methods**

BasePaymentMethodRequest Methods

The following are methods for `BasePaymentMethodRequest`.

- **equals(obj)**
  Maintains the integrity of lists of type `BasePaymentMethodRequest` by determining the equality of external objects in a list. This method is dynamic and based on the equals method in Java.
- **hashCode()**
  Maintains the integrity of lists of type `BasePaymentMethodRequest` by determining the uniqueness of the external object records in a list.
- **toString()**
  Converts a date to a string.

equals(obj)

Maintains the integrity of lists of type `BasePaymentMethodRequest` by determining the equality of external objects in a list. This method is dynamic and based on the equals method in Java.

Signature

```
global Boolean equals(Object obj)
```

Parameters

obj

  Type: Object

  External object whose key is to be validated.

Return Value

Type: Boolean

hashCode()

```
global Integer hashCode()
```

Return Value

Type: Integer

toString()

Converts a date to a string.

Signature

```
global String toString()
```

Return Value

Type: String

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

Share your feedbac

DEVELOPER CENTERS

Heroku

MuleSoft

Tableau

Commerce Cloud

Lightning Design System

Einstein

Quip

POPULAR RESOURCES

Documentation

Component Library

APIs

Trailhead

Sample Apps

Podcasts

AppExchange

COMMUNITY

Trailblazer Commu

Events and Calend

Partner Communit

Blog

Salesforce Admins

Salesforce Archited

Privacy Information   Terms of Service   Legal   Use of Cookies   Trust   Cookie Preferences

Your Privacy Choices   Responsible Disclosure   Contact