



CaptureRequest Class

Represents a capture request. This class extends the `BaseRequest` class and inherits all its methods.

Namespace

[CommercePayments](#)

Usage

The `CaptureRequest` class's `buildCaptureRequest` method creates a `CaptureRequest` object to store payment information, such as value and currency, as JSON strings.

Example

Builds a `CaptureRequest` object for a multicurrency org.

```
private String buildCaptureRequest(commercepayments.CaptureRequest captureRequest) {
    Boolean IS_MULTICURRENCY_ORG = UserInfo.isMultiCurrencyOrganization();
    QueryUtils qBuilderForAuth = new QueryUtils(PaymentAuthorization.SObjectType);
    // Add required fields
    qBuilderForAuth.getSelectClause().addField('GatewayRefNumber', false);
    if (IS_MULTICURRENCY_ORG) {
        // addField also takes a boolean to enable translation (uses label instead of
        qBuilderForAuth.getSelectClause().addField('CurrencyIsoCode', false);
    }
}
```

- [CaptureRequest Constructors](#)
- [CaptureRequest Properties](#)

CaptureRequest Constructors

The following are constructors for `CaptureRequest`.

- [CaptureRequest\(amount, authorizationId\)](#)
This constructor is intended for test usage and throws an exception if used outside of the Apex test context.

CaptureRequest(amount, authorizationId)

This constructor is intended for test usage and throws an exception if used outside of the Apex test context.

Parameters

amount

Type: [Double](#)

The amount to be debited or captured.



CaptureRequest Properties

The following are properties for CaptureRequest .

- [accountId](#)
Account ID value. References an account record.
- [amount](#)
Amount of currency that needs to be captured.
- [paymentAuthorizationId](#)
ID value that references a PaymentAuthorization.

accountId

Account ID value. References an account record.

Property Value

Type: [String](#)

amount

Amount of currency that needs to be captured.

Property Value

Type: [Double](#)

paymentAuthorizationId

ID value that references a PaymentAuthorization.

Property Value

Type: [String](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



DEVELOPER CENTERS

[Heroku](#)
[MuleSoft](#)
[Tableau](#)
[Commerce Cloud](#)
[Lightning Design System](#)
[Einstein](#)

POPULAR RESOURCES

[Documentation](#)
[Component Library](#)
[APIs](#)
[Trailhead](#)
[Sample Apps](#)
[Podcasts](#)

COMMUNITY

[Trailblazer Community](#)
[Events and Calendar](#)
[Partner Community](#)
[Blog](#)
[Salesforce Admins](#)
[Salesforce Architects](#)



Salesforce Tower, 415 Mission Street, 31st Floor, San Francisco, CA 94105, United States

- [Privacy Information](#)
- [Terms of Service](#)
- [Legal](#)
- [Use of Cookies](#)
- [Trust](#)
- [Cookie Preferences](#)
- ☒ [Your Privacy Choices](#)
- [Responsible Disclosure](#)
- [Contact](#)