



# MarketingIntegration Class

Get, save, and submit a microsites marketing integration form for an Experience Cloud site.

## Namespace

[ConnectApi](#)

## MarketingIntegration Methods

The following are methods for `MarketingIntegration`. All methods are static.

`MarketingIntegration` methods make calls to Marketing Cloud Engagement REST APIs to create, query, and insert data to the data extension object. If the API returns errors, `ConnectinApex` error messages include the [error code and message](#) from Marketing Cloud Engagement.

- [getForm\(siteId, formId\)](#)  
Get a marketing integration form for an Experience Cloud site.
- [saveForm\(siteId, formInput\)](#)  
Save a marketing integration form for an Experience Cloud site.
- [submitForm\(siteId, formId, formSubmissionInput\)](#)  
Submit a marketing integration form for an Experience Cloud site.

### getForm(siteId, formId)

Get a marketing integration form for an Experience Cloud site.

#### API Version

53.0

#### Requires Chatter

No

#### Signature

```
public static ConnectApi.Form getForm(String siteId, String formId)
```

#### Parameters

##### *siteId*

Type: [String](#)

ID for the Experience Cloud site.

##### *formId*

Type: [String](#)

ID of the form.

#### Return Value

Type: [ConnectApi.Form](#)



53.0

**Requires Chatter**

No

**Signature**

```
public static ConnectApi.Form saveForm(String siteId, ConnectApi.FormInput formInput)
```

**Parameters**

***siteId***

Type: [String](#)

ID for the Experience Cloud site.

***formInput***

Type: [ConnectApi.FormInput](#)

A [ConnectApi.FormInput](#) object to save.

**Return Value**

Type: [ConnectApi.Form](#)

**Usage**

This method attempts to create a read-only data extension in Marketing Cloud Engagement. A Marketing Cloud Engagement admin can change the read-only setting. We recommend keeping the data extension as read-only to maintain schema consistency with the form.

**submitForm(siteId, formId, formSubmissionInput)**

Submit a marketing integration form for an Experience Cloud site.

**API Version**

53.0

**Available to Guest Users**

53.0

**Requires Chatter**

No

**Signature**

```
public static ConnectApi.FormSubmission submitForm(String siteId, String formId,
ConnectApi.FormSubmissionInput formSubmissionInput)
```

**Parameters**

***siteId***

Type: [String](#)

ID for the Experience Cloud site.

***formId***

Type: [String](#)



A `ConnectApi.FormSubmissionInput` object to submit.

Return Value

Type: `ConnectApi.FormSubmission`

DID THIS ARTICLE SOLVE YOUR ISSUE?  
Let us know so we can improve!

Share your feedback



DEVELOPER CENTERS

- Heroku
- MuleSoft
- Tableau
- Commerce Cloud
- Lightning Design System
- Einstein
- Quip

POPULAR RESOURCES

- Documentation
- Component Library
- APIs
- Trailhead
- Sample Apps
- Podcasts
- AppExchange

COMMUNITY

- Trailblazer Community
- Events and Calendar
- Partner Community
- Blog
- Salesforce Admins
- Salesforce Architects

© Copyright 2025 Salesforce, Inc. [All rights reserved.](#) Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)  
 [Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)