ReferencedRefundRequest

Access information about the referenced refund requests. Extends the `RefundRequest` class.

Namespace

CommercePayments

Example

```
global commercepayments.GatewayResponse processRequest(commercepayments.PaymentGatewayCont
    commercepayments.RequestType requestType = gatewayContext.getPaymentRequestType();
    if (requestType == commercepayments.RequestType.ReferencedRefund) {
        commercepayments.*ReferencedRefundRequest* refundRequest = (commercepayments.*Refe
    }
}
```

- ReferencedRefundRequest Constructors
- ReferencedRefundRequest Properties
- ReferencedRefundRequest Methods

ReferencedRefundRequest Constructors

The following are constructors for `ReferencedRefundRequest`.

- ReferencedRefundRequest(amount, paymentId)
  This constructor is intended for test usage and throws an exception if used outside of the Apex test context.

ReferencedRefundRequest(amount, paymentId)

This constructor is intended for test usage and throws an exception if used outside of the Apex test context.

Parameters

amount

Type: Double

The amount to be debited or captured.

paymentId

Type: String

The payment record.

ReferencedRefundRequest Properties

The following are properties for `ReferencedRefundRequest`.

- **amount**
  References an amount.

PaymentId

References a payment object.

Property Value

Type: String

accountId

References an account.

Property Value

Type: String

amount

References an amount.

Property Value

Type: Double

ReferencedRefundRequest Methods

The following are methods for `ReferencedRefundRequest`.

DID THIS ARTICLE SOLVE YOUR ISSUE?
Let us know so we can improve!

Share your feedback

DEVELOPER CENTERS
Heroku
MuleSoft
Tableau
Commerce Cloud
Lightning Design System
Einstein
Quip

POPULAR RESOURCES
Documentation
Component Library
APIs
Trailhead
Sample Apps
Podcasts
AppExchange

COMMUNITY
Trailblazer Community
Events and Calendar
Partner Community
Blog
Salesforce Admins
Salesforce Architects