



ExternalManagedAccount Class

Get externally managed accounts.

Namespace

[ConnectApi](#)

ExternalManagedAccount Methods

These methods are for `ExternalManagedAccount`. All methods are static.

- [getCommunitiesExternalManagedAccounts\(communityId\)](#)
Get externally managed accounts available to the context user across all Experience Cloud sites.
- [getCommunitiesExternalManagedAccounts\(communityId, includeMyAccount\)](#)
Get externally managed accounts available to the context user, including the context user's account, across all Experience Cloud sites.
- [getExternalManagedAccounts\(webstoreId\)](#)
Get externally managed accounts for a store.
- [getExternalManagedAccounts\(webstoreId, includeMyAccount\)](#)
Get externally managed accounts, including the context user's account, for a store.

getCommunitiesExternalManagedAccounts(communityId)

Get externally managed accounts available to the context user across all Experience Cloud sites.

API Version

50.0

Requires Chatter

No

Signature

```
public static ConnectApi.ExternalManagedAccountCollectionOutput  
getCommunitiesExternalManagedAccounts(String communityId)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.



Note

Regardless of the ID specified, this method returns externally managed accounts available to the context user across all Experience Cloud sites.



getCommunitiesExternalManagedAccounts(*communityId*, *includeMyAccount*)

Get externally managed accounts available to the context user, including the context user's account, across all Experience Cloud sites.

API Version

53.0

Requires Chatter

No

Signature

```
public static ConnectApi.ExternalManagedAccountCollectionOutput  
getCommunitiesExternalManagedAccounts(String communityId, Boolean includeMyAccount)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.



Note

Regardless of the ID specified, this method returns externally managed accounts available to the context user across all Experience Cloud sites.

includeMyAccount

Type: [Boolean](#)

Specifies whether to return the context user's account (`true`) or not (`false`). The default value is `false`.

Return Value

Type: [ConnectApi.ExternalManagedAccountCollectionOutput](#)

getExternalManagedAccounts(*webstoreId*)

Get externally managed accounts for a store.

API Version

49.0

Requires Chatter

No

Signature

```
public static ConnectApi.ExternalManagedAccountCollectionOutput  
getExternalManagedAccounts(String webstoreId)
```

Parameters

webstoreId

Type: [String](#)



getExternalManagedAccounts(webstoreId, includeMyAccount)

Get externally managed accounts, including the context user’s account, for a store.

API Version

53.0

Requires Chatter

No

Signature

```
public static ConnectApi.ExternalManagedAccountCollectionOutput
getExternalManagedAccounts(String webstoreId, Boolean includeMyAccount)
```

Parameters

webstoreId

Type: [String](#)

ID of the webstore.

includeMyAccount

Type: [Boolean](#)

Specifies whether to return the context user’s account (`true`) or not (`false`). The default value is `false`.

Return Value

Type: [ConnectApi.ExternalManagedAccountCollectionOutput](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



DEVELOPER CENTERS

- [Heroku](#)
- [MuleSoft](#)
- [Tableau](#)
- [Commerce Cloud](#)
- [Lightning Design System](#)
- [Einstein](#)
- [Quip](#)

POPULAR RESOURCES

- [Documentation](#)
- [Component Library](#)
- [APIs](#)
- [Trailhead](#)
- [Sample Apps](#)
- [Podcasts](#)
- [AppExchange](#)

COMMUNITY

- [Trailblazer Community](#)
- [Events and Calendar](#)
- [Partner Community](#)
- [Blog](#)
- [Salesforce Admins](#)
- [Salesforce Architects](#)



 [Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)