



OAuth2TokenExchangeHandler Class

Use this class to create a token exchange handler that validates tokens from an external identity provider and maps the token's subject to a Salesforce user during the OAuth 2.0 token exchange flow. The handler can also be used to create users by setting up a new User object and returning it to Salesforce for automatic insertion.

Namespace

[Auth](#)

Usage

See [Token Exchange Handler Validation and Subject Mapping](#).

- [OAuth2TokenExchangeHandler Methods](#)

OAuth2TokenExchangeHandler Methods

The following are methods for `OAuth2TokenExchangeHandler`.

- [getUserForTokenSubject\(networkId, result, canCreateUser, appDeveloperName, appType\)](#)
Finds the subject defined in the external identity provider's token so that it can be mapped to a Salesforce subject.
- [validateIncomingToken\(appDeveloperName, appType, incomingToken, tokenType\)](#)
Validates an access token, refresh token, ID token, SAML 2.0 assertion, or JWT passed from an external identity provider during the OAuth 2.0 token exchange flow.

getUserForTokenSubject(networkId, result, canCreateUser, appDeveloperName, appType)

Finds the subject defined in the external identity provider's token so that it can be mapped to a Salesforce subject.

Signature

```
public User getUserForTokenSubject(Id networkId, Auth.TokenValidationResult result, Boolean canCreateUser, String appDeveloperName, Auth.IntegratingAppType appType)
```

Parameters

networkId

Type: [Id](#)

The identifier for the Salesforce user, if one exists.

result

Type: [Auth.TokenValidationResult](#)

The result of the token validation performed by the `validateIncomingToken` method in the [Auth.OAuth2TokenExchangeHandler](#) class.



inserts the user into this object.

appDeveloperName

Type: [String](#)

The developer name of the Salesforce connected app or external client app that's being used to integrate your app with Salesforce.

appType

Type: [Auth.IntegratingAppType](#)

Specifies whether your app is integrated with Salesforce as a connected app or as an external client app.

Return Value

Type: [User](#)

Returns a User object with the user information obtained from the token, from Salesforce, and from callouts to the identity provider, if applicable. The User object can be an existing user record or a new user that hasn't been inserted in the database. If it's a new user, Salesforce automatically inserts the user on behalf of the token exchange handler.

validateIncomingToken(appDeveloperName, appType, incomingToken, tokenType)

Validates an access token, refresh token, ID token, SAML 2.0 assertion, or JWT passed from an external identity provider during the OAuth 2.0 token exchange flow.

Signature

```
public Auth.TokenValidationResult validateIncomingToken(String appDeveloperName,
Auth.IntegratingAppType appType, String incomingToken, Auth.OAuth2TokenExchangeType tokenType)
```

Parameters

appDeveloperName

Type: [String](#)

The developer name of the Salesforce connected app or external client app that's being used to integrate your app with Salesforce.

appType

Type: [Auth.IntegratingAppType](#)

Specifies whether your app is integrated with Salesforce as a connected app or as an external client app.

incomingToken

Type: [String](#)

The token from the external identity provider.

tokenType

Type: [Auth.OAuth2TokenExchangeType](#)

The type of token from the external identity provider. It can be an access token, a refresh token, an ID token, a SAML 2.0 assertion, or any token that's formatted as a JSON Web Token (JWT).

Return Value

Type: [Auth.TokenValidationResult](#)



DID THIS ARTICLE SOLVE YOUR ISSUE?
Let us know so we can improve!

[Share your feedback](#)



DEVELOPER CENTERS

- [Heroku](#)
- [MuleSoft](#)
- [Tableau](#)
- [Commerce Cloud](#)
- [Lightning Design System](#)
- [Einstein](#)
- [Quip](#)

POPULAR RESOURCES

- [Documentation](#)
- [Component Library](#)
- [APIs](#)
- [Trailhead](#)
- [Sample Apps](#)
- [Podcasts](#)
- [AppExchange](#)

COMMUNITY

- [Trailblazer Community](#)
- [Events and Calendar](#)
- [Partner Community](#)
- [Blog](#)
- [Salesforce Admin](#)
- [Salesforce Architecture](#)

© Copyright 2025 Salesforce, Inc. [All rights reserved.](#) Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

- [Privacy Information](#)
- [Terms of Service](#)
- [Legal](#)
- [Use of Cookies](#)
- [Trust](#)
- [Cookie Preferences](#)
- [Your Privacy Choices](#)
- [Responsible Disclosure](#)
- [Contact](#)