



SqlStubProvider Class

Contains a method to create a mock test class for handling SOQL query responses for Data Cloud data model objects (DMOs).

Namespace

[System](#)

Usage

To create mock test classes, extend the `SqlStubProvider` class and override the `handleSqlQuery()` class method.

Note

[SOQL For Loops](#) in Apex aren't supported for SOQL stubs in static or dynamic SOQL queries against DMOs.

See [Mock SOQL Tests for Data Cloud Data Model Objects](#) in the *Apex Developer Guide*.

Example

This example shows a mock test class for the `SkyMilesForBusinessOptInController` class.

```
@IsTest
public class SkyMilesForBusinessOptInController_Test {

    @IsTest
    public static void mockSql() {

        SqlStubProvider stub = new UnifiedIndividualSqlStub();
        Test.createSqlStub(UnifiedIndividual__dml.sObjectType, stub);

        Assert.isTrue(Test.isSqlStubDefined(UnifiedIndividual__dml.sObjectType));

        Test.startTest();
        string companyId = 'SampleCompanyId';
        // Performs SOQL query against Data Model Object
        List<SkyMilesMember> members = SkyMilesForBusinessOptInController.getSkyMilesProfileMembers(companyId);

        Test.stopTest();

        Assert.areEqual(1, members.size());

        SkyMilesMember member = members[0];

        Assert.areEqual(companyId, member.CompanyId);
        Assert.areEqual(5000, member.SkyMilesBalance);
    }

    class UnifiedIndividualSqlStub extends SqlStubProvider {
        public override List<sObject> handleSqlQuery(sObjectType sobj, string stubbedQuery)
```



```

        companyId = (string)bindVars.get('tmpVar1');
    }

    UnifiedIndividual__dml dmo = (UnifiedIndividual__dml)Test.createStubQueryRow(
        sst,
        new Map<string, object> {
            'sst__FirstName__c' => 'Codey',
            'sst__LastName__c' => 'Bear',
            'sst__Email__c' => 'developer@salesforce.com',
            'sst__SkyMilesBalance__c' => 5000,
            'sst__MedallionStatus__c' => 'Gold',
            'sst__CompanyId__c' => companyId
        }
    );
    return new List<sObject> { dmo };
}
}
}

```

```

public with sharing class SkyMilesForBusinessOptInController {
    public static List<SkyMilesMember> getSkyMilesProfilesFromDataCloud(String companyId)
    List<UnifiedIndividual__dml> unifiedIndividuals = [
        SELECT
            Id,
            sst__FirstName__c,
            sst__LastName__c,
            sst__Email__c,
            sst__SkyMilesBalance__c,
            sst__MedallionStatus__c,
            sst__CompanyId__c
        FROM UnifiedIndividual__dml
        WHERE sst__CompanyId__c = :companyId
    ];
    List<SkyMilesMember> skyMilesMembers = new List<SkyMilesMember>();
    for (UnifiedIndividual__dml individual : unifiedIndividuals) {
        skyMilesMembers.add(
            new SkyMilesMember(
                individual.Id,
                individual.sst__FirstName__c,
                individual.sst__LastName__c,
                individual.sst__Email__c,
                individual.sst__SkyMilesBalance__c,
                individual.sst__MedallionStatus__c,
                individual.sst__CompanyId__c
            )
        );
    }
    return skyMilesMembers;
}
}

```

- [SoqlStubProvider Methods](#)

SoqlStubProvider Methods

The following are methods for SoqlStubProvider.

- [handleSoqlQuery\(targetType, stubbedQuery, bindMap\)](#)
Defines a mocked response for a SOQL query executed against the specified SObject type.



```
public List<SObject> handleSoqlQuery(Schema.SObjectType targetType, String stubbedQuery,
Map<String,Object> bindMap)
```

Parameters

targetType

Type: [Schema.SObjectType](#)

The SObject type to be stubbed. This parameter can't be null.

stubbedQuery

Type: [String](#)

The SOQL query whose response is to be stubbed. Bind variables are replaced with placeholders.

bindMap

Type: [Map<String,Object>](#)

A map that contains placeholder keys for each bind variable specified in the SOQL query string and its value.

Return Value

Type: List<[SObject](#)>

The list of stubbed SObjects resulting from the SOQL query.

See Also

- [Test Class](#)
- [Apex Developer Guide: Mock SOQL Tests for Data Cloud Data Model Objects](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



DEVELOPER CENTERS

- [Heroku](#)
- [MuleSoft](#)
- [Tableau](#)
- [Commerce Cloud](#)
- [Lightning Design System](#)
- [Einstein](#)
- [Quip](#)

POPULAR RESOURCES

- [Documentation](#)
- [Component Library](#)
- [APIs](#)
- [Trailhead](#)
- [Sample Apps](#)
- [Podcasts](#)
- [AppExchange](#)

COMMUNITY

- [Trailblazer Community](#)
- [Events and Calendar](#)
- [Partner Community](#)
- [Blog](#)
- [Salesforce Admins](#)
- [Salesforce Architects](#)

