



# OauthTokenType Enum

Specifies the type of Salesforce-issued OAuth 2.0 token being revoked in the `OauthToken.revokeToken` method.

## Enum Values

The following are the values of the `Auth.OauthTokenType` enum.

Value	Description
ACCESS_TOKEN	An opaque access token, which Salesforce grants to a client when it successfully completes an authorization flow. Salesforce grants opaque access tokens by default.
DELETE_TOKEN	A delete token, which can be queried and used to revoke refresh tokens and associated access tokens.
REFRESH_TOKEN	A refresh token, which Salesforce grants to a client as a result of the refresh token flow. Refresh tokens are used to get more access tokens.
ORG_JWT	A JSON Web Token (JWT)-based access token, which Salesforce grants to a client when it successfully completes an authorization flow. Salesforce grants JWT-based access tokens if you enable them for a connected app or external client app.

### DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

Share your feedback



#### DEVELOPER CENTERS

Heroku  
MuleSoft  
Tableau  
Commerce Cloud  
Lightning Design System

#### POPULAR RESOURCES

Documentation  
Component Library  
APIs  
Trailhead  
Sample Apps

#### COMMUNITY

Trailblazer Community  
Events and Calendar  
Partner Community  
Blog  
Salesforce Admins



 [Your Privacy Choices](#)   [Responsible Disclosure](#)   [Contact](#)