



# ConnectApi.ActionLinkGroupDefini


The definition of an action link group. All action links must belong to a group. Action link group are mutually exclusive and share some properties. Define standalone actions in tl action group.

Action link definition can be sensitive to a third party (for example, OAuth bearer token For this reason, only calls made from the Apex namespace that created the action link c can read, modify, or delete the definition. In addition, the user making the call must hav the definition or have View All Data permission.

Property	Type	Description
actionLinks	List<ConnectApi.ActionLinkDefinitionInput>	<p>The action links this group.</p> <p>Within an action action links are order listed in tl property of the ConnectApi.Ac DefinitionInp feed item, actio displayed in the in the actionLi property of the ConnectApi.As CapabilityInp</p> <p>You can create l links in a Prima to four in an Ov</p>
category	ConnectApi.PlatformActionGroupCategory	<p>Indicates the pr locations of acti associated feed</p> <ul style="list-style-type: none"><li>• Primary group is body of</li><li>• Overflc group is overflow feed ele</li></ul>
executions Allowed	ConnectApi.ActionLinkExecutionsAllowed	<p>Defines the nur action link can l Values are:</p>



		<p>be executed time across</p> <ul style="list-style-type: none"><li>OncePer link can one time</li><li>Unlimit link can unlimited times by action li is Api o can't use</li></ul>
expirationDate	Datetime	<p>ISO 8601 date s example, 2011- 25T18:24:31.00 represents the c action link grou from associated can no longer b expirationDat one year of the</p> <p>If the action linl includes an OA good idea to se date of the activ the same value date of the OA users can't exec link and get an</p> <p>To set a date wh from a template Action Link Gro Time in <a href="#">Design . Templates</a>.</p>
templateBindings	List<ConnectApi.ActionLinkTemplateBindingInput>	<p>A collection of k fill in binding va custom user alia link template. T action link grou link template th variables, you m values for all the Define Binding ' <a href="#">Design Action L</a></p>
templateId	String	<p>The ID of the ac template from v instantiate this</p>



See Also

- [Define an Action Link and Post with a Feed Element](#)
- [Define an Action Link in a Template and Post with a Feed Element](#)
- `createActionLinkGroupDefinition(communitId, actionLinkGroup)`

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

Share your



DEVELOPER CENTERS

- Heroku
- MuleSoft
- Tableau
- Commerce Cloud
- Lightning Design System
- Einstein
- Quip

POPULAR RESOURCES

- Documentation
- Component Library
- APIs
- Trailhead
- Sample Apps
- Podcasts
- AppExchange

COMMUNITY

- Trailblazer
- Events and Webinars
- Partner Community
- Blog
- Salesforce Connect
- Salesforce Dev

© Copyright 2025 Salesforce, Inc. [All rights reserved.](#) Various trademarks held by their respective owners. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)

[Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)