



ManagedTopics Class

Get managed topics in an Experience Cloud site. Create, delete, and reorder managed topics.

Namespace

[ConnectApi](#)

ManagedTopics Methods

These methods are for `ManagedTopics`. All methods are static.

- [createManagedTopic\(`communityId`, `recordId`, `managedTopicType`\)](#)
Create a managed topic of a specific type for an Experience Cloud site.
- [createManagedTopic\(`communityId`, `recordId`, `managedTopicType`, `parentId`\)](#)
Create a child managed topic for an Experience Cloud site.
- [createManagedTopicByName\(`communityId`, `name`, `managedTopicType`\)](#)
Create a managed topic of a specific type by name for an Experience Cloud site.
- [createManagedTopicByName\(`communityId`, `name`, `managedTopicType`, `parentId`\)](#)
Create a child managed topic by name for an Experience Cloud site.
- [deleteManagedTopic\(`communityId`, `managedTopicId`\)](#)
Delete a managed topic from an Experience Cloud site.
- [getManagedTopic\(`communityId`, `managedTopicId`\)](#)
Get a managed topic in an Experience Cloud site.
- [getManagedTopic\(`communityId`, `managedTopicId`, `depth`\)](#)
Get a managed topic, including its parent and children managed topics, in an Experience Cloud site.
- [getManagedTopics\(`communityId`\)](#)
Get the featured and navigational managed topics for an Experience Cloud site.
- [getManagedTopics\(`communityId`, `managedTopicType`\)](#)
Get managed topics of the specified type for an Experience Cloud site.
- [getManagedTopics\(`communityId`, `managedTopicType`, `depth`\)](#)
Get managed topics of the specified type, including their parent and children managed topics, in an Experience Cloud site.
- [getManagedTopics\(`communityId`, `managedTopicType`, `recordIds`, `depth`\)](#)
Get managed topics of the specified type, including their parent and children managed topics, that are associated with topics in an Experience Cloud site.
- [getManagedTopics\(`communityId`, `managedTopicType`, `pageParam`, `pageSize`\)](#)
Get a page of managed topics.
- [reorderManagedTopics\(`communityId`, `managedTopicPositionCollection`\)](#)
Reorder the relative positions of managed topics in an Experience Cloud site.

`createManagedTopic(communityId, recordId, managedTopicType)`

Create a managed topic of a specific type for an Experience Cloud site.

API Version



Signature

```
public static ConnectApi.ManagedTopic createManagedTopic(String communityId, String recordId,
ConnectApi.ManagedTopicType managedTopicType)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.

recordId

Type: [String](#)

ID of the topic.

managedTopicType

Type: [ConnectApi.ManagedTopicType](#)

Specify the type of managed topic.

- **Content** –Topics that are associated with native content.
- **Featured** –Topics that are featured, for example, on the Experience Cloud site home page, but don't provide overall navigation.
- **Navigational** –Topics that display in a navigational menu in the Experience Cloud site.

A topic can be associated with all three managed topic types, so a topic can be a **Featured**, **Navigational**, and **Content** topic.

You can create up to 25 **Featured** and 5,000 **Content** topics. You can create up to eight levels of **Navigational** managed topics with 25 top-level topics and 10 children topics per level for a maximum of 2,775 **Navigational** topics.

Return Value

Type: [ConnectApi.ManagedTopic](#)

Usage

Only community managers (users with the **Create and Set Up Experiences** or **Manage Experiences** permission) can create managed topics.

createManagedTopic(communityId, recordId, managedTopicType, parentId)

Create a child managed topic for an Experience Cloud site.

API Version

35.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopic createManagedTopic(String communityId, String recordId,
ConnectApi.ManagedTopicType managedTopicType, String parentId)
```

Parameters

***recordId***

Type: [String](#)

ID of the topic.

managedTopicType

Type: [ConnectApi.ManagedTopicType](#)

Specify `Navigational` for the type of managed topic to create a child managed topic. You can create up to 25 `Featured` and 5,000 `Content` topics. You can create up to eight levels of `Navigational` managed topics with 25 top-level topics and 10 children topics per level for a maximum of 2,775 `Navigational` topics.

parentId

Type: [String](#)

ID of the parent managed topic.

You can create up to eight levels (parent, direct children, their children, etc.) of managed topics and up to 10 children managed topics per managed topic.

Return Value

Type: [ConnectApi.ManagedTopic](#)

Usage

Only community managers (users with the `Create and Set Up Experiences` or `Manage Experiences` permission) can create managed topics.

`createManagedTopicByName(communityId, name, managedTopicType)`

Create a managed topic of a specific type by name for an Experience Cloud site.

API Version

32.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopic createManagedTopicByName(String communityId, String name,
ConnectApi.ManagedTopicType managedTopicType)
```

Parameters***communityId***

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.

name

Type: [String](#)

Name of the topic.

managedTopicType

Type: [ConnectApi.ManagedTopicType](#)



- **Navigational**—Topics that display in a navigational menu in the Experience Cloud site.

A topic can be associated with all three managed topic types, so a topic can be a **Featured**, **Navigational**, and **Content** topic.

You can create up to 25 **Featured** and 5,000 **Content** topics. You can create up to eight levels of **Navigational** managed topics with 25 top-level topics and 10 children topics per level for a maximum of 2,775 **Navigational** topics.

Return Value

Type: [ConnectApi.ManagedTopic](#)

Usage

Only community managers (users with the **Create and Set Up Experiences** or **Manage Experiences** permission) can create managed topics.

createManagedTopicByName(*communityId*, *name*, *managedTopicType*, *parentId*)

Create a child managed topic by name for an Experience Cloud site.

API Version

35.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopic createManagedTopicByName(String communityId, String name,
ConnectApi.ManagedTopicType managedTopicType, String parentId)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.

name

Type: [String](#)

Name of the topic.

managedTopicType

Type: [ConnectApi.ManagedTopicType](#)

Specify **Navigational** for the type of managed topic to create a child managed topic.

You can create up to 25 **Featured** and 5,000 **Content** topics. You can create up to eight levels of **Navigational** managed topics with 25 top-level topics and 10 children topics per level for a maximum of 2,775 **Navigational** topics.

parentId

Type: [String](#)

ID of the parent managed topic.

You can create up to eight levels (parent, direct children, their children, etc.) of managed topics and up to 10 children managed topics per managed topic.



Only community managers (users with the Create and Set Up Experiences or Manage Experiences permission) can create managed topics.

deleteManagedTopic(*communityId*, *managedTopicId*)

Delete a managed topic from an Experience Cloud site.

API Version

32.0

Requires Chatter

No

Signature

```
public static deleteManagedTopic(String communityId, String managedTopicId)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.

managedTopicId

Type: [String](#)

ID of managed topic.

Return Value

Type: `Void`

Usage

Only community managers (users with the Create and Set Up Experiences or Manage Experiences permission) can delete managed topics.

getManagedTopic(*communityId*, *managedTopicId*)

Get a managed topic in an Experience Cloud site.

API Version

32.0

Available to Guest Users

32.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopic getManagedTopic(String communityId, String managedTopicId)
```

Parameters

***managedTopicId***Type: [String](#)

ID of managed topic.

Return ValueType: [ConnectApi.ManagedTopic](#)**getManagedTopic(*communityId*, *managedTopicId*, *depth*)**

Get a managed topic, including its parent and children managed topics, in an Experience Cloud site.

API Version

35.0

Available to Guest Users

35.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopic getManagedTopic(String communityId, String managedTopicId, Integer depth)
```

Parameters***communityId***Type: [String](#)ID for an Experience Cloud site, `internal`, or `null`.***managedTopicId***Type: [String](#)

ID of managed topic.

depthType: [Integer](#)

Specify an integer 1–8. If you specify 1, the `children` property of the `ConnectApi.ManagedTopic` output class is `null`. If you specify 2, the `children` property of the `ConnectApi.ManagedTopic` output class contains the direct children managed topics, if any, of the managed topic. If you specify 3–8, you get the direct children managed topics and their children managed topics if there are any. If `depth` isn't specified, it defaults to 1.

Return ValueType: [ConnectApi.ManagedTopic](#)**getManagedTopics(*communityId*)**

Get the featured and navigational managed topics for an Experience Cloud site.

To get the content topics for an Experience Cloud site, use [getManagedTopics\(*communityId*, *managedTopicType*\)](#).



32.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopicCollection getManagedTopics(String communityId)
```

Parameters***communityId***Type: [String](#)

ID for an Experience Cloud site, internal, or null.

Return ValueType: [ConnectApi.ManagedTopicCollection](#)**getManagedTopics(communityId, managedTopicType)**

Get managed topics of the specified type for an Experience Cloud site.

API Version

32.0

Available to Guest Users

32.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopicCollection getManagedTopics(String communityId,  
ConnectApi.ManagedTopicType managedTopicType)
```

Parameters***communityId***Type: [String](#)

ID for an Experience Cloud site, internal, or null.

managedTopicTypeType: [ConnectApi.ManagedTopicType](#)

Type of managed topic.

- Content –Topics that are associated with native content.
- Featured –Topics that are featured, for example, on the Experience Cloud site home page, but don't provide overall navigation.
- Navigational –Topics that display in a navigational menu in the Experience Cloud site.

A topic can be associated with all three managed topic types, so a topic can be a Featured, Navigational, and Content topic.

If you specify Content, up to 50 topics are returned. If you want more than 50 Content topics, use [getManagedTopics\(communityId, managedTopicType, pageParam, pageSize\)](#).

**getManagedTopics(*communityId*, *managedTopicType*, *depth*)**

Get managed topics of the specified type, including their parent and children managed topics, in an Experience Cloud site.

API Version

35.0

Available to Guest Users

35.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopicCollection getManagedTopics(String communityId,
    ConnectApi.ManagedTopicType managedTopicType, Integer depth)
```

Parameters***communityId***Type: [String](#)ID for an Experience Cloud site, `internal`, or `null`.***managedTopicType***Type: [ConnectApi.ManagedTopicType](#)

Type of managed topic.

- **Content** –Topics that are associated with native content.
- **Featured** –Topics that are featured, for example, on the Experience Cloud site home page, but don't provide overall navigation.
- **Navigational** –Topics that display in a navigational menu in the Experience Cloud site.

A topic can be associated with all three managed topic types, so a topic can be a `Featured`, `Navigational`, and `Content` topic.

depthType: [Integer](#)

Specify an integer 1–8. If you specify 1, the `children` property of the `ConnectApi.ManagedTopic` output class is `null`. If you specify 2, the `children` property of the `ConnectApi.ManagedTopic` output class contains the direct children managed topics, if any, of the managed topic. If you specify 3–8, you get the direct children managed topics and their children managed topics if there are any. If `depth` isn't specified, it defaults to 1.

Return ValueType: [ConnectApi.ManagedTopicCollection](#)**getManagedTopics(*communityId*, *managedTopicType*, *recordIds*, *depth*)**

Get managed topics of the specified type, including their parent and children managed topics, that are associated with topics in an Experience Cloud site.

API Version



Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopicCollection getManagedTopics(String communityId,  
ConnectApi.ManagedTopicType managedTopicType, List<String> recordIds, Integer depth)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.

managedTopicType

Type: [ConnectApi.ManagedTopicType](#)

Type of managed topic.

- `Content`—Topics that are associated with native content.
- `Featured`—Topics that are featured, for example, on the Experience Cloud site home page, but don't provide overall navigation.
- `Navigational`—Topics that display in a navigational menu in the Experience Cloud site.

A topic can be associated with all three managed topic types, so a topic can be a `Featured`, `Navigational`, and `Content` topic.

recordIds

Type: [List<String>](#)

A list of up to 100 topic IDs associated with the managed topics.
If you list more than 10 topic IDs, you can't specify 2–8 for *depth*.

depth

Type: [Integer](#)

Specify an integer 1–8. If you specify 1, the `children` property of the `ConnectApi.ManagedTopic` output class is `null`. If you specify 2, the `children` property of the `ConnectApi.ManagedTopic` output class contains the direct children managed topics, if any, of the managed topic. If you specify 3–8, you get the direct children managed topics and their children managed topics if there are any. If *depth* isn't specified, it defaults to 1.

Return Value

Type: [ConnectApi.ManagedTopicCollection](#)

getManagedTopics(communityId, managedTopicType, pageParam, pageSize)

Get a page of managed topics.

API Version

44.0

Available to Guest Users

44.0

Requires Chatter



ConnectApi.ManagedTopicType managedTopicType, Integer pageParam, Integer pageSize)

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.

managedTopicType

Type: [ConnectApi.ManagedTopicType](#)

Type of managed topic.

- `Content` –Topics that are associated with native content.
- `Featured` –Topics that are featured, for example, on the Experience Cloud site home page, but don't provide overall navigation.
- `Navigational` –Topics that display in a navigational menu in the Experience Cloud site.

A topic can be associated with all three managed topic types, so a topic can be a `Featured`, `Navigational`, and `Content` topic.

pageParam

Type: [Integer](#)

Number of the page you want returned. Starts at 0. If you pass in `null` or 0, the first page is returned.

pageSize

Type: [Integer](#)

Specifies the number of items per page. Valid values are from 1 through 100. If you pass in `null`, the default size is 50.

Return Value

Type: [ConnectApi.ManagedTopicCollection](#)

reorderManagedTopics(*communityId*, *managedTopicPositionCollection*)

Reorder the relative positions of managed topics in an Experience Cloud site.

API Version

32.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopicCollection reorderManagedTopics(String communityId,
ConnectApi.ManagedTopicPositionCollectionInput managedTopicPositionCollection)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.



Navigation: Topics and doesn't have to include all managed topics.

Return Value

Type: [ConnectApi.ManagedTopicCollection](#)

Usage

Only community managers (users with the Create and Set Up Experiences or Manage Experiences permission) can reorder managed topics.

You can reorder parent managed topics or children managed topics with the same parent. If you don't include all managed topics in the `ConnectApi.ManagedTopicPositionCollectionInput`, the managed topics are reordered by respecting the positions indicated in the `ConnectApi.ManagedTopicPositionCollectionInput` and then by pushing down any managed topics that aren't included in the `ConnectApi.ManagedTopicPositionCollectionInput` to the next available position.

Example

If you have these managed topics:

Managed Topic	Position
ManagedTopicA	0
ManagedTopicB	1
ManagedTopicC	2
ManagedTopicD	3
ManagedTopicE	4

And you reorder managed topics by including this information in `ConnectApi.ManagedTopicPositionCollectionInput`:

Managed Topic	Position
ManagedTopicD	0
ManagedTopicE	2

The result is:

Managed Topic	Position
ManagedTopicD	0
ManagedTopicA	1
ManagedTopicE	2
ManagedTopicB	3
ManagedTopicC	4



Get managed topics of the specified type, including their parent and children managed topics, that are associated with a given topic in an Experience Cloud site.

getManagedTopics(*communityId*, *managedTopicType*, *recordId*, *depth*)

Get managed topics of the specified type, including their parent and children managed topics, that are associated with a given topic in an Experience Cloud site.

API Version

35.0–37.0



Important

In version 38.0 and later, use [getManagedTopics\(*communityId*, *managedTopicType*, *recordIds*, *depth*\)](#).

Available to Guest Users

35.0

Requires Chatter

No

Signature

```
public static ConnectApi.ManagedTopicCollection getManagedTopics(String communityId,  
ConnectApi.ManagedTopicType managedTopicType, String recordId, Integer depth)
```

Parameters

communityId

Type: [String](#)

ID for an Experience Cloud site, `internal`, or `null`.

managedTopicType

Type: [ConnectApi.ManagedTopicType](#)

Type of managed topic.

- **Content** –Topics that are associated with native content.
- **Featured** –Topics that are featured, for example, on the Experience Cloud site home page, but don't provide overall navigation.
- **Navigational** –Topics that display in a navigational menu in the Experience Cloud site.

A topic can be associated with all three managed topic types, so a topic can be a `Featured`, `Navigational`, and `Content` topic.

recordId

Type: [String](#)

ID of the topic associated with the managed topics.

depth

Type: [Integer](#)



Return Value

Type: [ConnectApi.ManagedTopicCollection](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



DEVELOPER CENTERS

- [Heroku](#)
- [MuleSoft](#)
- [Tableau](#)
- [Commerce Cloud](#)
- [Lightning Design System](#)
- [Einstein](#)
- [Quip](#)

POPULAR RESOURCES

- [Documentation](#)
- [Component Library](#)
- [APIs](#)
- [Trailhead](#)
- [Sample Apps](#)
- [Podcasts](#)
- [AppExchange](#)

COMMUNITY

- [Trailblazer Community](#)
- [Events and Calendar](#)
- [Partner Community](#)
- [Blog](#)
- [Salesforce Admins](#)
- [Salesforce Architects](#)

© Copyright 2025 Salesforce, Inc. [All rights reserved.](#) Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)

[Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)