



IBusinessObjectivesAndRecsFamily Class

Get and patch business objectives, or goals. Get, create, patch, and update recommended actions for business objectives.

Namespace

[ConnectApi](#)

IBusinessObjectivesAndRecsFamily Methods

These methods are for `IBusinessObjectivesAndRecsFamily`. All methods are static.

- [createRecommendations\(busObjRecommendationInput\)](#)
Create recommended actions for a business objective, or goal.
- [getBusinessObjectives\(webstoreId, channelId, kpiName, includeRecSummary, includeInsightSummary\)](#)
Get business objectives, or goals, for a webstore.
- [getRecommendations\(businessObjectiveId, domain, channelId, externalName, secondaryState, tertiaryState, grouping\)](#)
Get recommended actions for a business objective, or goal.
- [patchBusinessObjective\(busObjRecommendationInput\)](#)
Partially update a business objective, or goal.
- [patchRecommendations\(busObjRecommendationInput\)](#)
Partially update a recommended action associated with a business objective, or goal.
- [updateRecommendations\(busObjRecommendationInput\)](#)
Update a recommended action for a business objective, or goal.

createRecommendations(busObjRecommendationInput)

Create recommended actions for a business objective, or goal.

API Version

60.0

Requires Chatter

No

Signature

```
public static ConnectApi.RecRepresentation  
createRecommendations(ConnectApi.BusObjRecommendationInputRepresentation  
busObjRecommendationInput)
```

Parameters

busObjRecommendationInput

Type: [ConnectApi.BusObjRecommendationInputRepresentation](#)



Type: [ConnectApi.RecRepresentation](#)

getBusinessObjectives(webstoreId, channelId, kpiName, includeRecSummary, includeInsightSummary)

Get business objectives, or goals, for a webstore.

API Version

59.0

Requires Chatter

No

Signature

```
public static ConnectApi.BusinessObjectivesSummaryOutputRepresentation  
getBusinessObjectives(String webstoreId, String channelId, String kpiName, Boolean  
includeRecSummary, Boolean includeInsightSummary)
```

Parameters

webstoreId

Type: [String](#)

ID of the webstore.

channelId

Type: [String](#)

ID of the channel.

kpiName

Type: [String](#)

Name of the key performance indicator (KPI).

includeRecSummary

Type: [Boolean](#)

Specifies whether to include a summary of recommended actions in the response.

includeInsightSummary

Type: [Boolean](#)

Specifies whether to include insight summary information in the response.

Return Value

Type: [ConnectApi.BusinessObjectivesSummaryOutputRepresentation](#)

getRecommendations(businessObjectiveId, domain, channel, externalName, state, secondaryState, tertiaryState, grouping)

Get recommended actions for a business objective, or goal.

API Version

59.0

Requires Chatter



businessObjectiveId, String domain, String channelId, String externalName, String state, secondaryState, String tertiaryState, String grouping)

Parameters

businessObjectiveId

Type: [String](#)

ID of the business objective.

domain

Type: [String](#)

Recommendation domain.

channelId

Type: [String](#)

ID of the channel.

externalName

Type: [String](#)

External name of the recommended action.

state

Type: [String](#)

State of the recommended action.

secondaryState

Type: [String](#)

Secondary state of the recommended action.

tertiaryState

Type: [String](#)

Tertiary state of the recommended action.

grouping

Type: [String](#)

Grouping associated with the recommended action. This is a free-form categorization field

Return Value

Type: [ConnectApi.RecommendationsOutputRepresentation](#)

patchBusinessObjective(busObjRecommendationInput)

Partially update a business objective, or goal.

API Version

62.0

Requires Chatter

No

Signature



busObjRecommendationInput

Type: [ConnectApi.BusinessObjectivesInputRepresentation](#)

A [ConnectApi.BusinessObjectivesInputRepresentation](#) object representing the business obj or objectives to update.

Return Value

Type: [ConnectApi.BusObjSummaryOutputRepresentation](#)

patchRecommendations(busObjRecommendationInput)

Partially update a recommended action associated with a business objective, or goal.

API Version

61.0

Requires Chatter

No

Signature

```
public static ConnectApi.RecRepresentation  
patchRecommendations(ConnectApi.BusObjRecommendationInputRepresentation  
busObjRecommendationInput)
```

Parameters

busObjRecommendationInput

Type: [ConnectApi.BusObjRecommendationInputRepresentation](#)

A [ConnectApi.BusObjRecommendationInputRepresentation](#) object representing the recommender action to update.

Return Value

Type: [ConnectApi.RecRepresentation](#)

updateRecommendations(busObjRecommendationInput)

Update a recommended action for a business objective, or goal.

API Version

60.0

Requires Chatter

No

Signature

```
public static ConnectApi.RecRepresentation  
updateRecommendations(ConnectApi.BusObjRecommendationInputRepresentation  
busObjRecommendationInput)
```

Parameters

busObjRecommendationInput

Type: [ConnectApi.BusObjRecommendationInputRepresentation](#)



Type: [ConnectApi.RecRepresentation](#)

DID THIS ARTICLE SOLVE YOUR ISSUE?
Let us know so we can improve!

[Share your feedback](#)



DEVELOPER CENTERS

- [Heroku](#)
- [MuleSoft](#)
- [Tableau](#)
- [Commerce Cloud](#)
- [Lightning Design System](#)
- [Einstein](#)
- [Quip](#)

POPULAR RESOURCES

- [Documentation](#)
- [Component Library](#)
- [APIs](#)
- [Trailhead](#)
- [Sample Apps](#)
- [Podcasts](#)
- [AppExchange](#)

COMMUNITY

- [Trailblazer Connect](#)
- [Events and Webinars](#)
- [Partner Community](#)
- [Blog](#)
- [Salesforce Answers](#)
- [Salesforce AppExchange](#)

© Copyright 2025 Salesforce, Inc. [All rights reserved](#). Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)

[Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)