









Apex Reference Guide / ConnectApi Namespace / CdpIdentityResolution Class

CdpIdentityResolution Class

Create, delete, get, run, and update Data Cloud identity resolution rulesets.

Namespace

ConnectApi

CdpIdentityResolution Methods

These methods are for CdpIdentityResolution. All methods are static.

- createIdentityResolution(input)
 Create an identity resolution ruleset.
- deleteIdentityResolution(identityResolution)
 Delete an identity resolution ruleset.
- getIdentityResolution(identityResolution)
 Get an identity resolution ruleset.
- getIdentityResolutions()
 Get identity resolution rulesets.
- runIdentityResolutionNow(identityResolution, input)
 Trigger an immediate identity resolution ruleset job run.
- updateIdentityResolution(identityResolution, input)
 Update an identity resolution ruleset.

createIdentityResolution(input)

Create an identity resolution ruleset.

API Version

57.0

Requires Chatter

No

Signature

public static ConnectApi.CdpIdentityResolutionOutput
createIdentityResolution(ConnectApi.CdpIdentityResolutionConfigInput input)

Parameters

input

Type: ConnectApi.CdpIdentityResolutionConfigInput

Input representation for creating an identity resolution ruleset.

Return Value

Type: ConnectApi.CdpIdentityResolutionOutput



~

57.0

Requires Chatter

No

Signature

public static Void deleteIdentityResolution(String identityResolution)

Parameters

identityResolution

Type: String

Developer name or ID of the ruleset.

Return Value

Type: Void

getIdentityResolution(identityResolution)

Get an identity resolution ruleset.

API Version

57.0

Requires Chatter

No

Signature

 $\verb"public static ConnectApi.CdpIdentityResolutionOutput getIdentityResolution(String identityResolution)"\\$

Parameters

identityResolution

Type: String

Developer name or ID of the ruleset.

Return Value

Type: ConnectApi.CdpIdentityResolutionOutput

getIdentityResolutions()

Get identity resolution rulesets.

API Version

57.0

Requires Chatter

No

Signature

public static ConnectApi.CdpIdentityResolutionsOutput getIdentityResolutions()





runtuenittykesolutioninowijuenittykesolution, input/

Trigger an immediate identity resolution ruleset job run.

API Version

57.0

Requires Chatter

No

Signature

 $public \ static \ ConnectApi. CdpIdentityResolutionRunNowOutput \ runIdentityResolutionNow(String identityResolution, ConnectApi. CdpIdentityResolutionRunNowInput input)$

Parameters

identityResolution

Type: String

Developer name of the ruleset.

input

Type: ConnectApi.CdpIdentityResolutionRunNowInput

Input representation for running an identity resolution ruleset job on demand.

Return Value

Type: ConnectApi.CdpIdentityResolutionRunNowOutput

updateIdentityResolution(identityResolution, input)

Update an identity resolution ruleset.

API Version

57.0

Requires Chatter

No

Signature

public static ConnectApi.CdpIdentityResolutionOutput updateIdentityResolution(String identityResoluti
ConnectApi.CdpIdentityResolutionConfigPatchInput input)

Parameters

identityResolution

Type: String

Developer name or ID of the ruleset.

input

Type: ConnectApi.CdpIdentityResolutionConfigPatchInput

Input representation for updating an identity resolution ruleset.

Return Value

Type: ConnectApi.CdpIdentityResolutionOutput











DEVELOPER CENTERS

Heroku MuleSoft Tableau

Commerce Cloud
Lightning Design System
Einstein

Quip

POPULAR RESOURCES

Documentation

Component Library

Trailhead
Sample Apps
Podcasts

AppExchange

APIs

COMMUNITY

Trailblazer Communi Events and Calendar

Partner Community

Blog

Salesforce Admins
Salesforce Architects

© Copyright 2025 Salesforce, Inc. All rights reserved. Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

<u>Privacy Information</u> <u>Terms of Service</u> <u>Legal</u> <u>Use of Cookies</u> <u>Trust</u> <u>Cookie Preferences</u>



Responsible Disclosure C

Contact