



# ApplicationContext Interface

Use this interface to retrieve application context information, such as the application version or URL.

## Namespace

Canvas

## Usage

The `ApplicationContext` interface provides methods to retrieve application information about the canvas app that's being rendered. Most of the methods are read-only. For this interface, you don't need to create an implementation. Use the default implementation that Salesforce provides.

- [ApplicationContext Methods](#)

### DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)



#### DEVELOPER CENTERS

[Heroku](#)  
[MuleSoft](#)  
[Tableau](#)  
[Commerce Cloud](#)  
[Lightning Design System](#)

#### POPULAR RESOURCES

[Documentation](#)  
[Component Library](#)  
[APIs](#)  
[Trailhead](#)  
[Sample Apps](#)

#### COMMUNITY

[Trailblazer Community](#)  
[Events and Calendar](#)  
[Partner Community](#)  
[Blog](#)  
[Salesforce Admins](#)



Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

- [Privacy Information](#)
- [Terms of Service](#)
- [Legal](#)
- [Use of Cookies](#)
- [Trust](#)
- [Cookie Preferences](#)
- ☒ [Your Privacy Choices](#)
- [Responsible Disclosure](#)
- [Contact](#)