



Answers Class

Represents zone answers.

Namespace

[System](#)

Usage

Answers is a feature that enables users to ask questions and have zone members post replies. Members can then vote on the helpfulness of each reply, and the person who asked the question can mark one reply as the best answer.

For more information on answers, see “Answers Overview” in the Salesforce online help.

Example

The following example finds questions in an internal zone that have similar titles as a new question:

```
public class FindSimilarQuestionController {

    public static void test() {
        // Instantiate a new question
        Question question = new Question ();

        // Specify a title for the new question
        question.title = 'How much vacation time do full-time employees get?';

        // Specify the communityID (INTERNAL_COMMUNITY) in which to find similar questions.
        Community community = [ SELECT Id FROM Community WHERE Name = 'INTERNAL_COMMUNITY' ];

        question.communityId = community.id;

        ID[] results = Answers.findSimilar(question);
    }
}
```

The following example marks a reply as the best reply:

```
ID questionId = [SELECT Id FROM Question WHERE Title = 'Testing setBestReplyId' LIMIT 1].Id;
ID replyId = [SELECT Id FROM Reply WHERE QuestionId = :questionId LIMIT 1].Id;
Answers.setBestReply(questionId,replyId);
```

Answers Methods

The following are methods for `Answers`. All methods are static.

- [findSimilar\(yourQuestion\)](#)

Returns a list of similar questions based on the title of the specified question.



findSimilar(yourQuestion)

Returns a list of similar questions based on the title of the specified question.

Signature

```
public static ID[] findSimilar(Question yourQuestion)
```

Parameters

yourQuestion

Type: [Question](#)

Return Value

Type: [ID\[\]](#)

Usage

Each `findSimilar` call counts against the SOSL statements governor limit allowed for the process.

setBestReply(questionId, replyId)

Sets the specified reply for the specified question as the best reply. Because a question can have multiple replies, setting the best reply helps users quickly identify the reply that contains the most helpful information.

Signature

```
public static Void setBestReply(String questionId, String replyId)
```

Parameters

questionId

Type: [String](#)

replyId

Type: [String](#)

Return Value

Type: `Void`

DID THIS ARTICLE SOLVE YOUR ISSUE?

Let us know so we can improve!

[Share your feedback](#)

DEVELOPER CENTERS

[Heroku](#)

POPULAR RESOURCES

[Documentation](#)

COMMUNITY

[Trailblazer Community](#)



EinsteinPodcastsSalesforce Architects

QuipAppExchange

© Copyright 2025 Salesforce, Inc. [All rights reserved.](#) Various trademarks held by their respective owners. Salesforce, Inc. Salesforce Tower, 415 Mission Street, 3rd Floor, San Francisco, CA 94105, United States

[Privacy Information](#) [Terms of Service](#) [Legal](#) [Use of Cookies](#) [Trust](#) [Cookie Preferences](#)

[Your Privacy Choices](#) [Responsible Disclosure](#) [Contact](#)