Gemini 2.5 Flash Image (aka Nano Banana) is now available in the Gemini API! Learn more



# Gemini models

Send feedback

On this page expand more

Model variants
- Gemini 2.5 Pro
- Gemini 2.5 Flash
- Gemini 2.5 Flash-Lite
- Gemini 2.5 Flash Live
- Gemini 2.5 Flash Native Audio
- Gemini 2.5 Flash Image Preview
- Gemini 2.5 Flash Preview Text-to-Speech

more_horiz

## 2.5 Pro spark

Our most powerful thinking model with maximum response accuracy and state-of-the-art performance

- Input audio, images, video, and text, get text responses
- Tackle difficult problems, analyze large databases, and more
- Best for complex coding, reasoning, and multimodal understanding

## 2.5 Flash spark

Our best model in terms of price-performance, offering well-rounded capabilities.

- Input audio, images, video, and text, and get text responses
- Model thinks as needed; or, you can configure a thinking budget
- Best for low latency, high volume tasks that require thinking

## 2.5 Flash-Lite spark

A Gemini 2.5 Flash model optimized for cost efficiency and low latency.

- Input audio, images, video, and text, and get text responses
- Most cost-efficient model supporting high throughput
- Best for real time, low latency use cases

star **Note:** Gemini 2.5 Pro and 2.5 Flash come with ***thinking on by default***. If you're migrating from a non-thinking model such as 2.0 Pro or Flash, we recommend you to review the Thinking guide first.

| | | | |
|---|---|---|---|
| Gemini 2.5 Flash Live<br>`gemini-live-2.5-flash-preview` | Audio, video, and text | Text, audio | Low-latency bidirectional voice and video interactions |
| Gemini 2.5 Flash Native Audio<br>`gemini-2.5-flash-preview-native-audio-dialog` & `gemini-2.5-flash-exp-native-audio-thinking-dialog` | Audio, videos, and text | Text and audio, interleaved | High quality, natural conversational audio outputs, with or without thinking |
| Gemini 2.5 Flash Image Preview<br>`gemini-2.5-flash-image-preview` | Images and text | Images and text | Precise, conversational image generation and editing |
| Gemini 2.5 Flash Preview TTS<br>`gemini-2.5-flash-preview-tts` | Text | Audio | Low latency, controllable, single- and multi-speaker text-to-speech audio generation |
| Gemini 2.5 Pro Preview TTS<br>`gemini-2.5-pro-preview-tts` | Text | Audio | Low latency, controllable, single- and multi-speaker text-to-speech audio generation |
| Gemini 2.0 Flash<br>`gemini-2.0-flash` | Audio, images, videos, and text | Text | Next generation features, speed, and realtime streaming. |
| Gemini 2.0 Flash Preview Image Generation<br>`gemini-2.0-flash-preview-image-generation` | Audio, images, videos, and text | Text, images | Conversational image generation and editing |
| Gemini 2.0 Flash-Lite<br>`gemini-2.0-flash-lite` | Audio, images, videos, and text | Text | Cost efficiency and low latency |
| Gemini 2.0 Flash Live<br>`gemini-2.0-flash-live-001` | Audio, video, and text | Text, audio | Low-latency bidirectional voice and video interactions |
| Gemini 1.5 Flash<br>`gemini-1.5-flash` | Audio, images, videos, and text | Text | Fast and versatile performance across a diverse variety of tasks<br>Deprecated |
| Gemini 1.5 Flash-8B<br>`gemini-1.5-flash-8b` | Audio, images, videos, and text | Text | High volume and lower intelligence tasks<br>Deprecated |

- Gemini 2.5 Flash Image Preview
- Gemini 2.5 Flash Preview Text-to-Speech
- Gemini 2.5 Pro Preview Text-to-Speech
- Gemini 2.0 Flash
- Gemini 2.0 Flash Preview Image Generation
- Gemini 2.0 Flash-Lite
- Gemini 2.0 Flash Live
- Gemini 1.5 Flash
- Gemini 1.5 Flash-8B
- Gemini 1.5 Pro

See the examples to explore the capabilities of these model variations.

[*] A token is equivalent to about 4 characters for Gemini models. 100 tokens are about 60-80 English words.

## Model version name patterns

Gemini models are available in either *stable*, *preview*, or *experimental* versions. In your code, you can use one of the following model name formats to specify which model and version you want to use.

### Latest stable

Points to the most recent stable version released for the specified model generation and variation.

To specify the latest stable version, use the following pattern: `<model>-<generation>-<variation>`. For example, `gemini-2.0-flash`.

Points to an experimental model which may not be suitable for production use and come with more restrictive rate limits. We release experimental models to gather feedback and get our latest updates into the hands of developers quickly.

To specify an experimental version, use the following pattern: `<model>-<generation>-<variation>-<version>`. For example, `gemini-2.0-pro-exp-02-05`.

Experimental models are not stable and availability of model endpoints is subject to change.

## Experimental models

In addition to stable models, the Gemini API offers experimental models which may not be suitable for production use and come with more restrictive rate limits.

We release experimental models to gather feedback, get our latest updates into the hands of developers quickly, and highlight the pace of innovation happening at Google. What we learn from experimental launches informs how we release models more widely. An experimental model can be swapped for another without prior notice. We don't guarantee that an experimental model will become a stable model in the future.

### Previous experimental models

As new versions or stable releases become available, we remove and replace experimental models. You can find the previous experimental models we released in the following section along with the replacement version:

| Model code | Base model | Replacement version |
|---|---|---|
| `gemini-embedding-exp-03-07` | Gemini Embedding | `gemini-embedding-001` |
| `gemini-2.5-flash-preview-04-17` | Gemini 2.5 Flash | `gemini-2.5-flash-preview-05-20` |
| `gemini-2.0-flash-exp-image-generation` | Gemini 2.0 Flash | `gemini-2.0-flash-preview-image-generation` |
| `gemini-2.5-pro-preview-06-05` | Gemini 2.5 Pro | `gemini-2.5-pro` |
| `gemini-2.5-pro-preview-05-06` | Gemini 2.5 Pro | `gemini-2.5-pro` |
| `gemini-2.5-pro-preview-03-25` | Gemini 2.5 Pro | `gemini-2.5-pro` |
| `gemini-2.0-flash-thinking-exp-01-21` | Gemini 2.5 Flash | `gemini-2.5-flash-preview-04-17` |
| `gemini-2.0-pro-exp-02-05` | Gemini 2.0 Pro | `gemini-2.5-pro-preview-03-25` |

| | | |
|---|---|---|
| gemini-1.5-flash-8b-exp-0924 | Gemini 1.5 Flash-8B | gemini-1.5-flash-8b |
| gemini-1.5-flash-8b-exp-0827 | Gemini 1.5 Flash-8B | gemini-1.5-flash-8b |

## Supported languages

Gemini models are trained to work with the following languages:

- Arabic ( `ar` )
- Bengali ( `bn` )
- Bulgarian ( `bg` )
- Chinese simplified and traditional ( `zh` )
- Croatian ( `hr` )
- Czech ( `cs` )
- Danish ( `da` )
- Dutch ( `nl` )
- English ( `en` )
- Estonian ( `et` )
- Finnish ( `fi` )
- French ( `fr` )
- German ( `de` )
- Greek ( `el` )
- Hebrew ( `iw` )
- Hindi ( `hi` )
- Hungarian ( `hu` )
- Indonesian ( `id` )
- Italian ( `it` )
- Japanese ( `ja` )
- Korean ( `ko` )
- Latvian ( `lv` )

- Swedish ( `sv` )
- Thai ( `th` )
- Turkish ( `tr` )
- Ukrainian ( `uk` )
- Vietnamese ( `vi` )

Was this helpful?

Send feedback

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 4.0 License, and code samples are licensed under the Apache 2.0 License. For details, see the Google Developers Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2025-09-10 UTC.