Gemini 2.5 Flash Image (aka Nano Banana) is now available in the Gemini API! Learn more

Gemini models

Send feedback

On this page expand more

Model variants
- Gemini 2.5 Pro
- Gemini 2.5 Flash
- Gemini 2.5 Flash-Lite
- Gemini 2.5 Flash Live
- Gemini 2.5 Flash Native Audio
- Gemini 2.5 Flash Image Preview
- Gemini 2.5 Flash Preview Text-to-Speech

more_horiz

2.5 Pro spark

Our most powerful thinking model with maximum response accuracy and state-of-the-art performance

- Input audio, images, video, and text, get text responses
- Tackle difficult problems, analyze large databases, and more
- Best for complex coding, reasoning, and multimodal understanding

2.5 Flash spark

Our best model in terms of price-performance, offering well-rounded capabilities.

- Input audio, images, video, and text, and get text responses
- Model thinks as needed; or, you can configure a thinking budget
- Best for low latency, high volume tasks that require thinking

2.5 Flash-Lite spark

A Gemini 2.5 Flash model optimized for cost efficiency and low latency.

- Input audio, images, video, and text, and get text responses
- Most cost-efficient model supporting high throughput
- Best for real time, low latency use cases

star **Note:** Gemini 2.5 Pro and 2.5 Flash come with ***thinking on by default***. If you're migrating from a non-thinking model such as 2.0 Pro or Flash, we recommend you to review the Thinking guide first.

Gemini 2.5 Flash Live `gemini-live-2.5-flash-preview`	Audio, video, and text	Text, audio	Low-latency bidirectional voice and video interactions
Gemini 2.5 Flash Native Audio `gemini-2.5-flash-preview-native-audio-dialog` & `gemini-2.5-flash-exp-native-audio-thinking-dialog`	Audio, videos, and text	Text and audio, interleaved	High quality, natural conversational audio outputs, with or without thinking
Gemini 2.5 Flash Image Preview `gemini-2.5-flash-image-preview`	Images and text	Images and text	Precise, conversational image generation and editing
Gemini 2.5 Flash Preview TTS `gemini-2.5-flash-preview-tts`	Text	Audio	Low latency, controllable, single- and multi-speaker text-to-speech audio generation
Gemini 2.5 Pro Preview TTS `gemini-2.5-pro-preview-tts`	Text	Audio	Low latency, controllable, single- and multi-speaker text-to-speech audio generation
Gemini 2.0 Flash `gemini-2.0-flash`	Audio, images, videos, and text	Text	Next generation features, speed, and realtime streaming.
Gemini 2.0 Flash Preview Image Generation `gemini-2.0-flash-preview-image-generation`	Audio, images, videos, and text	Text, images	Conversational image generation and editing
Gemini 2.0 Flash-Lite `gemini-2.0-flash-lite`	Audio, images, videos, and text	Text	Cost efficiency and low latency
Gemini 2.0 Flash Live `gemini-2.0-flash-live-001`	Audio, video, and text	Text, audio	Low-latency bidirectional voice and video interactions
Gemini 1.5 Flash `gemini-1.5-flash`	Audio, images, videos, and text	Text	Fast and versatile performance across a diverse variety of tasks Deprecated
Gemini 1.5 Flash-8B `gemini-1.5-flash-8b`	Audio, images, videos, and text	Text	High volume and lower intelligence tasks Deprecated

- Gemini 2.5 Flash Image Preview
- Gemini 2.5 Flash Preview Text-to-Speech
- Gemini 2.5 Pro Preview Text-to-Speech
- Gemini 2.0 Flash
- Gemini 2.0 Flash Preview Image Generation
- Gemini 2.0 Flash-Lite
- Gemini 2.0 Flash Live
- Gemini 1.5 Flash
- Gemini 1.5 Flash-8B
- Gemini 1.5 Pro

See the examples to explore the capabilities of these model variations.

[*] A token is equivalent to about 4 characters for Gemini models. 100 tokens are about 60-80 English words.

Model version name patterns

Gemini models are available in either *stable*, *preview*, or *experimental* versions. In your code, you can use one of the following model name formats to specify which model and version you want to use.

Latest stable

Points to the most recent stable version released for the specified model generation and variation.

To specify the latest stable version, use the following pattern: `<model>-<generation>-<variation>`. For example, `gemini-2.0-flash`.

Points to an experimental model which may not be suitable for production use and come with more restrictive rate limits. We release experimental models to gather feedback and get our latest updates into the hands of developers quickly.

To specify an experimental version, use the following pattern: `<model>-<generation>-<variation>-<version>`. For example, `gemini-2.0-pro-exp-02-05`.

Experimental models are not stable and availability of model endpoints is subject to change.

Experimental models

In addition to stable models, the Gemini API offers experimental models which may not be suitable for production use and come with more restrictive rate limits.

We release experimental models to gather feedback, get our latest updates into the hands of developers quickly, and highlight the pace of innovation happening at Google. What we learn from experimental launches informs how we release models more widely. An experimental model can be swapped for another without prior notice. We don't guarantee that an experimental model will become a stable model in the future.

Previous experimental models

As new versions or stable releases become available, we remove and replace experimental models. You can find the previous experimental models we released in the following section along with the replacement version:

Model code	Base model	Replacement version
`gemini-embedding-exp-03-07`	Gemini Embedding	`gemini-embedding-001`
`gemini-2.5-flash-preview-04-17`	Gemini 2.5 Flash	`gemini-2.5-flash-preview-05-20`
`gemini-2.0-flash-exp-image-generation`	Gemini 2.0 Flash	`gemini-2.0-flash-preview-image-generation`
`gemini-2.5-pro-preview-06-05`	Gemini 2.5 Pro	`gemini-2.5-pro`
`gemini-2.5-pro-preview-05-06`	Gemini 2.5 Pro	`gemini-2.5-pro`
`gemini-2.5-pro-preview-03-25`	Gemini 2.5 Pro	`gemini-2.5-pro`
`gemini-2.0-flash-thinking-exp-01-21`	Gemini 2.5 Flash	`gemini-2.5-flash-preview-04-17`
`gemini-2.0-pro-exp-02-05`	Gemini 2.0 Pro	`gemini-2.5-pro-preview-03-25`

gemini-1.5-flash-8b-exp-0924	Gemini 1.5 Flash-8B	gemini-1.5-flash-8b
gemini-1.5-flash-8b-exp-0827	Gemini 1.5 Flash-8B	gemini-1.5-flash-8b

Supported languages

Gemini models are trained to work with the following languages:

- Arabic (`ar`)
- Bengali (`bn`)
- Bulgarian (`bg`)
- Chinese simplified and traditional (`zh`)
- Croatian (`hr`)
- Czech (`cs`)
- Danish (`da`)
- Dutch (`nl`)
- English (`en`)
- Estonian (`et`)
- Finnish (`fi`)
- French (`fr`)
- German (`de`)
- Greek (`el`)
- Hebrew (`iw`)
- Hindi (`hi`)
- Hungarian (`hu`)
- Indonesian (`id`)
- Italian (`it`)
- Japanese (`ja`)
- Korean (`ko`)
- Latvian (`lv`)

- Swedish (`sv`)
- Thai (`th`)
- Turkish (`tr`)
- Ukrainian (`uk`)
- Vietnamese (`vi`)

Was this helpful?

Send feedback

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 4.0 License, and code samples are licensed under the Apache 2.0 License. For details, see the Google Developers Site Policies. Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2025-09-17 UTC.