












TEST AND ERROR LOG





Description of test	Test data to be used (if required)	Expected outcome	Actual outcome	Comments and intended actions
T1. Attempt to run the code	No test data	The program should run with no errors and the main menu interface would be presented to the user.	The program ran with no errors and displayed the main menu interface 	No fix required
T2. Presence check to check if the program would accept blank values for main menu choice	“ ” (Blank value)	The program should reject the blank input and ask the user to re enter a valid value	The program rejected the blank input and prompted the user to re enter a valid value 	No fix required
T2b. Format check to check if values are entered in the right format for menu choice	lloyd	The program should reject the input and ask the user to enter a valid input	The program rejected the input and asked the user to enter a valid value 	No fix required




T2bii. Format check to check if values entered are in the right format for menu choice	1	The program should accept the input and carry on	The program accepted the input and carried on requesting user input  <pre>===== == WELCOME TO A NUMBER GUESSING GAME == ===== 1.[PLAY] 2.[EXIT] ===== ===== Make a choice from the options above (1-2): 1 Enter number of players to play the game: </pre>	No fix required
T2c. Constraint check to check if the program would accept 1 and 2 only	1	The program should accept the input and carry on	The program accepted the input and carried on requesting user input  <pre>===== == WELCOME TO A NUMBER GUESSING GAME == ===== 1.[PLAY] 2.[EXIT] ===== ===== Make a choice from the options above (1-2): 1 Enter number of players to play the game: </pre>	No fix required
T2cii. Constraint check to check if the program would accept 1 and 2	2	The program should accept the input and display the exit menu	The program accepted the value and displayed the exit menu  <pre>===== == WELCOME TO A NUMBER GUESSING GAME == ===== 1.[PLAY] 2.[EXIT] ===== ===== Make a choice from the options above (1-2): 2 Thanks for playing!! See you next time!! Press the [ENTER] button on the keyboard to EXIT... </pre>	No fix required
T3. A Test to check if when pressing the enter key would make the program stop running when the menu choice is 2	Menu choice = 1 “ ” (User presses the enter key)	The program should stop running	The program stopped running  <pre>===== == WELCOME TO A NUMBER GUESSING GAME == ===== 1.[PLAY] 2.[EXIT] ===== ===== Make a choice from the options above (1-2): 2 Thanks for playing!! See you next time!! Press the [ENTER] button on the keyboard to EXIT... [Code Execution Successful]</pre>	No fix required
T4. Presence check to check if the program would reject blank values entered in num_players	Menu choice = 1 “ ” (Blank value)	The program should reject the blank input and ask the user to re-enter a valid value	The program rejected the blank input and asked the user to re enter a valid value	No fix required




			<pre>===== == WELCOME TO A NUMBER GUESSING GAME == ===== 1.[PLAY] 2.[EXIT] ===== ===== Make a choice from the options above (1-2): 1 Enter number of players to play the game: Invalid value!. Try again. Enter number of players to play the game: </pre>	
T4b. Format check to check if the program would only accept integers for number of players	Menu choice = 1 Num_players = lloyd	The program should reject the input and ask the user to enter a valid input	The program rejected the input and asked the user to re enter a valid value <pre>===== == WELCOME TO A NUMBER GUESSING GAME == ===== 1.[PLAY] 2.[EXIT] ===== ===== Make a choice from the options above (1-2): 1 Enter number of players to play the game: lloyd Invalid value!. Try again. Enter number of players to play the game: </pre>	No fix required
T4bii. Format check to check if the program would only accept integers for number of players	Menu choice = 1 Num_players = 12.5	The program should reject the input as it is a float and should ask the user to re enter a valid value	The program rejected the input and asked the user to re enter a valid value <pre>Make a choice from the options above (1-2): 1 Enter number of players to play the game: 12.5 Invalid value!. Try again. Enter number of players to play the game: </pre>	No fix required
T4biii. Format check to check if the program would accept only integers	Menu choice = 1 Num_players = 2	The program should accept the user input and carry on	The program accepted the user input and carried on <pre>Make a choice from the options above (1-2): 1 Enter number of players to play the game: 1 Number of players accepted!. Enter 1 names of players: </pre>	No fix required
T4biv. Format check to check if the program would accept values on invalid format	Menu choice = 1 Num_players = 1	The program should reject the invalid input and request for an appropriate value	The program accepts the number of players to be 0 and carried on <pre>Make a choice from the options above (1-2): 1 Enter number of players to play the game: 0 Number of players accepted!. Enter 0 names of players: </pre>	I changed the if condition to reject values that are less than or equal to 0 <pre>if num_players > 10 or num_players <= 0:</pre>




T4bv. Format check to check if the program would accept values with an invalid format (After fix)	Menu choice = 1 Num_players = 1	The program should reject the invalid input and request for an appropriate value	The program rejected the invalid input and aksed the user to re enter a valid value 	No fix required
T5. Presence check to check if blank values can be entered in names_entry	Menu choice = 1 Num_players = 1 Names_entry = " " (Blank value)	The program should reject the blank input and request for an appropriate value	The program rejected the blank input and aksed the user to re enter a valid value 	No fix required
T5b. Format check to check if the program would accept values with an invalid format	Menu choice = 1 Num_players = 1 Names_entry = 100	The program should reject the invalid input and request for an appropriate value	The program rejected the invalid input and aksed the user to re enter a valid value 	No fix required
T5bii. Format check to check if the program would accept values with an invalid format	Menu choice = 1 Num_players = 1 Names_entry = lloyd	The program should accept the input and carry on	The program accepted the value and carried on 	No fix required
T5c. Length check to check if values entered in names_entry have an appropriate length	Menu choice = 1 Num_players = 1 Names_entry = l	The program should reject the invalid input and request for an appropriate value	The program accepted the invalid name and carried on	I put a length validation check to reject names with a length less than 2 and greater than 15



			<pre> Make a choice from the options above (1-2): 1 Enter number of players to play the game: 1 Number of players accepted: 1 Enter 1 names of players: 1 The players are: ['1']. I am thinking of a number from 1 to 50. (NOTE): You have 5 chances, 1! (5 left) Enter guess: </pre>	<pre> print("The guess entered is not a number") elif len(names_entry) < 2 or len(names_entry) > 15: print("Invalid name!") </pre>
T5cii. Length check to check if values entered in names_entry have an appropriate length (After fix)	Menu choice = 1 Num_players = 1 Names_entry = l	The program should reject the invalid input and request for an appropriate value	The program rejected the invalid input and asked the user to re enter a valid value <pre> Make a choice from the options above (1-2): 1 Enter number of players to play the game: 1 Number of players accepted: 1 Enter 1 names of players: 1 Invalid name! Enter 1 names of players: </pre>	No fix required
T5ciii. Length check to check if values entered in names_entry have an appropriate length	Menu choice = 1 Num_players = 1 Names_entry = llllllllllllllllll	The program should reject the invalid input and request for an appropriate value	The program rejected the invalid input and asked the user to re enter a valid value <pre> Make a choice from the options above (1-2): 1 Enter number of players to play the game: 1 Number of players accepted: 1 Enter 1 names of players: llllllllllllllllll Invalid name! Enter 1 names of players: </pre>	No fix required
T6 Presence check to check if blank values can be entered in user guess	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = "(Blank value)"	The program should reject the blank input and ask the user to re-enter a valid value	The program rejected the blank input and prompted the user to re enter a valid value <pre> Make a choice from the options above (1-2): 1 Enter number of players to play the game: 1 Number of players accepted: 1 Enter 1 names of players: lloyd The players are: ['lloyd']. I am thinking of a number from 1 to 50. (NOTE): You have 5 chances, lloyd! (5 left) Enter guess: Invalid value! Enter a number. (5 left) Enter guess: </pre>	No fix required

T6b. Format check to check if values entered in user guess is in the right format	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = lloyd	The program should reject the invalid input and request for an appropriate value	The program rejected the invalid input and asked the user to re enter a valid value 	No fix required
T6bii. Format check to check if values entered in user guess is in the right format	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 10	The program should accept the user guess and either display to the user if their guess is correct or wrong and the guesses counter should reduce	The program accepted the value and displayed to the user that their guess was too low and the number of guesses reduced by one 	No fix required
T6c. Range check to check if the program would accept values in user_guess that are out of range	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 100	The program should reject the value because it is out of range	The program accepted the value and displayed to the user that the value was too high 	I put a range validation check to reject values outside 1 to 50 

T6cii. Range check to check if the program would accept values in user_guess that are out of range (After fix)	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 100	The program should reject the value because it is out of range and not reduce the counter number from the original guesses	The program rejected the value as it is out of range and retained the guess amount 	No fix required
T7. Test to check if the guess system works and displays the menu after guesses ran out or user wins	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess =23,12,9,3,2	The program should accept all the guesses and at the end or i between display if the user guesses correctly or wrongly then display the after_play() menu	The program accepted all the values and at the end, the guess was correct and displayed the after_play() menu 	No fix required
T7ii. Test to check if the guess system works and displays the menu after guesses ran out or user wins	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess =7,7,7,7,7	Since the number is not the random number, the program should display that the guess is incorrect either too low or too high then display the after_play() menu after the guesses are finished	The program displayed that the guess was too low after every guess then after the guesses finished it displayed the after_play() menu 	No fix required

T8. Presence check to check if blank values can be entered in the after_play() menu choice	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 7,7,7,7 Choice = "" (Blank value)	The program should reject the blank input and ask the user to re-enter a valid value	The program rejected the blank input and asked the user to re enter a valid value 	No fix required
T8b. Format check to check if values entered in the after play menu are in the right format	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 7,7,7,7 Choice = lloyd	The program should reject the invalid input and request for an appropriate value	The program rejected the invalid input and asked the user to re enter a valid input 	No fix required
T8c. Test to see if the program would display the exit_menu() when choice is 2	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 7,7,7,7 Choice = 2	The program should display the exit_menu() when choice is 2	The program displayed the exit menu 	No fix required

T8d. Test to check if the program would display the main_menu() when option 3 is chosen	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 7,7,7,7 Choice = 3	The program should display the main_menu() interface to the user	The program displayed the main_menu() 	No fix required
T8e. Test to check if the program would continue the previous game when choice is 1	Menu choice = 1 Num_players = 1 Names_entry = lloyd User_guess = 7,7,7,7 Choice = 1	The program should return back to “I am thinking if a number from 1 to 50” then ask the user with the same name of the user from the previous game	The program continued the previous game keeping the users name and original 5 chances but with a different number to guess 	No fix required
T9. Test to check if the multiplayer system works	Menu choice = 1 Num_players = 3 Names_entry = lloyd,claire,leah	The program should allow multiple name entries and the counter should go from 3 to 0 then the names would be entered	The program allowed multiple users and the name counter went from 3 to 0 then the names were entered then the game process started 	No fix required

T9b. Test to check if the multiplayer system will allow 3 chances each to each player	Menu choice = 1 Num_players = 3 Names_entry = lloyd,claire,leah User_guess = values to try and win the game	The program should allow 3 chances each to every player and if one wins the game should end then the after play menu comes up. But if no one wins, the game would display the after play menu	The program allowed each player to enter their guesses and at the end one for the players won and the after play menu was displayed  <pre> Too High! 1. 100% Enter guess: 2 Too Low! [NOTE]: Each player has 3 guesses. claire's turn! 2. 100% Enter guess: 21 Too Low! 3. 100% Enter guess: 15 Too Low! 4. 100% Enter guess: 28 Too Low! [NOTE]: Each player has 3 guesses. leah's turn! 5. 100% Enter guess: 30 Too Low! 6. 100% Enter guess: 32 Too High! 7. 100% Enter guess: 32 CORRECT! Leah guessed correctly! 0. Continue (Play Again) 1. Exit 2. Main menu Enter your choice (1-3): </pre>	No fix required
T9bii. Test to check if the multiplayer system will allow 3 chances each to each player	Menu choice = 1 Num_players = 3 Names_entry = lloyd,claire,leah User_guess = values to try and lose the game	The program should allow each player to enter their guesses and since the values are wrong, it should display the after play menu when all the guesses are 0 and no one guessed correctly	The program allowed all the players to enter their guesses and at the end there was no winner so the program returned the after play menu  <pre> Nobody won! The number was 26. 1. Continue (Play Again) 2. Exit 3. Main menu Enter your choice (1-3): </pre>	No fix required