

Bridge Day 6 STUDENT WORKBOOK

Branch Outcomes with if and else

Learning sequence: Predict - Trace - Explain - Test - Interpret

Guided engineering evidence workbook

Name		UIN		Section	
------	--	-----	--	---------	--

Concrete engineering situation

The Week 2 scenario starts with a sensor-kit checkout table. A kit may be released, charged, sent to calibration, or held for missing checkout information. Today the focus is a single branch decision: read one condition, choose the branch that runs, and explain the action selected.

Engineering task	Decide which checkout action a sensor kit should receive from one condition at a time.
Computational move	Turn a true/false condition into one selected branch outcome while keeping the evidence for that branch outcome visible.
Python focus	if , else , condition result, selected branch, action variable, and printed branch outcome evidence.
Evidence to keep	case value, condition expression, True/False result, branch followed, action assigned, and support note.

Day 6 working rules

1. Python checks the condition after **if**.
2. If the condition is **True**, the **if** branch runs.
3. If the condition is **False**, the **else** branch runs.
4. Only one of those two branches runs.
5. A reliable branch note names both the condition result and the selected action.

1. Read the checkout condition before choosing an action

recognize

predict

The lab team is checking whether a sensor kit can leave the checkout table. Day 6 uses one decision at a time: if the condition is true, one action happens; otherwise the other action happens.

```
kit_label = "S-14"
charge_percent = 82
charge_minimum = 80
calibration_label = "current"
borrower_initials = "JL"

charge_ok = charge_percent >= charge_minimum
calibration_ok = calibration_label == "current"
borrower_logged = borrower_initials != ""

if charge_ok:
    action = "send to calibration check"
else:
    action = "charge before checkout"
```

Pts.	Prompt	My evidence
1	Which variable stores the kit label?	
1	Which comparison creates <code>charge_ok</code> ?	
1	Is <code>charge_ok</code> true or false for this kit? Show the numbers.	
1	Which branch assigns the action for this kit?	

2. Trace an if/else branch outcome**trace****explain**

Complete the branch outcome table. Use the condition result to decide which branch runs.

Pts.	Charge value	Condition	Branch followed	Action and reason
2	82	<code>charge_percent >= 80</code>		
2	80	<code>charge_percent >= 80</code>		
2	79	<code>charge_percent >= 80</code>		
2	Explain why the exact value 80 matters.			

Boundary connection

The branch outcome depends on a comparison from Week 1. If the comparison is wrong, the selected branch outcome will be wrong too.

3. Choose the selected action from printed evidence**predict****explain**

The same structure is used for calibration status. Read the code and predict the action.

```
calibration_label = "expired"
calibration_ok = calibration_label == "current"

if calibration_ok:
    checkout_status = "ready for borrower log"
else:
    checkout_status = "send to calibration bench"

print(kit_label, checkout_status)
```

Pts.	Prompt	My evidence
2	What value is stored in <code>calibration_ok</code> ? Why?	
2	Which branch runs: the <code>if</code> branch or the <code>else</code> branch?	
2	What exact status text is printed after the kit label?	
2	Why would <code>bool(calibration_label)</code> be unsafe here?	

4. Complete one branch condition**implement****debug**

Complete the condition so the kit moves to borrower logging only when the borrower initials are present.

```
if _____:
    next_step = "record borrower and release kit"
else:
    next_step = "hold until borrower initials are entered"
```

Pts.	Prompt	My response
3	Write the completed condition using <code>borrower_initials</code> .	
2	Why should the condition compare against an empty string instead of checking the kit label?	
2	Give one input value that should follow the <code>else</code> branch.	
1	Name the evidence type you used: state / type / boundary / branch.	

5. Debug a branch-outcome claim[debug](#)[test](#)[explain](#)

A teammate writes: "The kit is ready because `charge_ok` is true." Use branch-outcome evidence to evaluate that claim.

Pts.	Prompt	My response
2	What part of the claim is supported by the code?	
2	What evidence is still missing before a full checkout release?	
2	Give one test case that should follow the hold or repair outcome.	
2	Write a safer one-sentence checkout note.	

6. Transfer and support plan**transfer****explain**

Pts.	My checkout-decision note
4	Write a short note that says how an if/else statement chooses one action from one condition. Use the sensor-kit checkout example.
2	Circle the support plan you would use next: condition result / branch followed / exact boundary / string label / written explanation. Name one next action: _____

Bridge to Day 7

Day 6 chooses between two actions. Day 7 adds ordered rules where the first true condition wins and later branches are skipped.

7. Lab bridge: read and call a provided function

VIP 18.8 preparation

unscored

Scope boundary: use the wrapper; do not author it

The `def` line is provided in the notebook. Do not rewrite it or rename its parameters. Read the parameter names as inputs, follow the indented body, and use the returned value. This page adds no points; the workbook score remains unchanged.

```
def badge_sheet_first_branch(group_count, badges_per_group):
    total_badges = group_count * badges_per_group
    if total_badges <= 8:
        return "one sheet"
    else:
        return "more than one sheet"
```

Function call	Total badges	Returned text and branch outcome evidence
<code>badge_sheet_first_branch(4, 2)</code>		
<code>badge_sheet_first_branch(3, 3)</code>		
<code>badge_sheet_first_branch(2, 4)</code>		

Notebook connection

VIP Module 18 Activity 18.8 uses the same two inputs and calculation but eventually needs three branch outcomes. Today, identify the fixed header, the parameter values, the intermediate quantity, and the returned text. Day 7 adds the middle branch outcome.

Bridge Day 6 STUDENT WORKBOOK

VIP Evidence Handoff

Learning sequence: Predict - Trace - Explain - Test - Interpret

Contract 07a04826c975 • longitudinal template 07242026_v1

Why engineers use this page

Finish the current calculation-and-output lab with top-level code cells; do not use or author a function wrapper.

Decision boundary: Code is useful only when its stored state, visible result, assumptions, units, limits, and tests support a defensible engineering interpretation.

Construct readiness before independent work

New authoring tools: list literal as supplied data, aggregate builtin call, len call, round call, multi step model

Carried authoring tools: string literal, assignment, print call, exact output, numeric literal, arithmetic expression, input call, int conversion, float conversion, f string

Supplied-code exposure only: comparison expression, if elif else

An exposure-only construct may be traced in complete supplied code, but the independent task will not require students to invent it before its authoring day.

Notebook cells and task constructs

Activity	Work	Stable cells	Required authoring constructs
18.8	Badge Sheet Decision	18-8-work / 18-8-transfer / 18-8-cold	arithmetic expression, f string, input call, int conversion
18.9	Simple Statistics	18-9-work / 18-9-transfer / 18-9-cold	aggregate builtin call, f string, len call
18.10	Box Model Values	18-10-work / 18-10-transfer / 18-10-cold	f string, float conversion, input call
18.11	Structured Text Shape	18-11-work / 18-11-transfer / 18-11-cold	profile-level contract
18.12	Storage Bay Estimate	18-12-work / 18-12-transfer / 18-12-cold	f string, float conversion, input call

Readiness evidence

1. For Activity 18.8, write the two exact boundary values that must be tested before you open the notebook.
2. Choose one Activity 18.9-18.12 and name the intermediate value and exact displayed result you will inspect first.

Timing and help trigger

Record a first prediction before running. If you still lack an executable plan after about 8 focused minutes, use the linked ThinkCSPy refresher or the supplied model. If two attempts fail for the same named requirement, write the exact mismatch and ask a peer mentor or instructor a targeted question. Timing is diagnostic evidence, not a speed grade. **Start or elapsed minutes:** _____

My help trigger:

Engineering Evidence Record

Complete one record from a model, transfer, or Independent Program Studio build. Generic statements are not sufficient; use actual values, a real revision, and one concrete next test.

Evidence field	Record
Prediction	
Observed Result	
Revision Reason	
Engineering Meaning	
Units Or Not Applicable	
Assumption	
Model Limit	
Next Test	
Help Trigger	
Minutes Used	

Notebook and submission procedure

1. Attempt, predict, run, inspect, and revise before opening a reveal.
2. Complete the end-of-notebook Independent Program Studio without a reveal or copied solution. Only those visibly labeled Studio cells are scored for independent mastery.
3. Save or download the completed notebook as one `.ipynb` file.
4. Upload that one notebook to the matching Gradescope assignment. Do not export a `.py` file or create a ZIP.