

Day 5 Evidence Workbooklet — Instructor Key

Boolean Combinations and Week 1 Synthesis

Engineering practice → separate evidence → Boolean expression → go/no-go reasoning → support next step

Instructor key. Same layout as student copy; solutions filled in response boxes. Print format: duplex, left-stapled packet.

Name		Section		Date	
Score	____/40		Mastery check		secure / developing / needs support

The pump-flow team now has three kinds of evidence from this week: current stored values from Day 2, typed and converted values from Day 3, and boundary comparisons from Day 4. Today the team combines separate evidence checks into a simple go/no-go readiness expression.

The problem today is Boolean combination, not branch routing. You will predict whether combined conditions are **True** or **False**, explain which part controls the result, and name whether your support need is state, type, boundary, or Boolean reasoning.

Engineering task	Decide whether a pump record is ready for supervisor review using separate evidence checks that must all be traceable.
Computational move	Combine condition results with <u>and</u> , <u>or</u> , and <u>not</u> while preserving the reason each condition is true or false.
Python focus	Boolean values, comparison results, <u>and</u> , <u>or</u> , <u>not</u> , parentheses, and compound expression explanation.
Evidence to keep	typed value, boundary result, label check, combined truth value, controlling condition, and support category.

Day 5 Boolean rules

1. A **and** B is **True** only when both parts are **True**.
2. A **or** B is **True** when at least one part is **True**.
3. **not** A reverses a Boolean result.
4. Parentheses make the intended grouping visible.
5. A reliable go/no-go note names the separate evidence checks before naming the combined result.

1 Read separate evidence before combining it

[recognize](#)[predict](#)

Use the week-one pump record below. Each named condition stores one separate evidence result.

```
1 # Typed values and boundary limits
2 flow_lpm = 20.1
3 low_limit_lpm = 19.6
4 high_limit_lpm = 20.4
5 approval_label = "reviewed"
6 operator_initials = "AM"
7 retry_count = 0
8 sensor_ready = True
9
10 # Separate evidence checks
11 lower_ok = flow_lpm >= low_limit_lpm
12 upper_ok = flow_lpm <= high_limit_lpm
13 flow_ok = lower_ok and upper_ok
14 approval_ok = approval_label == "reviewed"
15 setup_ok = sensor_ready and operator_initials != ""
16 no_retry_needed = retry_count == 0
17 record_ready = flow_ok and approval_ok and setup_ok and no_retry_needed
```

Pts.	Prompt	My evidence
1	Which two comparisons create the separate lower and upper boundary checks?	Key: <code>flow_lpm >= low_limit_lpm and flow_lpm <= high_limit_lpm</code> .
1	Which condition checks the text label rather than numeric flow?	Key: <code>approval_ok = approval_label == "reviewed"</code> .
1	Which condition checks whether a retry is needed?	Key: <code>no_retry_needed = retry_count == 0</code> .
1	Which final expression combines all readiness evidence?	Key: <code>record_ready = flow_ok and approval_ok and setup_ok and no_retry_needed</code> .

2 Trace an and combination from separate evidence

[trace](#) [explain](#)

Complete the table. Do not skip directly to the final result; show each part.

Pts.	Combined condition	Left part	Right part	Combined result and reason
2	lower_ok and upper_ok	Key: True	Key: True	Key: Both boundary checks pass, so flow_ok is True.
2	sensor_ready and operator_initials != ""	Key: True	Key: True	Key: Sensor ready and initials present, so setup passes.
2	flow_ok and approval_ok	Key: True	Key: True	Key: Both flow and approval checks pass.
2	setup_ok and no_retry_needed	Key: True	Key: True	Key: Setup passes and no retry is needed.

State/type/boundary connection

A Boolean expression is only as trustworthy as the evidence pieces inside it. If a part came from a string label, a converted number, or a boundary comparison, keep that source visible in your reason.

3 Use or and not for follow-up evidence

[predict](#)[explain](#)

A record may need follow-up if at least one risk is present. Complete the table and explain which part controls the result.

```
1 needs_flow_review = not flow_ok
2 needs_approval_review = not approval_ok
3 needs_setup_review = not setup_ok
4 needs_followup = needs_flow_review or needs_approval_review or needs_setup_review
```

Pts.	Expression	True or False?	Reason
2	not flow_ok	Key: False	Key: flow_ok is True, so its negation is False.
2	not approval_ok	Key: False	Key: approval_ok is True.
2	needs_flow_review or needs_approval_review	Key: False	Key: Both review flags are false.
2	needs_followup	Key: False	Key: No listed review flag is true in the baseline.

Common trap to check

or does not mean every risk is present. It means at least one part is **True**. A good note says which part made the expression true.

4 Build a Week 1 condition table

[trace](#) [transfer](#)

For each case, use Day 3 type/label evidence and Day 4 boundary evidence before deciding the combined result.

Pts.	Flow	Approval label	flow_ok	approval_ok	setup_ok	record_ready and reason
2	20.1	"reviewed"	Key: True	Key: True	Key: True	Key: True; all required evidence checks pass.
2	20.5	"reviewed"	Key: False	Key: True	Key: True	Key: False; flow is above the upper limit.
2	20.0	"pending"	Key: True	Key: False	Key: True	Key: False; approval label is not reviewed.
2	19.6	"reviewed" with blank initials	Key: True	Key: True	Key: False	Key: False; blank initials fail setup even though flow is at the included lower boundary.

Bridge to Week 2

Week 2 will use these Boolean results to choose branch outcomes with **if/else**. Day 5 stops one step earlier: decide the truth value and explain the evidence, but do not write a branch yet.

5 Debug a Boolean readiness claim

debug test explain

A teammate writes this note after seeing that `approval_label` stores a non-empty string:

Readiness note to debug

The record is ready because the flow is in range or the approval label has text.

Pts.	Prompt	My response
2	What Day 3 mistake appears in the teammate's note?	Key: It treats any non-empty approval text as enough; the label must be checked explicitly.
2	What Day 4 boundary evidence is still needed before trusting <code>flow_ok</code> ?	Key: Both lower and upper inclusive comparisons must be shown: <code>flow_lpm >= low_limit_lpm</code> and <code>flow_lpm <= high_limit_lpm</code> .
2	Why is <code>or</code> unsafe if the engineering rule requires both flow evidence and approval evidence?	Key: <code>or</code> can pass when only one condition is true; readiness requires all required evidence checks.
2	Rewrite the readiness note so it names the separate evidence checks and uses <code>and</code> correctly.	Key: The record is ready only if <code>flow_ok</code> , <code>approval_ok</code> , <code>setup_ok</code> , and <code>no_retry_needed</code> are all true. In this base-line case, all are true.

Week 1 synthesis habit

When a combined expression surprises you, diagnose the support need by source: current state from Day 2, type/cast/truthiness from Day 3, boundary comparison from Day 4, or Boolean connector from Day 5.

6 Mastery check and support next step

[transfer](#)[explain](#)

Use your own evidence from this workbooklet. Do not write a generic answer.

Pts.	Prompt	My response
2	Give one example where an and expression is false because one required evidence check failed.	Key: If flow is 20.5, upper_ok is false, so flow_ok and then record_ready are false.
2	In one or two sentences, explain how Day 2 state, Day 3 type evidence, and Day 4 boundary evidence work together in Day 5.	Key: Day 2 identifies current values, Day 3 makes sure values have safe types/labels, and Day 4 creates boundary results. Day 5 combines those evidence pieces with Boolean connectors.

My mastery check

Mark the strongest statement that is true after this workbooklet.

☐	Secure: I can combine separate evidence checks with and , or , and not , and explain which part controls the result.
☐	Developing: I can evaluate some combined conditions, but I still need support identifying which evidence check failed.
☐	Needs support: I need a smaller example before I can combine state, type, boundary, and Boolean evidence.

My next support move

My issue is mostly: setup / Python syntax / tracing / state history / type conversion / boundary cases / Boolean connectors / confidence / time.

The first evidence source where I got uncertain was: _____

My next small action is: ask a partner / ask instructor / rebuild the condition table / test one failed condition at a time / try the recovery version.

Workbooklet target: I can combine typed values, boundary checks, approval evidence, and Boolean connectors into a traceable Week 1 go/no-go explanation.

Copyright © 2026 Lance L.A. White. All rights reserved.

Bridge Day 5 VIP Evidence Handoff

INSTRUCTOR KEY • Contract 07a04826c975 • Accessible v5 successor

Why engineers use this page

Combine separate comparison evidence with visually distinct Boolean operators, then complete the notebook's independent decision programs.

Decision boundary: Code is useful only when its stored state, visible result, assumptions, units, limits, and tests support a defensible engineering interpretation.

Construct readiness before independent work

New authoring tools: comparison expression, boolean operator, if elif else, abs call, counter update

Carried authoring tools: assignment, print call, numeric literal, arithmetic expression, input call, int conversion, float conversion, f string

Supplied-code exposure only: for loop, list traversal

An exposure-only construct may be traced in complete supplied code, but the independent task will not require students to invent it before its authoring day.

Notebook cells and task constructs

Activity	Work	Stable cells	Required authoring constructs
18.13	Compare With Tolerance	18-13-work / 18-13-transfer / 18-13-cold	comparison expression, f string, float conversion, input call
18.14	Count High Readings	18-14-work / 18-14-transfer / 18-14-cold	arithmetic expression, comparison expression, counter update, f string, if elif else
18.15	Lamination Fee	18-15-work / 18-15-transfer / 18-15-cold	comparison expression, f string, if elif else, input call, int conversion
18.16	Temperature Status	18-16-work / 18-16-transfer / 18-16-cold	comparison expression, f string, float conversion, if elif else, input call
18.17	Pickup Window	18-17-work / 18-17-transfer / 18-17-cold	boolean operator, comparison expression, f string, if elif else, input call, int conversion

Readiness evidence

1. For one mapped activity, write each component Boolean on its own line before combining anything with 'and', 'or', or 'not'.

Model response: Credit activity-specific comparisons with clear true/false meanings; a combined expression without its component evidence is incomplete.

2. Explain which case must be rejected first in Activity 18.17 and why that priority prevents an unsafe quick-pickup result.

Model response: Reject travel that does not fit before testing quick pickup. The quick-pickup Boolean must require travel to fit and limited extra time, so an impossible trip cannot be approved.

Timing and help trigger

Record a first prediction before running. If you still lack an executable plan after about 8 focused minutes, use the linked ThinkCSPy refresher or the supplied model. If two attempts fail for the same named requirement, write the exact mismatch and ask a peer mentor or instructor a targeted question. Timing is diagnostic evidence, not a speed grade. **Start or elapsed minutes:** _____ **My help trigger:** _____

Engineering Evidence Record

Complete one record from a model, transfer, or Independent Program Studio build. Generic statements are not sufficient; use actual values, a real revision, and one concrete next test.

Evidence field	Record
Prediction	A specific expected state or output before execution.
Observed Result	The actual state or output, including a value or exact text.
Revision Reason	The defect or mismatch and the change that addresses it.
Engineering Meaning	How the evidence changes or supports the engineering decision.
Units Or Not Applicable	The physical unit, or the evidence type when no unit applies.
Assumption	One condition accepted as true for this model or rule.
Model Limit	One situation the result does not justify or predict.
Next Test	A concrete boundary, invalid, or alternate case with an expected result.
Help Trigger	The exact unresolved point that would trigger a targeted question.
Minutes Used	Approximate minutes from first prediction through revision.

Notebook and submission procedure

1. Attempt, predict, run, inspect, and revise before opening a reveal.
2. Complete the end-of-notebook Independent Program Studio without a reveal or copied solution. Only those visibly labeled Studio cells are scored for independent mastery.
3. Save or download the completed notebook as one `.ipynb` file.
4. Upload that one notebook to the matching Gradescope assignment. Do not export a `.py` file or create a ZIP.

Generated from the canonical VIP construct and evidence contract; workbook planning and executable notebook work remain distinct.