

Day 1 Evidence Workbooklet

Visible Output and Stored State

Engineering practice → computational evidence → Python output/state → support next step

Student copy. Guided workbooklet, not the mastery quiz. Print format: duplex, left-stapled packet.

Name		Section		Date	
Score	____/33		Mastery check		secure / developing / needs support

Your team is doing a first-day hallway cart check. A small wheeled cart is rolled along a taped 12-meter path. One teammate times the run with a stopwatch. Another teammate enters the values in a Python notebook so the team can decide what should go into the lab record.

The problem today is not advanced physics. The problem is evidence: what did the notebook store, what did it visibly show, and which value is safe to write in the record?

Engineering task	Build a reliable evidence trail for two hallway cart trials before a result is copied into a lab record.
Computational move	Separate measurement inputs, stored variables, printed output, notebook display, and later overwrites.
Python focus	assignment, arithmetic expression, variable overwrite, <code>print</code> , final-expression notebook display, state after each cell.
Evidence to keep	exact visible lines, displayed values, stored values after each cell, a corrected lab note, and one non-mutating check.

Day 1 evidence rules

1. Assignment stores or overwrites a value. Example: `speed_mps = distance_m / time_s`.
2. `print(...)` creates visible output but does not by itself change a variable.
3. In a notebook, a bare expression at the end of a cell can display a value. Displaying a value is not the same as storing it.
4. A later assignment can overwrite an earlier stored value. Your trace must say what is stored *after each cell*, not just what looked important on the screen.

1 Read the notebook as an evidence system

[recognize](#)[predict](#)

Use the scenario above to identify what kind of evidence each line can create. Do not calculate everything yet.

```
1 # Cell 1: first run on the hallway path
2 trial_id = "cart-A"
3 distance_m = 12.0
4 time_s = 3.0
5 speed_mps = distance_m / time_s
6 print("trial", trial_id)
7 print("speed", speed_mps)
8
9 # Cell 2: second run, same path, new time
10 trial_id = "cart-B"
11 time_s = 2.4
12 speed_mps = distance_m / time_s
13 print("trial", trial_id)
14 speed_mps + 0.2
15
16 # Cell 3: keep the adjustment separate
17 adjusted_speed = speed_mps + 0.2
18 print("stored", speed_mps)
19 print("adjusted", adjusted_speed)
20
21 # Cell 4: decide to record the adjusted value
22 speed_mps = adjusted_speed
23 print("recorded", speed_mps)
```

Pts.	Prompt	My evidence
1	Which variable names store measurement inputs rather than calculated results?	
1	Which line first calculates a speed from the measured distance and time?	
1	Which line in Cell 2 displays a candidate adjusted value without storing that adjustment?	
1	Which line in Cell 4 overwrites the stored value of speed_mps?	

2 Trace stored state after each cell

trace predict

Complete the state table. If a variable does not exist yet, write `not defined`. The first row has hints; the later rows require you to track overwrites.

Checkpoint	trial_id	time_s	speed_mps	adjusted_speed	Reason for any change
After Cell 1	cart-A	3.0		not defined	
After Cell 2					
After Cell 3					
After Cell 4					

Pts.	Prompt	My response
2	At what checkpoint does <code>speed_mps</code> first become 5.0? Explain the measurement change that caused it.	
2	At what checkpoint does <code>speed_mps</code> first become 5.2? Explain what line caused the overwrite.	

3 Separate printed output from notebook display

[predict](#)[trace](#)

Visible evidence can come from printed output or from a final notebook expression. Complete both columns. If a cell has no notebook display, write **none**.

Cell	Printed output lines from <code>print(...)</code>	Notebook display from final bare expression
Cell 1		
Cell 2		
Cell 3		
Cell 4		

Common trap to check

A displayed value can look official because it appears on the screen. But a lab record should say whether the value was printed, displayed as a candidate calculation, or stored as the current value after an assignment.

Pts.	Prompt	My response
2	In Cell 2, why is the displayed 5.2 not yet the stored value of <code>speed_mps</code> ?	
2	In Cell 3, why is it useful to print both <code>stored</code> and <code>adjusted</code> ?	

4 Debug the lab record

[debug](#) [explain](#) [test](#)

A teammate writes this lab note after Cell 2:

Lab note to debug

Trial cart-B speed was recorded as 5.2 m/s because the notebook showed 5.2.

Pts.	Prompt	My response
2	What is accurate in the teammate's note?	
2	What is inaccurate or incomplete in the teammate's note?	
2	Rewrite the note so it separates measured speed, displayed candidate adjustment, and the value actually recorded after Cell 4.	

Pts.	Prompt	My response
1	Write one line you could run after Cell 2 to check the stored value of <code>speed_mps</code> without changing it.	
1	Write one line you could run after Cell 3 to check whether <code>adjusted_speed</code> exists.	
2	Before calculating speed, what measurement condition should the team check so the result is physically meaningful? Write it in plain language.	

5 Compare two possible edits

[debug](#)[implement](#)[explain](#)

The team considers two ways to apply the 0.2 m/s adjustment. Both can show 5.2; they do not leave the same evidence trail.

Version A: keep candidate separate

```
adjusted_speed = speed_mps + 0.2
print("stored", speed_mps)
print("adjusted", adjusted_speed)
```

Version B: overwrite immediately

```
speed_mps = speed_mps + 0.2
print("stored", speed_mps)
print("adjusted", speed_mps)
```

Pts.	Prompt	My response
1	In Version A, what is stored in <code>speed_mps</code> after the code runs?	
1	In Version A, what is stored in <code>adjusted_speed</code> after the code runs?	
1	In Version B, what is stored in <code>speed_mps</code> after the code runs?	
2	Which version gives a better audit trail for a lab record? Explain your choice.	
2	If the goal is to record the adjusted value only after review, write one sentence explaining why Cell 4 is a safer place to overwrite <code>speed_mps</code> .	

6 Mastery check and support next step

[transfer](#)[explain](#)

Use your own evidence from the workbooklet. Do not write a generic answer.

Pts.	Prompt	My response
2	What is one example from this notebook where the screen showed a value that was not yet the stored value that would be recorded?	
2	In one or two sentences, explain why engineers should preserve both visible output and stored-state evidence during early computational checks.	

My mastery check

Mark the strongest statement that is true after this workbooklet.

☐	Secure: I can trace stored state and visible output separately, including a displayed value that is not stored yet.
☐	Developing: I can calculate some values, but I still need support separating display, print, assignment, and overwrite.
☐	Needs support: I need a smaller example before I can explain what Python stored after each cell.

My next support move

My issue is mostly: setup / Python syntax / tracing / arithmetic / notebook display / confidence / time.
The first place I got uncertain was: _____
My next small action is: ask a partner / ask instructor / rerun a cell / rebuild the trace table / try the recovery version.

Workbooklet target: I can build an evidence trail that separates measurement inputs, stored variable state, printed output, notebook display, and a later overwrite before a result enters an engineering record.

Copyright © 2026 Lance L.A. White. All rights reserved.

VIP Lab Alignment

Bridge Day 1 • Contract 2d4127aac856

This page adds a current lab handoff while preserving the workbook’s independence-ramp tasks.

Why this page is here

VIP Lab Day(s): 1

Activities: 18.1, 18.2

Carry exact-output and stored-value evidence directly into the first notebook, then complete its two-problem Independent Program Studio.

Open these current notebook cells

Activity / stable cells	Notebook work	Evidence to carry forward
18.1 18-1-work / 18-1-transfer / 18-1-cold	First Output	Identify the text value supplied to print.
18.2 18-2-work / 18-2-transfer / 18-2-cold	Formatted Notice	Store text in named variables.

Readiness check before you code

1. For Activity 18.1, separate the exact fixed label from the value stored in the named variable. _____
- _____
2. For Activity 18.2, number the required output lines and write the exact order before opening the notebook.
- _____
- _____

Notebook and submission procedure

1. Use the sample and transfer cells for formative practice; attempt before opening a reveal.
2. Complete the end-of-notebook Independent Program Studio without a reveal or copied solution. Only the Studio cells listed above are scored for independent mastery in the matching Lab Day notebook.
3. Save or download the completed notebook as one .ipynb file.
4. Upload that one notebook to the matching Gradescope assignment. Do not export a .py file or create a ZIP.