
Blueprint/Encode identification
Clusters
Labels
Melanocytes
Endothelial cells
Monocytes
DC
B−cells
NK cells
CD4+ T−cells
CD8+ T−cells
Higher
Lower
Clusters
0
1
2
3
4
5
6
7
8
9
10
11
12
Labels
Adipocytes
B−cells
CD4+ T−cells
CD8+ T−cells
DC
Endothelial cells
Erythrocytes
Fibroblasts
HSC
Macrophages
Melanocytes
Monocytes
Myocytes
NK cells


Monaco Immune main labels
Clusters
Labels
T cells
CD4+ T cells
CD8+ T cells
B cells
NK cells
Dendritic cells
Monocytes
Progenitors
Basophils
Neutrophils
Higher
Lower
Clusters
0
1
2
3
4
5
6
7
8
9
10
11
12
Labels
B cells
Basophils
CD4+ T cells
CD8+ T cells
Dendritic cells
Monocytes
NK cells
Progenitors
T cells

Monaco Immune fine labels
Clusters
Labels
Non−Vd2 gd T cells
Vd2 gd T cells
MAIT cells
Central memory CD8 T cells
Th1/Th17 cells
Th17 cells
T regulatory cells
Follicular helper T cells
Th2 cells
Th1 cells
Naive CD4 T cells
Naive CD8 T cells
Natural killer cells
Myeloid dendritic cells
Progenitor cells
Plasmacytoid dendritic cells
Naive B cells
Non−switched memory B cells
Switched memory B cells
Exhausted B cells
Higher
Lower
Clusters
0
1
2
3
4
5
6
7
8
9
10
11
12
Labels
Central memory CD8 T cells
Classical monocytes
Effector memory CD8 T cells
Exhausted B cells
Follicular helper T cells
Intermediate monocytes
Low−density basophils
MAIT cells
Myeloid dendritic cells
Naive B cells
Naive CD4 T cells
Naive CD8 T cells
Natural killer cells
Non−switched memory B cells
Non−Vd2 gd T cells
Non classical monocytes
Plasmablasts
Plasmacytoid dendritic cells
Progenitor cells
Switched memory B cells
T regulatory cells
Terminal effector CD4 T cells
Terminal effector CD8 T cells
Th1 cells
Th1/Th17 cells
Th17 cells
Th2 cells
Vd2 gd T cells