Code Inspection Report

Anti-Spam Configuration Software Development Project

BSc/MSc in [LEI | LIGE | METI] Academic Year 2017/2018 - 1° Semester Software Engineering I

Group 88 68887, Cláudio Gonçalves, IC2 69061, Lígia Cardoso, IC2 69934, António Estrela, IC2

ISCTE-IUL, Instituto Universitário de Lisboa 1649-026 Lisbon Portugal

Table of Contents

Introduction	3
Code inspection – Name of the component being inspected	3
Code inspection checklist	3
Found defects	6
Corrective measures	6
Conclusions of the inspection process	6

Introduction

O software a ser desenvolvido no projeto de Engenharia de Software I calcula o vetor de pesos para o filtro anti-spam,ou seja, vai calcular um valor ótimo para cada regra do ficheiro rules.cf. Esta configuração vai ser usada para caixas de mail de uso profissional.

Code inspection – Name of the component being inspected

O GUI é a interface que permite ao utilizador a interação com o software desenvolvido.

Meeting date: Meeting duration:	
Meeting duration.	13 mmmes
Moderator:	Lígia Cardoso
Producer:	António Estrela
Inspector:	Cláudio Gonçalves
Recorder:	
Component name (Package/Class/Method):	antiSpamFilter/GUI
Component was compiled:	Yes
Component was executed:	Yes
Component was tested without errors:	Yes
Testing coverage achieved:	33,3%

Code inspection checklist

Code hispection checklist
 1. Variable, Attribute, and Constant Declaration Defects (VC) □ Are descriptive variable and constant names used in accord with naming conventions? □ Are there variables or attributes with confusingly similar names? □ Is every variable and attribute correctly typed?
☐ Is every variable and attribute properly initialized?
☐ Could any non-local variables be made local?
☐ Are all for-loop control variables declared in the loop header?
\Box Are there literal constants that should be named constants?
\Box Are there variables or attributes that should be constants?
☐ Are there attributes that should be local variables?
☐ Do all attributes have appropriate access modifiers (private, protected, public)?
☐ Are there static attributes that should be non-static or vice-versa?
2. Method Definition Defects (FD)
☐ Are descriptive method names used in accord with naming conventions?
☐ Is every method parameter value checked before being used?
☐ For every method: Does it return the correct value at every method return point?
☐ Do all methods have appropriate access modifiers (private, protected, public)?
☐ Are there static methods that should be non-static or vice-versa?
3. Class Definition Defects (CD)
☐ Does each class have appropriate constructors and destructors?
☐ Do any subclasses have common members that should be in the superclass?

	Can the class inheritance hierarchy be simplified?
\Box F	Reference Defects (DR) For every array reference: Is each subscript value within the defined bounds? For every object or array reference: Is the value certain to be non-null?
□ A □ Is □ F eval	Are there any computations with mixed data types? s overflow or underflow possible during a computation? for each expressions with more than one operator: Are the assumptions about order of luation and precedence correct? Are parentheses used to avoid ambiguity?
□ F □ A □ Is □ A	Are there improper and unnoticed side-effects of a comparison? Has an "&" inadvertently been interchanged with a "&&" or a " " for a " "?
□ F □ V □ V	For each loop: Is the best choice of looping constructs used? Will all loops terminate? When there are multiple exits from a loop, is each exit necessary and handled properly? Does each switch statement have a default case?
	Are missing switch case break statements correct and marked with a comment? Do named break statements send control to the right place? Is the nesting of loops and branches too deep, and is it correct? Can any nested if statements be converted into a switch statement? Are null bodied control structures correct and marked with braces or comments? Are all exceptions handled appropriately? Does every method terminate?
□ H □ A □ H	Are the attributes of the input object consistent with the use of the file? Are the attributes of the input object consistent with the use of the file? Have all files been closed after use? Are there spelling or grammatical errors in any text printed or displayed? Are all I/O exceptions handled in a reasonable way?
$\Box A$ the $\Box \Box$	Tule Interface Defects (MI) Are the number, order, types, and values of parameters in every method call in agreement with called method's declaration? Do the values in units agree (e.g., inches versus yards)? If an object or array is passed, does it get changed, and changed correctly by the called method?

10. Comment Defects (CM)

 □ Does every method, class, and file have an appropriate header comment? □ Does every attribute, variable, and constant declaration have a comment? □ Is the underlying behavior of each method and class expressed in plain language? □ Is the header comment for each method and class consistent with the behavior of the metho or class? □ Do the comments and code agree? □ Do the comments help in understanding the code? □ Are there enough comments in the code? □ Are there too many comments in the code? 	d
 11. Layout and Packaging Defects (LP) □ Is a standard indentation and layout format used consistently? □ For each method: Is it no more than about 60 lines long? □ For each compile module: Is no more than about 600 lines long? 	
 12. Modularity Defects (MO) □ Is there a low level of coupling between modules (methods and classes)? □ Is there a high level of cohesion within each module (methods or class)? □ Is there repetitive code that could be replaced by a call to a method that provides the behavior of the repetitive code? □ Are the Java class libraries used where and when appropriate? 	r
 13. Storage Usage Defects (SU) □ Are arrays large enough? □ Are object and array references set to null once the object or array is no longer needed? 	
 14. Performance Defects (PE) □ Can better data structures or more efficient algorithms be used? □ Are logical tests arranged such that the often successful and inexpensive tests precede the more expensive and less frequently successful tests? □ Can the cost of recomputing a value be reduced by computing it once and storing the results? □ Is every result that is computed and stored actually used? □ Can a computation be moved outside a loop? □ Are there tests within a loop that do not need to be done? □ Can a short loop be unrolled? □ Are there two loops operating on the same data that can be combined into one? □ Are frequently used variables declared register? □ Are short and commonly called methods declared inline? 	

Found defects

Identify and describe found defects, opinions and suggestions.

Found defect Id	Package, Class, Method, Line	Defect category	Description
1	antiSpamFilter,GUI	Comment Defects (CM)	Falta de comentários, que indicam o que faz cada método
2	antiSpamFilter,GUI, avaliaFiltroAutomatico, Linha 412	Input- Output Defects (IO)	Erro ortográfico. Mudar "careguei" para "carreguei".
3	antiSpamFilter,GUI, Linhas 37,42,47	Variable, Attribute, and Constant Declarati on Defects (VC)	Colocar variáveis como static final.
4	antiSpamFilter,GUI, createPanelAutomatico, createPanelManual, avaliaFiltroAutomatico	Layout and Packagin g Defects (LP)	Métodos têm mais que 60 linhas de código.

Corrective measures

As correções ao código serão efetuadas pelos membros do grupo.

Conclusions of the inspection process

Não se verificou a necessidade de haver grandes mudanças. As alterações propostas são mais para o código ficar mais perceptivel.