

Notes and Solutions for *Semiparametric Theory and Missing Data*

A companion to Tsiatis (2006)

Lu Mao

August 20, 2026

Table of contents

Home	5
How to use the book	5
Preface	6
Purpose	6
Conventions	6
Scope and attribution	6
Notation	7
 I I. Semiparametric foundations	 8
1 Introduction to semiparametric models	9
1.1 Learning Objectives	9
1.2 Chapter Summary	9
1.3 Additional Exercises	10
2 Hilbert space for random vectors	11
2.1 Learning objectives	11
2.2 Chapter Summary	11
2.3 Notes and Extensions	11
2.4 Solutions to Exercises	11
2.5 Additional Exercises	11
3 The geometry of influence functions	12
3.1 Learning objectives	12
3.2 Chapter Summary	12
3.3 Notes and Extensions	12
3.4 Solutions to Exercises	12
3.5 Additional Exercises	12
4 Semiparametric models	13
4.1 Learning objectives	13
4.2 Chapter Summary	13
4.3 Notes and Extensions	13
4.4 Solutions to Exercises	13
4.5 Additional Exercises	13
5 Other examples of semiparametric models	14
5.1 Learning objectives	14

5.2	Chapter Summary	14
5.3	Notes and Extensions	14
5.4	Solutions to Exercises	14
5.5	Additional Exercises	14
II	II. Missing and coarsened data	15
6	Models and methods for missing data	16
6.1	Learning objectives	16
6.2	Chapter Summary	16
6.3	Notes and Extensions	16
6.4	Solutions to Exercises	16
6.5	Additional Exercises	16
7	Missing and coarsening at random for semiparametric models	17
7.1	Learning objectives	17
7.2	Chapter Summary	17
7.3	Notes and Extensions	17
7.4	Solutions to Exercises	17
7.5	Additional Exercises	17
8	Inverse probability weighted complete-case estimators	18
8.1	Learning objectives	18
8.2	Chapter Summary	18
8.3	Notes and Extensions	18
8.4	Solutions to Exercises	18
8.5	Additional Exercises	18
9	Semiparametric estimators with monotone coarsening	19
9.1	Learning objectives	19
9.2	Chapter Summary	19
9.3	Notes and Extensions	19
9.4	Solutions to Exercises	19
9.5	Additional Exercises	19
III	III. Efficiency and robustness	20
10	Improving efficiency and double robustness with coarsened data	21
10.1	Learning objectives	21
10.2	Chapter Summary	21
10.3	Notes and Extensions	21
10.4	Solutions to Exercises	21
10.5	Additional Exercises	21
11	Locally efficient estimators for coarsened-data semiparametric models	22
11.1	Learning objectives	22
11.2	Chapter Summary	22

11.3 Notes and Extensions	22
11.4 Solutions to Exercises	22
11.5 Additional Exercises	22
12 Approximate methods for gaining efficiency	23
12.1 Learning objectives	23
12.2 Chapter Summary	23
12.3 Notes and Extensions	23
12.4 Solutions to Exercises	23
12.5 Additional Exercises	23
IV IV. Causal inference and imputation	24
13 Doubly robust estimation of average causal treatment effects	25
13.1 Learning objectives	25
13.2 Chapter Summary	25
13.3 Notes and Extensions	25
13.4 Solutions to Exercises	25
13.5 Additional Exercises	25
14 Multiple imputation from a frequentist perspective	26
14.1 Learning objectives	26
14.2 Chapter Summary	26
14.3 Notes and Extensions	26
14.4 Solutions to Exercises	26
14.5 Additional Exercises	26
References	27
Appendices	28
A Linear algebra and projections	28
A.1 Matrix differentiation	28
A.2 Block-matrix inversion	28
A.3 Orthogonal projections	28
B Probability and asymptotic tools	29
B.1 Conditional expectation	29
B.2 Modes of convergence	29
B.3 Central limit arguments	29
C R code and reproducibility	30
C.1 Session information	30

Home

This book develops explanatory notes, derivations, worked examples, and original solutions for exercises accompanying *Semiparametric Theory and Missing Data* by Anastasios A. Tsiatis.

The objective is to make the geometry of semiparametric models and the theory of missing and coarsened data easier to learn and apply. The presentation follows the organization of the source book while remaining independently written.

How to use the book

Each chapter contains the following components:

- Learning objectives
- A concise chapter summary
- Solutions to selected exercises from the source text
- Additional exercises

Source text

Readers should consult Tsiatis (2006) for the original statements, examples, and exercises. Exercise numbers in this companion refer to that text.

Preface

Purpose

These notes are intended for graduate students and researchers in biostatistics and statistics who want a detailed path through semiparametric theory, influence functions, missing-data methods, and causal inference.

Conventions

- Random variables are written in uppercase and realizations in lowercase
- Vectors are treated as column vectors unless stated otherwise
- Expectations and inner products are taken under the true data-generating distribution unless annotated
- A solution labeled “Exercise $j.k$ ” corresponds to that numbered exercise in Tsiatis (2006)

Scope and attribution

This is a companion volume, not a reproduction of the source. Explanations, derivations, examples, and solutions should be written independently. Page and exercise references identify where the corresponding topic appears in the source.

Notation

Symbol	Meaning
Z	Full observed random vector for one independent unit
$Z_1, \dots, Z_n$	Independent and identically distributed observations
β	Finite-dimensional parameter of interest
η	Nuisance parameter, often infinite-dimensional
S_β	Score for β
Λ	Tangent space
$\Lambda^\perp$	Orthogonal complement of a tangent space
φ	Influence function
φ^{eff}	Efficient influence function
R	Indicator that the full data are observed
π	Observation or response probability

I will add chapter-specific notation to this table as the manuscript develops.

Part I

I. Semiparametric foundations

1 Introduction to semiparametric models

1.1 Learning Objectives

- Distinguish parametric, nonparametric, and semiparametric models
- Identify parameters of interest and nuisance parameters
- Recognize restricted moment and proportional hazards models as semiparametric

1.2 Chapter Summary

A **parametric model** specifies the data distribution through a finite-dimensional parameter:

$$p(z; \theta), \quad \theta \in \mathbb{R}^p.$$

A **semiparametric model** retains a finite-dimensional parameter of interest, β , while leaving other aspects of the distribution unspecified through an infinite-dimensional nuisance parameter $\eta(\cdot)$:

$$p\{z; \beta, \eta(\cdot)\}, \quad \beta \in \mathbb{R}^q.$$

The nuisance parameter is often an unknown function, such as a conditional distribution, a covariate distribution, or a baseline hazard function. This allows the model to target β without imposing a fully parametric model for the data.

Key examples include:

- **Restricted moment model.** Only the conditional mean is specified:

$$E(Y \mid X) = \mu(X, \beta).$$

- **Proportional hazards model.** Covariate effects are modeled by β , while the baseline hazard remains unspecified:

$$\lambda(t \mid X) = \lambda_0(t) \exp(\beta^\top X).$$

- **Nonparametric model.** The distribution is unrestricted, and the parameter of interest is a functional of that distribution:

$$p_Z(z) = \eta(z), \quad \beta = E(Z) \quad \text{or} \quad E(Z^2).$$

A semiparametric estimator $\hat{\beta}_n$ is typically required to be consistent and asymptotically normal:

$$\hat{\beta}_n \xrightarrow{P} \beta, \quad n^{1/2}(\hat{\beta}_n - \beta) \xrightarrow{D} N(0, \Sigma).$$

The chapter motivates two questions developed throughout the book:

- How can regular semiparametric estimators be constructed?
- How can the estimator with the smallest asymptotic variance be identified?

The answers rely on the geometry of influence functions, tangent spaces, orthogonality, and projection in Hilbert spaces.

1.3 Additional Exercises

Exercise 1.1

Classify each model as parametric, semiparametric, or nonparametric. Identify the parameter of interest and any nuisance parameter.

1. $Y \sim N(\mu, \sigma^2)$, with interest in μ .
2. $E(Y | X) = \beta_0 + \beta_1 X$.
3. $p_Z(z)$ is unrestricted, with interest in $E(Z)$

Exercise 1.2

Suppose that

$$E(Y | X) = \beta^\top X,$$

where X is a q -dimensional random vector and $E(XX^\top)$ is nonsingular.

1. Show that β satisfies

$$E[X\{Y - \beta^\top X\}] = 0.$$

2. Show that

$$\beta = \{E(XX^\top)\}^{-1}E(XY).$$

3. Propose an estimator of β based on an iid sample (Y_i, X_i) , $i = 1, \dots, n$.
4. Explain why this estimator does not require a parametric model for $Y | X$.

2 Hilbert space for random vectors

2.1 Learning objectives

- Work with mean-zero, square-integrable random functions
- Interpret orthogonality through covariance
- Use the projection theorem in statistical problems

2.2 Chapter Summary

2.3 Notes and Extensions

2.4 Solutions to Exercises

2.4.1 Exercise 2.1

2.5 Additional Exercises

3 The geometry of influence functions

3.1 Learning objectives

- Define regular asymptotically linear estimators
- Derive influence functions for M-estimators
- Characterize the efficient influence function geometrically

3.2 Chapter Summary

3.3 Notes and Extensions

3.4 Solutions to Exercises

3.4.1 Exercise 3.1

3.5 Additional Exercises

4 Semiparametric models

4.1 Learning objectives

- Construct parametric submodels
- Define nuisance tangent spaces
- Derive influence functions and efficiency bounds in semiparametric models

4.2 Chapter Summary

4.3 Notes and Extensions

4.4 Solutions to Exercises

4.4.1 Exercise 4.1

4.5 Additional Exercises

5 Other examples of semiparametric models

5.1 Learning objectives

- Analyze location-shift regression models
- Connect proportional hazards estimation to tangent-space geometry
- Derive efficient estimators for means and treatment contrasts

5.2 Chapter Summary

5.3 Notes and Extensions

5.4 Solutions to Exercises

5.4.1 Exercise 5.1

5.5 Additional Exercises

Part II

II. Missing and coarsened data

6 Models and methods for missing data

6.1 Learning objectives

- Distinguish MCAR, MAR, and nonignorable missingness
- Compare likelihood, imputation, and inverse-probability methods
- Explain the basis of doubly robust estimation

6.2 Chapter Summary

6.3 Notes and Extensions

6.4 Solutions to Exercises

6.4.1 Exercise 6.1

6.5 Additional Exercises

7 Missing and coarsening at random for semiparametric models

7.1 Learning objectives

- Formalize missing and coarsened data
- State coarsening-at-random assumptions
- Relate full-data and observed-data models

7.2 Chapter Summary

7.3 Notes and Extensions

7.4 Solutions to Exercises

7.4.1 Exercise 7.1

7.5 Additional Exercises

8 Inverse probability weighted complete-case estimators

8.1 Learning objectives

- Construct IPW complete-case estimating equations
- Establish consistency and asymptotic normality
- Estimate asymptotic variance when response probabilities are estimated

8.2 Chapter Summary

8.3 Notes and Extensions

8.4 Solutions to Exercises

8.4.1 Exercise 8.1

8.5 Additional Exercises

9 Semiparametric estimators with monotone coarsening

9.1 Learning objectives

- Represent monotone coarsening processes
- Derive semiparametric estimators under monotone missingness
- Connect censoring to monotone coarsening

9.2 Chapter Summary

9.3 Notes and Extensions

9.4 Solutions to Exercises

9.4.1 Exercise 9.1

9.5 Additional Exercises

Part III

III. Efficiency and robustness

10 Improving efficiency and double robustness with coarsened data

10.1 Learning objectives

- Project influence functions onto augmentation spaces
- Construct efficient augmented IPW estimators
- Explain double robustness under different coarsening patterns

10.2 Chapter Summary

10.3 Notes and Extensions

10.4 Solutions to Exercises

10.4.1 Exercise 10.1

10.5 Additional Exercises

11 Locally efficient estimators for coarsened-data semiparametric models

11.1 Learning objectives

- Derive observed-data efficient scores
- Compare likelihood and augmented-IPW representations
- Construct locally efficient estimators

11.2 Chapter Summary

11.3 Notes and Extensions

11.4 Solutions to Exercises

11.4.1 Exercise 11.1

11.5 Additional Exercises

12 Approximate methods for gaining efficiency

12.1 Learning objectives

- Define restricted classes of augmented estimators
- Derive optimal estimators within a restricted class
- Balance efficiency gains against computational feasibility

12.2 Chapter Summary

12.3 Notes and Extensions

12.4 Solutions to Exercises

12.4.1 Exercise 12.1

12.5 Additional Exercises

Part IV

IV. Causal inference and imputation

13 Doubly robust estimation of average causal treatment effects

13.1 Learning objectives

- State identification assumptions for point-treatment effects
- Express causal estimation as a coarsened-data problem
- Derive the augmented inverse-probability estimator for the ATE

13.2 Chapter Summary

13.3 Notes and Extensions

13.4 Solutions to Exercises

13.4.1 Exercise 13.1

13.5 Additional Exercises

14 Multiple imputation from a frequentist perspective

14.1 Learning objectives

- Compare full-data and observed-data information
- Derive the asymptotic distribution of multiple-imputation estimators
- Explain proper imputation and Rubin's variance estimator

14.2 Chapter Summary

14.3 Notes and Extensions

14.4 Solutions to Exercises

14.4.1 Exercise 14.1

14.5 Additional Exercises

References

Tsiatis, Anastasios A. (2006). Semiparametric theory and missing data. Springer. <https://doi.org/10.1007/0-387-37345-4>.

A Linear algebra and projections

This appendix will collect matrix identities, projection formulas, and block-matrix calculations used throughout the book.

A.1 Matrix differentiation

A.2 Block-matrix inversion

A.3 Orthogonal projections

B Probability and asymptotic tools

This appendix will collect conditional-expectation identities, convergence results, empirical-process notation, and asymptotic linearity arguments.

B.1 Conditional expectation

B.2 Modes of convergence

B.3 Central limit arguments

C R code and reproducibility

This appendix contains reusable R functions and reproducibility conventions for computational examples.

C.1 Session information

```
sessionInfo()
```

```
R version 4.5.3 (2026-03-11 ucrt)
Platform: x86_64-w64-mingw32/x64
Running under: Windows 10 x64 (build 19045)
```

```
Matrix products: default
  LAPACK version 3.12.1
```

```
locale:
[1] LC_COLLATE=English_United States.utf8
[2] LC_CTYPE=English_United States.utf8
[3] LC_MONETARY=English_United States.utf8
[4] LC_NUMERIC=C
[5] LC_TIME=English_United States.utf8
```

```
time zone: America/Chicago
tzcode source: internal
```

```
attached base packages:
[1] stats      graphics  grDevices  utils      datasets  methods    base
```

```
loaded via a namespace (and not attached):
[1] compiler_4.5.3    fastmap_1.2.0     cli_3.6.5         htmltools_0.5.9
[5] tools_4.5.3       otel_0.2.0        rstudioapi_0.18.0 yaml_2.3.12
[9] tinytex_0.58      rmarkdown_2.30    knitr_1.51        jsonlite_2.0.0
[13] xfun_0.56         digest_0.6.39     rlang_1.1.7       evaluate_1.0.5
```