

Visualizing the Pandemic

Adriana Cieslak, Robert Motta, Michael Reichard, and Luis Bejaran

The Dashboard

Multiple html files were used in order to have a working dashboard. From the main page users can click links that bring you to different graphs that were created by the team.

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <title>Covid-19 By Borough</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div>
    <h1> Daily Cases, Hospitalization and Deaths</h1>
    <p>The charts below show the daily number of cases, hospitalizations and deaths since March until November for each borough in NYC.</p>
    <h4>Manhattan: confirmed cases</h4>
    <svg id="manhattan" width="900" height="600"></svg>
  </div>
  <div>
    <h4>Queens: confirmed cases</h4>
    <svg id="queens" width="900" height="600"></svg>
  </div>
  <div>
    <h4>Brooklyn: confirmed cases</h4>
    <svg id="brooklyn" width="900" height="600"></svg>
  </div>
  <div>
    <h4>Bronx: confirmed cases</h4>
    <svg id="bronx" width="900" height="600"></svg>
  </div>
  <div>
    <h4>State Island: confirmed cases</h4>
    <svg id="stateIsland" width="900" height="600"></svg>
  </div>
</body>
</html>
```

Graphing the Raw Data

Using charts.js a graph was created to be able to view the number of new cases, hospitalizations and deaths occurred on each day during the pandemic.



Comparing Cases and Outcomes

Scatter Plot

Using D3 to create a chart that allows users to see comparisons between a boroughs number of cases, hospitalizations and deaths.

```
function yTextRefresh() {
  yText.attr(
    "transform",
    "translate(" + leftTextX + ", " + leftTextY + ")rotate(-90)"
  );
}
yTextRefresh();

// 1. Cases Y
yText
  .append("text")
  .attr("y", -26)
  .attr("data-name", "Cases")
  .attr("data-axis", "y")
  .attr("class", "aText active y")
  .text("Caes");

// 2. Hospital Y
yText
  .append("text")
  .attr("x", 0)
  .attr("data-name", "Hospitalizaions")
  .attr("data-axis", "y")
  .attr("class", "aText inactive y")
  .text("Hospitalizaions");

// 3. Deaths Y
yText
  .append("text")
  .attr("y", 26)
  .attr("data-name", "Deaths")
  .attr("data-axis", "y")
  .attr("class", "aText inactive y")
  .text("Deaths");
```

Show Data for Points

By hovering over each point on the chart users are able to view the raw data for each borough that was used to generate the chart.

Brx
Cases: 56521
Hospitalized: 12727
Deaths: 4070

MN


```
var xMin;  
var xMax;  
var yMin;  
var yMax;  
  
var tooltip = d3.tip()  
  .attr("class", "tooltip")  
  .offset([80, -60])  
  .html(function(d) {  
    return (`{d.Boroughs}<br>Cases: ${d.Cases}<br>Hospitalized: ${d.Hospitalizations}<br>Deaths: ${d.Deaths}`);  
  });  
// Call the tooltip function.  
svg.call(tooltip);  
  
function xMinMax() {  
  xMin = d3.min(theData, function(d) {  
    return parseFloat(d[curX]) * 0.90;  
  });  
  
  xMax = d3.max(theData, function(d) {  
    return parseFloat(d[curX]) * 1.10;  
  });  
}  
  
function yMinMax() {  
  yMin = d3.min(theData, function(d) {  
    return parseFloat(d[curY]) * 0.90;  
  });  
}
```

Restart Visual

Covid Correlations by Cases, Hospitalizations, and Deaths.

Final Visualization


Finally the chart that was generated with all of the code!



Showing Relationships

In order to make it easier for users to see how many people went to the hospital or died of those who tested positive i included a chart to be able to easily view that

Borough	Hospitlaizations/Cases	Deaths/Cases
Manhattan	23.86%	7.34%
Queens	23.26%	7.80%
Brooklyn	22.22%	7.65%
Bronx	22.52%	7.20%
Staten Island	14.61%	5.22%



```
</div>
<table>
  <tr>
    <th>Borough</th>
    <th>Hospitlaizations/Cases</th>
    <th>Deaths/Cases</th>
  </tr>
  <tr>
    <td>Manhattan</td>
    <td>23.86%</td>
    <td>7.34%</td>
  </tr>
  <tr>
    <td>Queens</td>
    <td>23.26%</td>
    <td>7.80%</td>
  </tr>
  <tr>
    <td>Brooklyn</td>
    <td>22.22%</td>
    <td>7.65%</td>
  </tr>
  <tr>
    <td>Bronx</td>
    <td>22.52%</td>
    <td>7.20%</td>
  </tr>
  <tr>
    <td>Staten Island</td>
    <td>14.61%</td>
    <td>5.22%</td>
  </tr>
</table>
<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384"
  crossorigin="anonymous"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper"
  crossorigin="anonymous"></script>
```


NYC Borough Covid Maps

Using Choropleth Shapes of NYC with Leaflet.JS to compare key metrics across the 5 Boroughs

Choropleth Shapes

Leaflet.JS
javascript file that
allows you to use
pre-built functions
to display maps
colored with
Choropleth
coordinates

```
!function(n){function r(t){if(e[t])return e[t].exports;var f=e[t]={exports:{},id:t,loaded:!1};return n[t].call(f.exports,f,f.exports,r),f.loaded=!0,f.exports=var e={};return r.m=n,r.c=e,r.p="",r(0)}([function(n,r,e){var t=e(31),f=e(12),u={defaults:e(26),extend:e(27)};t.choropleth=n.exports=function(n,r){r=r||{};u.defaults(r,{valueProperty:"value",scale:["white","red"],steps:5,mode:"q"});var e=r.style,a=n.features.map(function(n){return"function"==typeof r.valueProperty?r.valueProperty(n):n.properties[r.valueProperty]}),o=f.limits(a,r.mode,r.steps-1),c=r.colors||f.scale(r.scale).colors(r.steps);return t.geoJson(n,u.extend(r,{limits:o,colors:c,style:function(n){var t,f={};if(t="function"==typeof r.valueProperty?r.valueProperty(n):n.properties[r.valueProperty],!isNaN(t))for(var a=0;a<o.length;a++){if(t<o[a]){f.fillColor=c[a];break}switch(typeof e){case"function":return u.extend(e,f);case"object":return u.extend(e,f);default:return f}})})),function(n,r){function e(n){return"number"==typeof n&&n>-1&&n%1==0&&t>n}var t=9007199254740991;n.exports=e},function(n,r){function e(n){var r=typeof n;return!!n&&("object"==r||"function"==r)}n.exports=e},function(n,r,e){function t(n){return null!=n&&u(f(n))}var f=e(21),u=e(1);n.exports=t},function(n,r){function e(n,r){return n="number"==typeof n||t.test(n)?+n:-1,r=null==r?f:r,n>-1&&n%1==0&&r>n}var t=/^\d+$/;f=9007199254740991;n.exports=e},function(n,r){function e(n){return!!n&&"object"==typeof n}n.exports=e},function(n,r){function e(n,r){if("function"!=typeof n)throw new TypeError(t);return r=f(void 0===r?n.length-1:r||0,0),function(){for(var e=arguments,t=-1,u=f(e.length-r,0),a=Array(u);++t<u;)a[t]=e[r+t];switch(r){case 0:return n.call(this,a);case 1:return n.call(this,e[0],a);case 2:return n.call(this,e[0],e[1],a)}var o=Array(r+1);for(t=-1;+t<r;)o[t]=e[t];return o[r]=a.n.apply(this,o)};var t="Expected a function",f=Math.max;n.exports=e},function(n,r,e){function t(n,r){var e=null==n?void 0:n[r];return f(e)?e:void 0}var f=e(25);n.exports=t},function(n,r,e){function t(n){return u(n)&&f(n)&&o.call(n,"callee")&&c.call(n,"callee")}var f=e(3),u=e(5),a=Object.prototype,o=a.hasOwnProperty,c=a.propertyIsEnumerable;n.exports=t},function(n,r,e){var t=e(7),f=e(1),u=e(5),a="[object Array]",o=Object.prototype,c=o.toString,i=t(Array,"isArray"),l=i||function(n){return u(n)&&f(n.length)&&c.call(n)==a};n.exports=l},function(n,r,e){var t=e(14),f=e(15),u=e(19),a=u(function(n,r,e){return e?t(n,r,e):f(n,r)});n.exports=a},function(n,r,e){var t=e(7),f=e(3),u=e(2),a=e(23),o=t(Object,"keys"),c=o?function(n){var r=null==n?void 0:n.constructor;return"function"==typeof r&&r.prototype==n||"function"!=typeof n&&f(n)?a(n):u(n)?o(n):[]};a.n.exports=c},function(n,r,e){var t,f;(function(n){/**
```

GeoJSON

By editing a basic a geoJSON file, mapping the choropleth shapes of NYC boroughs, we were more easily able to manipulate Covid data, using the Leaflet.JS library.

```
{
  "type": "FeatureCollection",
  "features": [
    {
      "type": "Feature",
      "properties": {
        "boro_code": "1",
        "boro_name": "Manhattan",
        "population": 1628706,
        "cases": 34702,
        "hosps": 8280,
        "deaths": 2548,
        "casesVsPop": 2.1306,
        "hospVsCases": 23.8603,
        "deathsVsHosps": 30.7729,
        "shape_area": "636603803.361",
        "shape_leng": "361611.82395"
      },
      "geometry": {
        "type": "MultiPolygon",
        "coordinates": [
          [
            [
              [-74.01092841268026, 40.68449147254294],
              [-74.01193259977079, 40.683887749154934],
              [-74.01217596614636, 40.684095185628465],
              [-74.01011625533792, 40.68534159773662],
              [-74.0087859013092, 40.686146602298905],
              [-74.00869559889541, 40.686193318012684],
              [-74.00859803329713, 40.686252564084974],
              [-74.00835446532174, 40.68640020025069],
              [-74.00816414593905, 40.686174717161464],
              [-74.00842516151924, 40.68601553244514],
              [-74.0085129425734, 40.685962548583696],
              [-74.00860072436832, 40.685909564654835],
              [-74.00953293674742, 40.68534164753917],
              [-74.01092841268026, 40.68449147254294]
            ]
          ]
        ]
      }
    }
  ]
}
```

Mapbox/D3/Leaflet

Ultimately, we created a the map layer by calling the Mapbox api, then unpacked the geojson data containing choropleth shapes and Covid data, to finally use leaflet features to create the overall display and interactivity of the maps.

```
L.tileLayer("https://api.mapbox.com/styles/v1/{id}/tiles/{z}/{x}/{y}?access_token={accessToken}", {
  attribution: "© <a href='https://www.mapbox.com/about/maps/'>Mapbox</a> © <a href='http://www.openstreetmap.org/about/'>OpenStreetMap contributors</a> Imagery © Mapbox",
  tileSize: 512,
  maxZoom: 18,
  zoomOffset: -1,
  id: "mapbox/light-v10",
  accessToken: API_KEY
}).addTo(myMap);

var geoData = "static/data/boroughShapes2.geojson";
var geojson;

d3.json(geoData, function(data) {

  // Create a new choropleth layer
  geojson = L.choropleth(data, {

    // Define what property in the features to use
    valueProperty: "casesVsPop",

    // Set color scale
    scale: ["#FFFF00", "#FF0000"],

    // Number of breaks in step range
    steps: 6,

    // q for quartile, e for equidistant, k for k-means
    mode: "q",
    style: {
      // Border color
      color: "fff",
      weight: 1,
      fillOpacity: 0.8
    },

    // Binding a pop-up to each layer
    onEachFeature: function(feature, layer) {
      layer.bindPopup("Borough: " + feature.properties.boro_name + "  
Population: " + feature.properties.population + "  
Covid Cases / Population: " + feature.properties.casesVsPop + "%");
    }
  }).addTo(myMap);
});
```


Maps

Using 3 data rates by Borough

- Cases vs Population
- Hospitalizations vs Cases
- Deaths vs Hospitalizations

We created maps where the boroughs were shaded from yellow to red based on the severity of these rates.

Clicking on any borough will pop-up a summary of that data point for that borough



What I would have liked to improve/add

- My GEOJson was manually edited to add covid rates. I would have liked to append that data more safely with code, like jsonify
- Maps that could be scrolled through with a control by date, so you could track color changes as pandemic progressed