Messaging for a Dynamic World

Approved: Per Berggren	No: 109 21-CRH 109 127-24 Uen

	Author: Marcus Haglund, Catarina Andersson Title: PRI-NTF	Version: PC2 Date: 2008-06-16	1/5

PRI - NTF

Content

History

Version	Date	Adjustments
PA2	2007-10-17	For the R13B release.
PA3	2007-12-18	Updates after revision. Technical approved.
A	2008-05-14	Updated build and document revisions.

B	2008-05-15	Corrected revisions for CPI documents
PC1	2008-06-10	Phoenix additions in tr list, and new binary r-verision (qtommlu)
PC2	2008-06-16	Version update, /R13A/R13B/

1 Introduction

This document provides information on the revision of the NTF component from the R13A to the R13B release.

2 Revised Objects

2.1 Products

Product	Old R-state	New R-state
CRH 109 127	R13B	R14A

2.2 Documents

Document	New version
NTF_CD 1/1551 CRH-109 127 Uen	E
NTF_OM 1/1543-CRH 109 127 Uen	AD
NTF_IG 1/1531-CRH 109 127 Uen	AB

2.3 Executables

Executable	Note
ntf_r14a.001.crh109127.solaris10.tar.gz	

2.4 Configuration Files

Configuration File	Note
Phrase-files	Configuration for email phrases is added. The old phrase files *.phr are converted to the new format *.cphr. Tags are not surrounded by __ any more. Dates are presented in other format.

Approved: Per Berggren	No: 109 21-CRH 109 127-24 Uen	
Copyright Mobeon AB All rights reserved	Author: Marcus Haglund, Catarina Andersson Title: PRI-NTF	Version: PC2 Date: 2008-06-16	3/5

2.5   Table Definition Files

Table definition file	Note

2.6   Environment Variables

Environment variable	Note

2.7   Libraries

Library	Note

3   Change in this delivery

3.1   Functional Changes

MMS Notification code updated for the AMR functionality. No conversion via MMC is needed if the mail already contains an AMR encoded audio or video attachment.

New notification type notification by email is added, see [1].

New default searchbase o=userdb.

3.2   Interface Changes

This paragraph is intentionally left blank.

3.3   Installation Changes

This paragraph is intentionally left blank.

4   Corrected Trouble Reports

Drop No	Search filter
	Component = NTF Project = Mystique Status = Done -------

```
Component = NTF
Project = Silversurfer
Status = Done
-------
Component = NTF
Project = Nike all
Status = Done
-------
Component = NTF
Project = Phoenix
Status = Done
```

5 Test Report

5.1 Basic Test

JUnit tests have been done.

5.2 Function Test

This paragraph is intentionally left blank.

5.3 System Test

This paragraph is intentionally left blank.

6 Dependencies

NTF depends on the following component that are built for system version 14.1.3:

- MS used for retrieving mails.
- MCC used for MMS notification.
- MER used for events.
- MUR used for user information.
- ESI used for contact with external systems.
- MVAS/MAS used for outdial-, callmwi- and pager-notification..
- MEMA used for MIB information.
- MEC used for enable email notification.
- MUP used for enable email notification.

7 Known problems

8 References

[1] IP-Notification by Email
http://cdmweb.ericsson.se:7030/TeamCenter/controller/ViewDocs?DocumentName=14%2F15941-FCP116239&Latest=true

9 Terminology

10 Appendix