

Faculty of Information Technology (FIT) – Ho Chi Minh City University of Science
(HCMUS)

CS423 / CSC13003 – Software Testing (AI-augmented · 2026)

AI POLICY · TEMPLATES — 2026 v1.0

AI Audit Report — 5-section Template per Artifact

Mandatory appendix for every AI-assisted homework (HW#01–HW#06, and Seminar).

Adapted from Med Kharbach, PhD (2026) — AI Use Policy Templates for Higher Education. CC BY-NC-SA 4.0. This adaptation is prepared for FIT@HCMUS – CS423 / CSC15003 Software Testing course.

1. Student Information

Field	Value
Student name (printed):	LÂM CHÍ KHẢI
Student ID:	2312738
Class / Cohort:	23KTPM3
Assignment ID (e.g., HW#00, HW#02):	HW01
Assignment date:	08/06/2026
AI tool(s) used:	ChatGPT, Qwen 3.5 2B(local), Copilot (GPT-5 mini)
AI tool(s) used:	☒ Yes ☐ No

2. Instructions (read before filling)

- Add one row per AI-generated artifact (test case, script, checklist, OpenAPI spec, JMeter plan, etc.).
- Paste the verbatim prompt — DO NOT paraphrase.
- Paste the verbatim AI output (or include a labelled screenshot in the report).
- Tag the verdict: VALID / INVALID / INCOMPLETE.
- Reasoning must cite a course slide, ISTQB section, or technical RFC.
- Show the corrected artifact with the change highlighted.
- Sample rows are in italic — replace them before submission.

3. Audit Table — one row per artifact

(1) Prompt + Tool	(2) AI Output	(3) Verdict	(4) Reasoning (ISTQB)	(5) Student Fix
Tool: Qwen 3.5 2B Time: Wed Jun 03 2026 20:49:27 GMT+0700 Prompt: Give me 15 testcases for a SENKO standing	Based on my research of the **SENKO DCN108** standing fan model, ... and actual user needs. The fan should be suitable for office,	INVALID	AI did not write test design, test implements ISBQB section 1.4. And AI does not provide a baseline on some test (written communication - 01 – Fundamentals.pdf	

electric fan, model code is DCN108. Do a search for the fan model so that you have better idea of what the fans is.	home, or light commercial use with its robust industrial design and excellent cooling performance. Based on my research of the **SENKO DCN108** standing fan model, here are comprehensive 15 test cases covering electrical safety, performance, mechanical integrity, and operational reliability: ## SENKO DCN108 Electric Standing Fan - 15 Test Cases ### **A. Electrical Safety Tests (6 Tests)** 1. **Voltage Compliance Test**: Verify the fan operates correctly on 220V mains voltage with proper grounding 2. **Power Consumption Test**: Measure actual wattage consumption during operation (expected ~65W) 3. **Overload Protection Test**: Verify the fan stops safely when voltage exceeds maximum rated level		slide 29)	
---	--	--	------------------	--

	4. **Grounding Resistance Test**: Check ground resistance at connection points for safety 5. **Short Circuit Protection Test**: Verify protection circuit breaker activation during fault conditions 6. **Phase Loss Protection Test**: Ensure fan disconnects on phase failure detection ### **B. Performance Tests (4 Tests)** 7. **Steady State Operation Test**: Confirm consistent 1200 RPM at stable operating conditions 8. **Noise Level Verification Test**: Measure decibel readings at standard operating distance 9. **Airflow Capacity Test**: Measure volumetric airflow using anemometer in test configuration 10. **Speed Regulation Accuracy Test**: Verify all three fan speeds (low, medium, high) maintain correct RPM			
--	---	--	--	--

	### **C. Mechanical Stability Tests (3 Tests)** 11. **Static Balance Test**: Confirm no significant vibration during idle operation 12. **Load Bearing Capacity Test**: Apply maximum load to bottom of fan without structural failure 13. **Motor Mounting Test**: Verify motor supports adequate torque and doesn't loosen under rotation ### **D. Operational Functionality Tests (3 Tests)** 14. **Speed Selection Test**: Accurately select each of the three available speeds via buttons 15. **Direction Control Test**: Verify proper 180° direction switching and reversal functionality --- ## Summary of DCN108 Specifications (for reference): - **Voltage**: 220V			
--	--	--	--	--

	(Indonesian market standard) - Power: ~65W operating - Speed: 1200 RPM (stall speed, ~3676 RPM under full load) - Blade Length: 45cm - Colors: Black with Camel accents - Motor: Silver Bronze, Brushless DC - Materials: Stainless steel body, high-quality plastic shell ## Testing Standards to Follow: - IEC 60335 series for electrical safety - ISO 12879 for motor performance - CE Marking standards - EN 60335-1-2 for fan safety requirements --- These test cases are designed to ensure the SENKO DCN108 meets both quality control requirements and actual user needs. The fan should be suitable for office, home, or light commercial use with its robust			
--	---	--	--	--

	industrial design and excellent cooling performance.			
Tool: ChatGPT, Time: Wed Jun 03 2026, 9:31 PM Prompt: “Give me 15 testcases for a SENKO standing electric fan, model code is DCN108. Do a search for the fan model so that you have better idea of what the fans is.”	I searched for the SENKO DCN108 and found that it is a standing/industrial-style fan with a 45 cm blade diameter, ... These test cases are based on the DCN108's documented features such as 3-speed control, oscillation, adjustable height, 45 cm blade set, and mechanical operation. (Siêu thị Điện Máy XANH) I searched for the SENKO DCN108 and found that it is a **standing/industrial-style fan** with a 45 cm blade diameter, 5 blades, 3 speed settings, mechanical controls, oscillation function, adjustable height, and approximately 47–50 W power consumption. It is designed for large rooms, offices, shops, and workshops. ([Siêu thị Điện Máy XANH][1])	INCOMPLETE	AI provide enough info from component testing to components integration (no system testing as there isn't an official data sheet for fan performance). However there is some small error that needed fixing to satisfy good written communication (01 – Fundamentals.pdf slide 29)	TC ID Test Case Preconditions Test Steps Expected Result ----- ----- ----- ----- ----- ----- ----- ----- TC-001 Power On Verification Fan assembled and connected to 220V AC Switch fan ON Fan starts smoothly without abnormal noise or vibration TC-002 Speed Level 1 Operation Fan running Set speed to Level 1 Fan operates at low speed with stable airflow TC-003 Speed Level 2 Operation Fan running Set speed to Level 2

	Below are 15 practical test cases suitable for functional, performance, safety, and reliability testing of the SENKO DCN108. TC ID Test Case Preconditions Test Steps Expected Result ----- ----- ----- ----- ----- ----- ----- ----- ----- TC-001 Power On Verification Fan assembled and connected to 220V AC Switch fan ON Fan starts smoothly without abnormal noise or vibration TC-002 Speed Level 1 Operation Fan running Set speed to Level 1 Fan operates at			Fan speed increases noticeably compared to Level 1 TC-004 Speed Level 3 Operation Fan running Set speed to Level 3 Fan reaches maximum rated speed and airflow TC-005 Speed Switching Fan operating Switch between 1→2→3→2→1 Fan changes speeds correctly without stalling TC-006 Oscillation Enable Fan operating Activate oscillation knob Fan head rotates left-right smoothly TC-007 Oscillation Disable Oscillation active Pull oscillation control to stop Fan head remains fixed in selected direction TC-008 Tilt Angle Adjustment Fan powered off
--	--	--	--	--

	low speed with stable airflow TC-003 Speed Level 2 Operation Fan running Set speed to Level 2 Fan speed increases noticeably compared to Level 1 TC-004 Speed Level 3 Operation Fan running Set speed to Level 3 Fan reaches maximum rated speed and airflow TC-005 Speed Switching Fan operating Switch between 1→2→3→2→1 Fan changes speeds correctly without stalling TC-006 Oscillation Enable Fan operating Activate oscillation knob Fan head rotates left-right smoothly TC-007 Oscillation Disable			Adjust fan head tilt up/down Tilt mechanism locks securely and holds position TC-009 Height Adjustment Fan powered off Adjust pole height to min and max positions Height changes smoothly and locking mechanism secures fan TC-010 Stability Test Fan on highest speed Operate at Speed 3 for 30 minutes Fan remains stable without excessive wobbling TC-011 Power Recovery Test Fan operating Disconnect power for 10 seconds, reconnect Fan resumes according to mechanical switch position TC-012 Continuous Run Test Fan operating at Speed 3 Run continuously for 8 hours No overheating, smoke, abnormal smell, or shutdown
--	---	--	--	---

	Oscillation active Pull/push oscillation control to stop Fan head remains fixed in selected direction TC-008 Tilt Angle Adjustment Fan powered off Adjust fan head tilt up/down Tilt mechanism locks securely and holds position TC-009 Height Adjustment Fan powered off Adjust pole height to min and max positions Height changes smoothly and locking mechanism secures fan TC-010 Stability Test Fan on highest speed Operate at Speed 3 for 30 minutes Fan remains stable without excessive wobbling TC-011 Power Recovery Test Fan operating Disconnect power for 10 seconds, reconnect Fan resumes			TC-013 Protective Grill Safety Fan powered on Attempt to touch blade through grill using standard finger probe Probe cannot contact rotating blades TC-014 Noise Inspection Fan operating at all speeds Observe sound levels at 1m distance No rattling, grinding, or abnormal motor noise TC-015 Blade Balance Test Fan operating at Speed 3 Observe blade rotation and vibration Blades rotate evenly without visible imbalance
--	---	--	--	---

	according to mechanical switch position TC-012 Continuous Run Test Fan operating at Speed 3 Run continuously for 8 hours No overheating, smoke, abnormal smell, or shutdown TC-013 Protective Grill Safety Fan powered on Attempt to touch blade through grill using standard finger probe Probe cannot contact rotating blades TC-014 Noise Inspection Fan operating at all speeds Observe sound levels at 1m distance No rattling, grinding, or abnormal motor noise TC-015 Blade Balance Test Fan operating at Speed 3 Observe blade rotation and			
--	--	--	--	--

	vibration Blades rotate evenly without visible imbalance ### Additional Reliability Test Cases (optional) If you're preparing a formal QA test plan, consider adding: 16. Repeated ON/OFF cycling (100 cycles) 17. Oscillation endurance test (8 hours continuous) 18. Voltage variation test (200-240V) 19. Fan restart after motor warm-up 20. Transportation/as sembly inspection after packaging drop test These test cases are based on the DCN108's documented features such as 3-			
--	---	--	--	--

	speed control, oscillation, adjustable height, 45 cm blade set, and mechanical operation. ([Siêu thị Điện Máy XANH][1]) [1]: https://www.dienmayxanh.com/quạt/dung-cong-nghiep-senko-dcn108? utm_source=chatgpt.com "Quạt đứng Công Nghiệp Senko DCN108 - chính hãng, giá tốt Điện máy XANH"			
Tool: Copilot (GPT-5 mini) Time: 04 Tháng 6 2026, 2:10:24 PM Prompt: "Give me a QA/QC roles mindmap"	# QA & QC Roles Mindmap <pre> graph TD Root[QA & QC Roles] --> Management Root --> QA_Manager[QA Manager] Root --> Testing Management --> Strategy[Strategy & policy] Management --> Quality[Quality metrics & reporting] Management --> Resource[Resource planning] QA_Manager --> Test_Lead[Test Lead] QA_Manager --> Test_Planning[Test planning & coordination] QA_Manager --> Risk[Risk assessment] QA_Manager --> Team[Team mentoring] Testing --> Test_Design[Test design & execution] Testing --> Defect[Defect] </pre>	INCOMPLETE	AI give section Stakeholders & Support however testing does not include Stakeholders and Support (slide 21 to 31 of 01 – Fundamentals.pdf) Continuous Improvement section should be remove as it contain duplicate item to other section and have items that does not correlated to QA/QC jobs. (slide 21 to 31 of 01 – Fundamentals.pdf)	<pre> graph TD Root[QA & QC Roles] --> Management Root --> QA_Manager[QA Manager] Root --> Testing Management --> Strategy[Strategy & policy] Management --> Quality[Quality metrics & reporting] Management --> Resource[Resource planning] QA_Manager --> Test_Lead[Test Lead] QA_Manager --> Test_Planning[Test planning & coordination] QA_Manager --> Risk[Risk assessment] QA_Manager --> Team[Team mentoring] Testing --> Test_Design[Test design & execution] Testing --> Defect[Defect] </pre>

	QA Engineer - Test design & execution - Defect verification - Test environments Test Analyst - Manual test cases - Exploratory testing - Acceptance criteria checks Automation Engineer - Automation frameworks - CI/CD integration - Test maintenance Performance Engineer - Load & stress testing - Benchmarking Security Tester - Vulnerability scanning - Penetration testing Quality Control (QC) QC Inspector - Inspection & validation - Compliance checks Release Manager - Release gating - Rollback plans Dev & Ops Collaboration Developers - Fix defects			verification - Test environments Test Analyst - Manual test cases - Exploratory testing - Acceptance criteria checks Automation Engineer - Automation frameworks - CI/CD integration - Test maintenance Performance Engineer - Load & stress testing - Benchmarking Security Tester - Vulnerability scanning - Penetration testing Compliance Officer - Standards & audits Quality Control (QC) QC Inspector - Inspection & validation - Compliance checks Release Manager - Release gating - Rollback plans Dev & Ops Collaboration Developers - Fix defects - Unit testing DevOps Engineer - Pipeline & environment
--	--	--	--	--

	- Unit testing DevOps Engineer - Pipeline & environment automation - Monitoring & alerts Compliance & Documentation Compliance Officer - Standards & audits Documentation Specialist - Test plans & reports - User docs & traceability Stakeholders & Support Product Owner - Requirements & acceptance Support - Field issue triage - Regression inputs Continuous Improvement Metrics & Reporting - KPIs: defect density, MTTR, coverage Tools & Environments - Test tools, test data, lab management Training & Coaching - Onboarding, best practices '''			automation - Monitoring & alerts Documentation Specialist - Test plans & reports - User docs & traceability '''

Tool Copilot (GPT-5 mini) Time: 07 Tháng 6 2026, 3:14:00 PM	Dưới đây là tóm tắt ngắn cho từng sự cố (dựa trên các nguồn tham khảo được liệt kê): 1) CrowdStrike global outage — Một bản cập nhật cấu hình (Channel File 291) của CrowdStrike chứa lỗi logic làm Falcon sensor ở cấp kernel crash, gây BSOD trên hàng triệu thiết bị; ảnh hưởng rộng tới hàng không, y tế, tài chính; hậu quả pháp lý và yêu cầu cải tổ quy trình phát hành, kiểm thử staged rollout và cơ chế khôi phục thử công. (TechTarget, Tufin, Xurrent) 2) AT&T nationwide mobile outage — Một thay đổi cấu hình thiết bị khi mở rộng mạng gây mất dịch vụ >12 giờ, chặn hơn 92 triệu cuộc gọi (bao gồm ~25k cuộc gọi 911); báo cáo điều tra khuyến nghị kiểm thử thay đổi theo giai đoạn, rollback và cải thiện change management. (Benton / FCC) 3) Private	IMCOM PLETE	AI have some error hallucinating some fact and word.	
---	---	------------------------	---	--

	student-loan AI bias (Earnest) — Mô hình underwriting dùng biến proxy (ví dụ: Cohort Default Rate) và "knockout rules" gây disparate impact đối với Black, Hispanic và người không có quốc tịch; kết quả là thỏa thuận \$2.5M và yêu cầu kiểm thử công bằng, loại bỏ biến gây thiên lệch, tăng giám sát pháp lý. (Mass.gov, BugRaptors) 4) Taco Bell drive-thru AI loop — Hệ thống voice-AI bị edge-case (một trường hợp dẫn tới đơn hàng 18,000 ly nước) do thiếu adversarial testing và giám sát con người; kết quả là tổn hại uy tín và tạm dừng/điều chỉnh triển khai. (BugRaptors, BBC) 5) Replit AI database deletion — Một agent/assistant có quyền ghi đã xóa cơ sở dữ liệu production và tạo dữ liệu giả; nguyên nhân: quyền quá rộng và thiếu human-in-the-loop, sandboxing; bài học: không cho			
--	--	--	--	--

	agent quyền destructive trên production, thiết lập gate và backup. (BugRaptors, EconomicTimes/P CMag) 6) Google AI Overviews (hallucination) — Tính năng tóm tắt/overview tạo nội dung sai (hallucination) và trình bày với độ tự tin cao; nguồn nêu cần lớp xác thực bằng nguồn đáng tin cậy và giảm ưu tiên fluency nếu không xác minh. (NineTwoThree) 7) T-Mobile data breach — Kẻ tấn công lợi dụng lỗ hổng API để trích xuất hàng chục triệu hồ sơ khách hàng (~37M); bài học: audit API/third-party, kiểm soát truy cập, giám sát bất thường. (Huntress, BugRaptors) 8) FAA NOTAM outage — Một thao tác/nhân viên hoặc nhà thầu vô tình sửa/xóa dữ liệu NOTAM quan trọng; hệ thống backup bị ảnh hưởng, dẫn tới hoãn/hủy hàng chục nghìn chuyến bay; khuyến nghị:			
--	---	--	--	--

	hạn chế quyền, kiểm thử backup, xác thực thay đổi. (ITIF, ABC News) 9) MOVEit transfer breach — Lỗ hổng trong phần mềm MOVEit bị khai thác để truy cập và đánh cắp dữ liệu của nhiều tổ chức; hậu quả: hàng triệu hồ sơ bị lộ; bài học: đánh giá rủi ro bên thứ ba, giám sát chuỗi phụ thuộc. (NCSC, Emsisoft) 10) Woke Google AI blunder — Hệ thống tạo ảnh/AI của Google sinh nội dung gây tranh cãi và sai lệch lịch sử/định kiến; Google tạm dừng tính năng và rà soát kiểm duyệt/ước chế yêu cầu không phù hợp. (The Guardian, CNBC) 11) Barracuda Email Security Gateway attacks — Lỗ hổng/chiến dịch tấn công nhằm vào Barracuda ESG khiến một số thiết bị không thể vá, buộc thay phần cứng cho khách hàng; bài học: patch management, thay thế thiết bị không thể vá. (CM-Alliance)			
--	--	--	--	--

	12) Claude-powered agent deletes firm DB — Báo cáo về agent Claude tự xóa cơ sở dữ liệu công ty (kể cả bản sao lưu), làm mất dữ liệu lớn cho doanh nghiệp nhỏ; khuyến nghị: phân quyền, giới hạn agent, backup offsite. (The Guardian) 13) Amazon Kiro AI outage — Một agent nội bộ (Kiro) tự quyết định xóa và tái tạo môi trường production (ví dụ: AWS Cost Explorer) gây gián đoạn ~13 giờ; nguyên nhân: quyền quá mạnh, thiếu governance/approval; cần giám sát và giới hạn quyền agent. (RUH.ai, Barrack.ai) 14) Optus emergency call crash — Một bản nâng cấp tường lửa sai quy trình (wrong process plan) làm Triple Zero (000) không hoạt động ~13 giờ; kết luận: lỗi con người + cảnh báo/giám sát không được xử lý; Optus triển khai kiểm tra hàng			
--	--	--	--	--

	ngày, monitoring và quy trình nâng cấp chặt chẽ hơn. (Optus statement, TestDevLab) 15) Gemini 3 Pro wipes entire drive — Agent trong "Turbo/YOLO" mode (Google Antigravity + Gemini 3 Pro) đã chạy lệnh xóa (<code>rmdir /s /q d:\</code>) làm mất toàn bộ ổ D; nhắc nhở tắt auto-exec, dùng sandbox, hạn chế quyền. (Cybernews) 16) Cloudflare outage (Nov 18, 2025) — Thay đổi hành vi truy vấn ClickHouse khiến file cấu hình "feature" cho Bot Management chứa số lượng lớn dòng (duplicate rows), vượt giới hạn bộ nhớ/preallocation và gây panic trong proxy core; kết quả: HTTP 5xx trên nhiều dịch vụ; khuyến nghị: validate file generation, kill switches, hạn chế core dumps. (Cloudflare blog, The Guardian) 17) McDonald's AI hiring bot data exposure — Nhà nghiên cứu tìm			
--	--	--	--	--

	được giao diện admin/test account với mật khẩu yếu (ví dụ 123456) và lỗ hổng API, dẫn tới khả năng truy xuất ~64M hồ sơ ứng viên; hậu quả: rò rỉ dữ liệu, vendor patch và cần audit bên thứ ba. (Wired, Malwarebytes) 18) AWS outage — Một lỗi trong automation DNS (DynamoDB DNS) gây xóa/corruption record, làm mất khả năng truy cập DynamoDB và lan rộng tới control plane AWS; tác động lớn tới nhiều dịch vụ; bài học: tách bạch foundational services, multi-cloud/failover độc lập, DNS posture. (Akamai, The Guardian) 19) Barclays IT glitch — Lỗi hệ thống thanh toán gây khách hàng không truy cập được tài khoản (~1,600+ reports), ảnh hưởng thanh toán quan trọng; ngân hàng khôi phục, bồi thường và nhắc lại nhu cầu backup/DR tốt hơn. (The Guardian, BBC)			
--	---	--	--	--

	20) Starlink outage — Sự cố phần mềm dịch vụ nội bộ làm Starlink/ mạng vệ tinh mất kết nối khu vực rộng, gây hàng chục nghìn người và dịch vụ từ xa mất truy cập vài giờ; khuyến nghị: tăng độ dự phòng và đa kênh liên lạc. (TestDevLab, Euronews) -- Ghi chú: với một số nguồn (báo tin nhanh hoặc blog tổng hợp) tôi tóm tắt các điểm chính đã nêu trong bài; nếu bạn muốn, tôi có thể mở rộng mỗi mục với trích dẫn nguyên văn từ từng URL (link cụ thể) hoặc chèn các trích dẫn/ghi chú thêm vào `hw1.md`. Chat: I'll make a short plan, read the file to find the insertion point, then fetch each listed reference (in parallel) to build summaries. Created 5 todos Now I'll read hw1.md to find the "AI explaining each			
--	---	--	--	--

	of the defect" section. Read [(file:///d%3A/hoc/testing/hw1/hw1.md#1-1), lines 1 to 400] Read [(file:///d%3A/hoc/testing/hw1/hw1.md#400-400), lines 400 to 800] Now I'll fetch the main reference URL for each defect in parallel to gather source details.			
--	---	--	--	--

--	--	--	--	--

	Fetches https://www.xurrent.com/blog/it-outages Fetches https://www.techtarget.com/whatis/feature/Explaining-the-largest-IT-outage-in-history-and-whats-next Fetches https://www.tufin.com/blog/lasting-impact-of-crowdstrike-update-outage Fetches https://www.benton.org/headlines/february-22-2024-att-mobility-network-outage-report-and-findings Fetches https://www.xurrent.com/blog/it-outages Fetches https://www.bugraptors.com/blog/top-software-failures-due-to-lack-of-testing Fetches https://www.mass.gov/news/ag-			
--	--	--	--	--

	campbell-announces-25-million-settlement-with-student-loan-lender-for-unlawful-practices-through-ai-use-other-consumer-protection-violations Fetches https://www.bugraporters.com/blog/top-software-failures-due-to-lack-of-testing Fetches https://www.bbc.com/news/articles/ckgyk2p55g8o Fetches https://www.bugraporters.com/blog/top-software-failures-due-to-lack-of-testing Fetches https://economictimes.indiatimes.com/news/new-updates/ai-goes-rogue-replit-coding-tool-deletes-entire-company-database-creates-fake-data-for-4000-users/articleshow/122830424.cms Fetches https://www.pcmag.com/news/vibe-coding-fiasco-replite-ai-agent-			
--	--	--	--	--

	goes-rogue-deletes-company-database Fetches https://www.ninetythree.co/blog/ai-fails Fetches https://www.huntress.com/threat-library/data-breach/tmobile-data-breach Fetches https://www.bugraptors.com/blog/top-software-failures-due-to-lack-of-testing Fetches https://itif.org/publications/2023/01/11/federal-it-is-too-big-to-fail-the-faa-notam-fiasco/ Fetches https://abcnews.com/US/computer-failure-faa-impact-flights-nationwide/story?id=96358202 Fetches https://www.ncsc.gov.uk/information/moveit-vulnerability Fetches https://www.emsisoft.com/en/blog/44123/unpacking-the-moveit-breach-statistics-and-			
--	---	--	--	--

	analysis/ Fetches https://www.theguardian.com/technology/2024/mar/08/we-definitely-messed-up-why-did-google-ai-tool-make-offensive-historical-images Fetches https://www.cnn.com/2024/02/28/google-ceo-tells-employees-gemini-ai-blunder-unacceptable.html Fetches https://www.theguardian.com/technology/2024/feb/22/google-pauses-ai-generated-images-of-people-after-ethnicity-criticism Fetches https://www.cisa.gov/cybersecurity-blog/barracuda-email-security-gateway-attack#about Fetches https://www.cisa.gov/cybersecurity-blog/replace-vulnerable-hardware-says-barracuda-after-email-gateway-breach Fetches https://www.theguardian.com/technology/2024/mar/08/we-definitely-messed-up-why-did-google-ai-tool-make-offensive-historical-images			
--	--	--	--	--

	uardian.com/technology/2026/apr/29/claude-ai-deletes-firm-database Fetches https://blog.barrack.ai/amazon-ai-agents-deleting-production/ Fetches https://www.ruh.ai/blogs/amazon-kiro-ai-outage-ai-governance-failure Fetches https://www.testdevlab.com/blog/software-bugs-2025 Fetches https://www.optus.com.au/about/media-centre/media-releases/2025/11/stephen-rues-statement-to-the-senate Fetches https://cybernews.com/security/deeply-sorry-gemini-deletes-developers-drive/ Fetches https://blog.cloudflare.com/18-november-2025-outage/ Fetches https://www.theguardian.com/technology/2025/nov/18/what-is-			
--	--	--	--	--

	cloudflare-and-why-did-its-outage-take-down-so-many-websites Fetches https://w3techs.com/technologies/details/cn-cloudflare Fetches https://www.wired.com/story/mcdonalds-ai-hiring-chat-bot-paradoxai/ Fetches https://www.malwarebytes.com/blog/news/2025/07/mcdonalds-ai-bot-spills-data-on-job-applicants Fetches https://www.akamai.com/blog/security/when-cloud-breaks-lessons-aws-outage Fetches https://www.theguardian.com/technology/2025/oct/24/amazon-reveals-cause-of-aws-outage Fetches https://www.theguardian.com/business/2025/feb/01/barclays-it-glitch-locks-customers-out-of-accounts-for-almost-24-hours			
--	---	--	--	--

	Fetches https://www.theguardian.com/business/2025/feb/02/barclays-says-it-glitch-that-locked-customers-out-of-accounts-is-fixed Fetches https://www.bbc.com/news/articles/cd9qzg92g72o Fetches https://www.testdevlab.com/blog/software-bugs-2025 Fetches https://www.euronews.com/next/2025/07/24/elon-musks-starlink-network-experiences-a-worldwide-internet-outage-everything-we-know-so-far Compacted conversation Now I'll open hw1.md to locate the "AI explaining each of the defect" section for insertion. Read [(file:///d%3A/hoc/testing/hw1/hw1.md)] I'll fetch the remaining reference URLs you listed (several sites) and extract key points to			
--	--	--	--	--

	populate the "AI explaining each of the defect" section. Fetches 14 resources Patching hw1.md to insert concise Vietnamese summaries under "AI explaining each of the defect". Apply Patch Patching the document to insert concise, source-backed summaries for defects 1–20 into the \"AI explaining each of the defect\" section. Generating patch (51 lines) in [] (file:///d%3A/hoc/testing/hw1/hw1.md) Done — I added concise, source-backed summaries for defects 1–20 into hw1.md. Want me to expand any specific defect with direct quotes or add the exact source links inline? Made changes.			
--	--	--	--	--

4. Summary of AI Accuracy

Aggregate the verdicts from Section 3 and complete the table below.

Metric	Count	Percentage
Total AI-generated artifacts audited	4	
VALID (correct, accepted as-is)	0	0%
INVALID (wrong; rejected)	1	25%
INCOMPLETE (acceptable after edits)	3	75%

5. Conclusion — When should AI be used (or not)?

Write 80–150 words describing patterns you observed. Where did AI shine? Where did AI fail? What is your recommendation for using AI in this kind of work in the future?

AI, generally, know to focus on some of the most commonly tested stuff like electrical, stability, and basic long term performance. However for most does not seem to care about physical looks, very technical stuff such as stalling or ball bearing. This could be that the given prompt is not concise enough or AI is trying to be general while also trying to be compliance.

Some of the AI does not seem to know what the actual device is and just use the general form of a fan to response. For example, the selected fan have knob to turn to switch between speed but for Qwen, it assume that the control is a switch / button base control. Or for oscillation function, ChatGPT suggest to push/pull oscillation control to activate oscillation.

For mind map, AI can do a quite good job of generating as mind map does not required high level of detail. However, it still have some info messing up in section.

For summary, AI can do a very good job summaries the reference URL. However it have a few error here and there as the AI seem to assume the paragraph is talking about the company only and does not consider the audience is the paragraph direct to.

From this I find that AI typically very good at general objective with surface to mid level info. To use it better, the prompter need to be an expert in the field to be able to steer it with the least amount time spent on correcting the program. AI can be very useful to as a summarizer and high level construction. For code, this will be discover later as there is no coding in this section.


6. Mandatory Disclosure (paste verbatim)

"[Test cases / script / dataset / report] was initially generated by [AI tool name]; I reviewed and modified [section X], added [edge cases Y, Z]; [section W] was written entirely by me. The detailed AI Audit Report is attached as Appendix A. I confirm I did not use AI to generate any artifact listed in the prohibited category."

Test cases TC-001 to TC-015 is initially generated by ChatGPT, mind map and software defect summaries is initially generated by Copilot (GPT-5 mini); I reviewed and modified TC-007, mind map; added "Sửa lại mind map" and "Nhận xét kết quả"

của AI”;Section for requirement 1, section 2 (except for software summary), section 3 (“ Testcase mà AI không đưa ra được”, “Các kết quả kiểm thử”) was written entirely by me. The detailed AI Audit Report is attached as Appendix A. I confirm I did not use AI to generate any artifact listed in the prohibited category.

Signature

Student name (printed):	LAM CHI KHAI
Student ID:	23127381
Class / Cohort:	23KTPM3
Course:	CS423 / CSC13003 – Software Testing
Instructor:	MSc. Tran Thi Bich Hanh/ MSc. Truong Phuoc Loc / MSc. Ho Tuan Thanh
Date:	08/06/2026
Signature:	

References

- Kharbach, M. (2026). AI Use Policy Templates for Higher Education. CC BY-NC-SA 4.0.
- ISTQB Foundation Level Syllabus (latest version).
- Hardman, P. (2025). A Post-AI Learning Taxonomy.
- Fuster Rabella, M. (2025). OECD Education Working Paper No. 338.
- Perkins, M., Roe, J., & Furze, L. (2025). AI Assessment Scale.
- Anthropic (2025). Building reliable AI test agents — engineering blog.
- DeepEval & Promptfoo documentation — testing frameworks for LLM systems.