Statistics for all our datasets and outcomes

Miratrix

2025-02-19

Introduction

This makes a master file describing all our studies and things like their R2 values. It then prints out each study as a little descriptive table.

Our count of studies is the following:

	Blocked	Unblocked
Curated	11	0
Public	15	23

Our count of outcomes is the following:

	Blocked	Unblocked
Curated	28	0
Public	22	38

The number of large ranges of SE and ATE (*** means yes, blank means no):

```
##               big SE ratio
## big ATE range    ***
##                37   4
##            ***  9   0
```

Some statistics across the 50 outcomes:

statistic	mean	median	sd	Q10	Q90
J	483.74	56.50	1637.23	30.00	495.00
Jcv	0.40	0.33	0.30	0.09	0.85
K	35.16	16.00	65.39	5.00	85.30
R2.1	0.21	0.17	0.17	0.02	0.44
R2.2	0.43	0.37	0.32	0.06	0.83
R_ate	0.06	0.04	0.06	0.01	0.14
R_se	1.79	1.39	1.05	1.10	2.43
block_ICC	0.09	0.07	0.10	0.00	0.21
cluster_ICC	0.09	0.09	0.06	0.01	0.15
n	7761.36	2148.50	15702.56	854.40	17499.30
nbar	60.41	25.37	110.50	10.19	86.35
ncv	0.41	0.34	0.21	0.21	0.60
p.tx	0.55	0.50	0.10	0.49	0.74

The troublesome studies


High range of ATE estimates

Project	UniqueID	K	J	n	cons_df	R_ate	R_ate_Clu	R_ate_Per
Kim/set_2	jg_crt_2	7	83	2174	69	0.30	0.20	0.05
Kim/set_7	jg_crt_8	7	30	1335	16	0.19	0.11	0.18

High range of ATE estimates within Estimand

Project	UniqueID	K	J	n	cons_df	R_ate	R_ate_Clu	R_ate_Per
Kim/set_2	jg_crt_2	7	83	2174	69	0.30	0.20	0.05
Kim/set_7	jg_crt_7	7	30	1386	16	0.12	0.06	0.12
Kim/set_7	jg_crt_8	7	30	1335	16	0.19	0.11	0.18
Kim/set_9	jg_crt_11	7	30	2588	16	0.14	0.11	0.14


UniqueID	num_singletons	ncv	Jcv	ATE_min	ATE_max	range	SE_avg	n_est	n_def
jg_crt_11	0	0.35	0.18	0.54	0.67	0.14	0.10	19	19
jg_crt_2	0	1.35	0.41	-0.06	0.24	0.30	0.10	19	19
jg_crt_7	0	0.51	0.18	0.09	0.21	0.12	0.07	19	19
jg_crt_8	0	0.52	0.18	0.06	0.25	0.19	0.09	19	19



High range of SE estimates

Project	UniqueID	K	J	n	cons_df	R_se	R_se_Clu	R_se_Per
TRIAD Scale-up	TRIADScale-up_rema2	8	16	409	0	5	5.00	5
Abaluck/set_35	jg_crt_52	254	508	102869	0	5	5.00	5
Bruhn/set_6	jg_crt_6	389	802	15993	24	5	4.37	5
Hoffmann/set_42	jg_crt_63	85	179	8987	9	5	5.00	5

UniqueID	cons_df	num_singletons	SE_min	SE_max	n_est	n_def
TRIADScale-up_rema2	0	16	0.0051	0.1535	19	13
jg_crt_52	0	508	0.0001	0.0891	19	13
jg_crt_6	24	769	0.0030	0.0198	19	13
jg_crt_63	9	161	0.0063	0.0349	19	13



The individual studies follow:

Beacon_S8TGPA: Beacon Mentor/S8TGPA (Curated/Blocked)

```
Cluster RCT: 2011 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 87.43 (coef var 0.86)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.07
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.23 (coef var 0.18)
    25-75 Quantiles: 21.0-27.5 w/ IQR = 6.5
    ICC: 0.01
    Prop treated: 0.49
    R2.2: 0.06 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.22
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.01	0.01	0	1.4	1.4	1.39	1.04	1.04	1.03

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 27
- num Doubletons: 13

Beacon_S8TOTCR: Beacon Mentor/S8TOTCR (Curated/Blocked)

```
Cluster RCT: 2165 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 94.13 (coef var 0.87)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.08
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 26.08 (coef var 0.15)
    25-75 Quantiles: 24.0-29.0 w/ IQR = 5.0
    ICC: 0.01
    Prop treated: 0.49
    R2.2: 0.48 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 4.56
    R2.1: 0.14 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.01	0.01	0	1.39	1.38	1.38	1.02	1.02	1.01

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 27
- num Doubletons: 13

Beacon_SRPRST2: Beacon Mentor/SRPRST2 (Curated/Blocked)

```
Cluster RCT: 2165 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 94.13 (coef var 0.87)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.00
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 26.08 (coef var 0.15)
    25-75 Quantiles: 24.0-29.0 w/ IQR = 5.0
    ICC: 0.00
    Prop treated: 0.49
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 49.20
    R2.1: 0.00 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0	0	0	1.33	1.32	1.32	1.04	1.03	1.02

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 27
- num Doubletons: 13

CARES_DC_CST_COMPTOT_PTH: CARES/F1_DC_CST_COMPTOT (Curated/Blocked)

```
Cluster RCT: 1206 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 54.82 (coef var 0.74)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 23.19 (coef var 0.59)
    25-75 Quantiles: 12.0-29.2 w/ IQR = 17.2
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.83 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.15
    R2.1: 0.01 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.08	0.08	0.01	2.33	2.33	1.85	1.29	1.28	1.05

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_DC_EMIT_PTH: CARES/F1_DC_EMIT (Curated/Blocked)

```
Cluster RCT: 1229 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 55.86 (coef var 0.75)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.11
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 23.63 (coef var 0.60)
    25-75 Quantiles: 12.0-31.0 w/ IQR = 19.0
    ICC: 0.01
    Prop treated: 0.50
    R2.2: 0.95 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.22
    R2.1: 0.17 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.04	0.02	1.65	1.43	1.25	1.46	1.41	1.11

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_DC_PT_Incred: CARES/F1_DC_PT (Curated/Blocked)

```
Cluster RCT: 1298 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 59.00 (coef var 0.69)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.04
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.96 (coef var 0.54)
    25-75 Quantiles: 15.8-31.0 w/ IQR = 15.2
    ICC: 0.03
    Prop treated: 0.50
    R2.2: 0.31 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.32
    R2.1: 0.16 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.03	0.02	2.1	2.01	1.73	1.21	1.13	1.21

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_DC_PT_Tools_Mind: CARES/F1_DC_PT (Curated/Blocked)

```
Cluster RCT: 1268 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 57.64 (coef var 0.67)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.03
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.38 (coef var 0.56)
    25-75 Quantiles: 13.0-34.2 w/ IQR = 21.2
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.61 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.32
    R2.1: 0.16 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.03	0.03	1.92	1.92	1.34	1.15	1.09	1.08

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_BPI_Incred: CARES/F1_TR_BPI (Curated/Blocked)

```
Cluster RCT: 1318 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 59.91 (coef var 0.68)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.35 (coef var 0.53)
    25-75 Quantiles: 16.5-31.0 w/ IQR = 14.5
    ICC: 0.14
    Prop treated: 0.50
    R2.2: 0.53 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 7.98
    R2.1: 0.20 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.14***	0.04	0.07	2.26	1.7	2.18	1.21	1.08	1.06

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_SSRS_PTH: CARES/F1_TR_SSRS (Curated/Blocked)

```
Cluster RCT: 1276 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 58.00 (coef var 0.73)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.54 (coef var 0.57)
    25-75 Quantiles: 13.0-33.2 w/ IQR = 20.2
    ICC: 0.11
    Prop treated: 0.50
    R2.2: 0.38 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 11.09
    R2.1: 0.20 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.09	0.04	0.03	3.24	2.78	2.86	1.21	1.04	1.06

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_WRS_Incred: CARES/F1_TR_WRS (Curated/Blocked)

```
Cluster RCT: 1320 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 60.00 (coef var 0.68)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.38 (coef var 0.52)
    25-75 Quantiles: 16.5-31.2 w/ IQR = 14.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.36 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.04
    R2.1: 0.31 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.11***	0.06	0.09	1.96	1.71	1.96	1.26	1.06	1

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_WRS_Tools_Mind: CARES/F1_TR_WRS (Curated/Blocked)

```
Cluster RCT: 1293 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 58.77 (coef var 0.65)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.87 (coef var 0.56)
    25-75 Quantiles: 13.8-34.0 w/ IQR = 20.2
    ICC: 0.05
    Prop treated: 0.50
    R2.2: 0.32 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.04
    R2.1: 0.27 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.05	0.02	0.03	2.22	1.63	1.92	1.21	1.19	1.05

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CLC_GRCCSS_POST: CLC/GRCCSS_POST (Curated/Blocked)

```
Cluster RCT: 9557 units in 28 clusters across 9 blocks
Block Statistics:
    Avg units/block: 1061.89 (coef var 0.85)
    Avg clusters/block: 3.11 (coef var 0.78)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.15
    Avg tx: 0.52 (coef var 0.07)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 341.32 (coef var 0.61)
    25-75 Quantiles: 245.2-365.2 w/ IQR = 120.0
    ICC: 0.03
    Prop treated: 0.54
    R2.2: 0.69 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 16.42
    R2.1: 0.17 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.06	0.03	0.06	1.58	1.31	1.51	1.58	1.3	1.51

- Rough degrees-of-freedom: 10
- num ATE ests 19, num SE ests 13
- num Singletons: 14
- num Doubletons: 1

CLC_PCCRERCORE: CLC/PCCRERCORE (Curated/Blocked)

```
Cluster RCT: 16465 units in 28 clusters across 9 blocks
Block Statistics:
    Avg units/block: 1829.44 (coef var 0.91)
    Avg clusters/block: 3.11 (coef var 0.78)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.08
    Avg tx: 0.52 (coef var 0.07)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 588.04 (coef var 0.43)
    25-75 Quantiles: 412.0-694.8 w/ IQR = 282.8
    ICC: 0.01
    Prop treated: 0.54
    R2.2: 0.23 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 18.17
    R2.1: 0.07 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.05	0.02	0.02	1.56	1.56	1.49	1.35	1.18	1.13

- Rough degrees-of-freedom: 10
- num ATE ests 19, num SE ests 13
- num Singletons: 14
- num Doubletons: 1

EMERGE_eclsb2_BB: EMERGE/eclsb2 (Curated/Blocked)

```
Cluster RCT: 514 units in 51 clusters across 5 blocks
Block Statistics:
    Avg units/block: 102.80 (coef var 1.00)
    Avg clusters/block: 10.20 (coef var 1.00)
    25-75 Quantiles: 6.0-8.0 w/ IQR = 2.0
    ICC: 0.37
    Avg tx: 0.45 (coef var 0.12)
    25-75 Quantile tx: 0.43-0.50 w/ IQR 0.07
Cluster Statistics:
    Avg size: 10.08 (coef var 0.24)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.07
    Prop treated: 0.45
    R2.2: 0.12 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 6.54
    R2.1: 0.08 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.08	0.06	0.03	1.08	1.05	1.04	1.06	1.05	1.03

- Rough degrees-of-freedom: 41
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

EMERGE_eclsb2_BBSSR: EMERGE/eclsb2 (Curated/Blocked)

```
Cluster RCT: 539 units in 54 clusters across 5 blocks
Block Statistics:
    Avg units/block: 107.80 (coef var 0.82)
    Avg clusters/block: 10.80 (coef var 0.84)
    25-75 Quantiles: 7.0-10.0 w/ IQR = 3.0
    ICC: 0.39
    Avg tx: 0.51 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.56 w/ IQR 0.06
Cluster Statistics:
    Avg size: 9.98 (coef var 0.25)
    25-75 Quantiles: 8.2-12.0 w/ IQR = 3.8
    ICC: 0.10
    Prop treated: 0.48
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 6.54
    R2.1: 0.06 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.03	0.04	1.1	1.05	1.02	1.1	1.05	1.02

- Rough degrees-of-freedom: 44
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

EMERGE_team2___BB: EMERGE/team2_scaled (Curated/Blocked)

```
Cluster RCT: 531 units in 52 clusters across 5 blocks
Block Statistics:
    Avg units/block: 106.20 (coef var 0.97)
    Avg clusters/block: 10.40 (coef var 0.97)
    25-75 Quantiles: 7.0-8.0 w/ IQR = 1.0
    ICC: 0.21
    Avg tx: 0.47 (coef var 0.16)
    25-75 Quantile tx: 0.43-0.50 w/ IQR 0.07
Cluster Statistics:
    Avg size: 10.21 (coef var 0.24)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.09
    Prop treated: 0.46
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 91.57
    R2.1: 0.07 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.06	0.03	0	1.18	1.12	1.09	1.11	1.1	1.03

- Rough degrees-of-freedom: 42
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

EMERGE_team2___BBSSR: EMERGE/team2_scaled (Curated/Blocked)

```
Cluster RCT: 561 units in 55 clusters across 5 blocks
Block Statistics:
    Avg units/block: 112.20 (coef var 0.83)
    Avg clusters/block: 11.00 (coef var 0.81)
    25-75 Quantiles: 8.0-10.0 w/ IQR = 2.0
    ICC: 0.23
    Avg tx: 0.52 (coef var 0.14)
    25-75 Quantile tx: 0.50-0.56 w/ IQR 0.06
Cluster Statistics:
    Avg size: 10.20 (coef var 0.23)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.12
    Prop treated: 0.49
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 91.57
    R2.1: 0.08 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.01	0.02	1.21	1.1	1.07	1.2	1.1	1.06

- Rough degrees-of-freedom: 45
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

MPC_eclsb2_scale: MPC/eclsb2_scale (Curated/Blocked)

```
Cluster RCT: 1389 units in 69 clusters across 16 blocks
Block Statistics:
    Avg units/block: 86.81 (coef var 0.19)
    Avg clusters/block: 4.31 (coef var 0.14)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.01
    Avg tx: 0.51 (coef var 0.15)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 20.13 (coef var 0.33)
    25-75 Quantiles: 16.0-24.0 w/ IQR = 8.0
    ICC: 0.08
    Prop treated: 0.51
    R2.2: 0.07 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 5.89
    R2.1: 0.03 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.04	0.02	1.12	1.12	1.07	1.1	1.1	1.07

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 1
- num Doubletons: 25

MPC_wj_ap2: MPC/wj_ap2 (Curated/Blocked)

```
Cluster RCT: 1388 units in 69 clusters across 16 blocks
Block Statistics:
    Avg units/block: 86.75 (coef var 0.19)
    Avg clusters/block: 4.31 (coef var 0.14)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.01
    Avg tx: 0.51 (coef var 0.15)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 20.12 (coef var 0.33)
    25-75 Quantiles: 16.0-24.0 w/ IQR = 8.0
    ICC: 0.05
    Prop treated: 0.51
    R2.2: 0.13 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 23.26
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.05	0.04	0.02	1.17	1.12	1.1	1.17	1.1	1.05

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 1
- num Doubletons: 25

MathPD_MTSS: Math PD/MTSS (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.10
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.12
    Prop treated: 0.51
    R2.2: 0.11 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 13.84
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.14***	0.08	0.05	1.23	1.14	1.23	1.17	1.1	1.16

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

MathPD_MTSS_FRACTDEC: Math PD/MTSS_FRACTDEC (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.08
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.11
    Prop treated: 0.51
    R2.2: 0.09 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 14.98
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.13***	0.08	0.04	1.25	1.17	1.25	1.19	1.13	1.18

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

MathPD_MTSS_PCTRATIO: Math PD/MTSS_PCTRATIO (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.09
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.11
    Prop treated: 0.51
    R2.2: 0.14 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 14.36
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.14***	0.08	0.05	1.19	1.11	1.19	1.14	1.09	1.12

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

PowerTeaching_TSTSSTAND: PowerTeaching/TSTSSTAND (Curated/Blocked)

```
Cluster RCT: 26808 units in 58 clusters across 5 blocks
Block Statistics:
    Avg units/block: 5361.60 (coef var 1.22)
    Avg clusters/block: 11.60 (coef var 0.70)
    25-75 Quantiles: 6.0-15.0 w/ IQR = 9.0
    ICC: 0.00
    Avg tx: 0.52 (coef var 0.05)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 462.21 (coef var 0.77)
    25-75 Quantiles: 115.0-700.8 w/ IQR = 585.8
    ICC: 0.09
    Prop treated: 0.52
    R2.2: 0.62 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.43 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.09	0.04	0.01	1.29	1.1	1.2	1.29	1.1	1.2

- Rough degrees-of-freedom: 48
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 2

Success_S14WJLWI_SCORE: Success for All/S14WJLWI_SCORE (Curated/Blocked)

```
Cluster RCT: 1631 units in 37 clusters across 5 blocks
Block Statistics:
    Avg units/block: 326.20 (coef var 0.72)
    Avg clusters/block: 7.40 (coef var 0.74)
    25-75 Quantiles: 4.0-6.0 w/ IQR = 2.0
    ICC: 0.13
    Avg tx: 0.51 (coef var 0.03)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 44.08 (coef var 0.32)
    25-75 Quantiles: 35.0-54.0 w/ IQR = 19.0
    ICC: 0.03
    Prop treated: 0.51
    R2.2: 0.71 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 8.30
    R2.1: 0.17 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.01	0.01	0.01	1.15	1.11	1.11	1.07	1.03	1.05

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 4

TRIAD_rema2: TRIAD/rema2 (Curated/Blocked)

```
Cluster RCT: 1208 units in 38 clusters across 7 blocks
Block Statistics:
    Avg units/block: 172.57 (coef var 0.27)
    Avg clusters/block: 5.43 (coef var 0.10)
    25-75 Quantiles: 5.0-6.0 w/ IQR = 1.0
    ICC: 0.00
    Avg tx: 0.64 (coef var 0.20)
    25-75 Quantile tx: 0.55-0.73 w/ IQR 0.18
Cluster Statistics:
    Avg size: 31.79 (coef var 0.58)
    25-75 Quantiles: 16.5-40.8 w/ IQR = 24.2
    ICC: 0.14
    Prop treated: 0.63
    R2.2: 0.77 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.76
    R2.1: 0.35 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.06	0.03	0.02	1.42	1.16	1.42	1.36	1.11	1.24

- Rough degrees-of-freedom: 24
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 3

TRIADScale-up_rema2: TRIAD Scale-up/rema2 (Curated/Blocked)

```
Cluster RCT: 409 units in 16 clusters across 8 blocks
Block Statistics:
    Avg units/block: 51.12 (coef var 0.21)
    Avg clusters/block: 2.00 (coef var 0.00)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.56 (coef var 0.32)
    25-75 Quantiles: 20.0-29.2 w/ IQR = 9.2
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.86 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.78
    R2.1: 0.45 (1 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.03	0.03	5***	5***	5***	1.45	1.45	1.42

- Rough degrees-of-freedom: 0
- num ATE ests 13, num SE ests 13
- Matched pairs experiment

TennStar_gktmathss: Tennessee STAR/gktmathss (Curated/Blocked)

```
Cluster RCT: 5871 units in 325 clusters across 79 blocks
Block Statistics:
    Avg units/block: 74.32 (coef var 0.32)
    Avg clusters/block: 4.11 (coef var 0.29)
    25-75 Quantiles: 3.0-5.0 w/ IQR = 2.0
    ICC: 0.17
    Avg tx: 0.40 (coef var 0.26)
    25-75 Quantile tx: 0.33-0.50 w/ IQR 0.17
Cluster Statistics:
    Avg size: 18.06 (coef var 0.22)
    25-75 Quantiles: 15.0-21.0 w/ IQR = 6.0
    ICC: 0.12
    Prop treated: 0.40
    R2.2: 0.10 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 46.73
    R2.1: 0.05 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.01	0.01	1.18	1.18	1.17	1.08	1.04	1.08

- Rough degrees-of-freedom: 167
- num ATE ests 19, num SE ests 13
- num Singletons: 37
- num Doubletons: 87

TennStar_gktreadss: Tennessee STAR/gktreadss (Curated/Blocked)

```
Cluster RCT: 5789 units in 325 clusters across 79 blocks
Block Statistics:
    Avg units/block: 73.28 (coef var 0.33)
    Avg clusters/block: 4.11 (coef var 0.29)
    25-75 Quantiles: 3.0-5.0 w/ IQR = 2.0
    ICC: 0.17
    Avg tx: 0.40 (coef var 0.26)
    25-75 Quantile tx: 0.33-0.50 w/ IQR 0.17
Cluster Statistics:
    Avg size: 17.81 (coef var 0.22)
    25-75 Quantiles: 14.0-21.0 w/ IQR = 7.0
    ICC: 0.10
    Prop treated: 0.40
    R2.2: 0.11 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 31.27
    R2.1: 0.06 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.01	0.01	1.13	1.07	1.09	1.13	1.07	1.09

- Rough degrees-of-freedom: 167
- num ATE ests 19, num SE ests 13
- num Singletons: 37
- num Doubletons: 87

jg_crt_52: Abaluck/set_35/COVID Symptoms (Public/Blocked)

```
Cluster RCT: 102869 units in 508 clusters across 254 blocks
Block Statistics:
    Avg units/block: 405.00 (coef var 0.26)
    Avg clusters/block: 2.00 (coef var 0.00)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.08
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 202.50 (coef var 0.30)
    25-75 Quantiles: 165.0-244.0 w/ IQR = 79.0
    ICC: 0.08
    Prop treated: 0.50
    R2.2: 0.03 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.01	0.01	5***	5***	5***	1.04	1.01	1.04

- Rough degrees-of-freedom: 0
- num ATE ests 0, num SE ests 0
- Matched pairs experiment
- Abaluck, et al. (2022)

jg__crt__34: Angelucci/set__23/Depression (PHQ-9) (Public/Blocked)

```
Cluster RCT: 887 units in 485 clusters across 9 blocks
Block Statistics:
    Avg units/block: 98.56 (coef var 0.68)
    Avg clusters/block: 53.89 (coef var 0.64)
    25-75 Quantiles: 26.0-70.0 w/ IQR = 44.0
    ICC: 0.01
    Avg tx: 0.59 (coef var 0.04)
    25-75 Quantile tx: 0.58-0.60 w/ IQR 0.02
Cluster Statistics:
    Avg size: 1.83 (coef var 0.41)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.19
    Prop treated: 0.59
    R2.2: 0.14 (10 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (10 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.01	0	1.04	1.04	1.04	1.03	1.03	1.03

- Rough degrees-of-freedom: 467
- num ATE ests 0, num SE ests 0
- Angelucci, et al. (2024)

jg_crt_68: Banerjee/set_45/Hindi (Public/Blocked)

```
Cluster RCT: 8761 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 99.56 (coef var 0.25)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.06
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.99 (coef var 0.33)
    25-75 Quantiles: 19.0-29.0 w/ IQR = 10.0
    ICC: 0.07
    Prop treated: 0.74
    R2.2: 0.53 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.40 (5 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.02	0.02	1.94	1.87	1.64	1.19	1.09	1.08

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Banerjee, et al. (2017a)

jg_crt_69: Banerjee/set_45/Math (Public/Blocked)

```
Cluster RCT: 8758 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 99.52 (coef var 0.25)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.10
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.99 (coef var 0.33)
    25-75 Quantiles: 19.0-29.0 w/ IQR = 10.0
    ICC: 0.06
    Prop treated: 0.74
    R2.2: 0.34 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.47 (5 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.01	0.01	1.7	1.7	1.65	1.07	1.04	1.05

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Banerjee, et al. (2017b)

jg__crt__29: Banerji/set__19/Language (Public/Blocked)

```
Cluster RCT: 14576 units in 8375 clusters across 12 blocks
Block Statistics:
    Avg units/block: 1214.67 (coef var 0.04)
    Avg clusters/block: 697.92 (coef var 0.03)
    25-75 Quantiles: 686.2-708.8 w/ IQR = 22.5
    ICC: 0.00
    Avg tx: 0.75 (coef var 0.01)
    25-75 Quantile tx: 0.74-0.75 w/ IQR 0.01
Cluster Statistics:
    Avg size: 1.74 (coef var 0.47)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.20
    Prop treated: 0.75
    R2.2: 0.81 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.55 (4 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0	0	0	1.09	1.09	1	1.09	1.09	1

- Rough degrees-of-freedom: 8351
- num ATE ests 0, num SE ests 0
- Banerji, et al. (2017c)

jg_crt_30: Banerji/set_19/Math (Public/Blocked)

```
Cluster RCT: 14576 units in 8375 clusters across 12 blocks
Block Statistics:
    Avg units/block: 1214.67 (coef var 0.04)
    Avg clusters/block: 697.92 (coef var 0.03)
    25-75 Quantiles: 686.2-708.8 w/ IQR = 22.5
    ICC: 0.00
    Avg tx: 0.75 (coef var 0.01)
    25-75 Quantile tx: 0.74-0.75 w/ IQR 0.01
Cluster Statistics:
    Avg size: 1.74 (coef var 0.47)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.08
    Prop treated: 0.75
    R2.2: 0.80 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.44 (4 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0	0	0	1.1	1.1	1.01	1.1	1.1	1.01

- Rough degrees-of-freedom: 8351
- num ATE ests 0, num SE ests 0
- Banerji, et al. (2017d)

jg_crt_23: Bang/set_16/Math (Public/Blocked)

```
Cluster RCT: 926 units in 41 clusters across 16 blocks
Block Statistics:
    Avg units/block: 57.88 (coef var 0.27)
    Avg clusters/block: 2.56 (coef var 0.43)
    25-75 Quantiles: 2.0-2.2 w/ IQR = 0.2
    ICC: 0.39
    Avg tx: 0.51 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.59 (coef var 0.26)
    25-75 Quantiles: 19.0-27.0 w/ IQR = 8.0
    ICC: 0.13
    Prop treated: 0.51
    R2.2: 0.89 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.49 (2 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.02	0.02	1.97	1.94	1.56	1.63	1.6	1.56

- Rough degrees-of-freedom: 9
- num ATE ests 0, num SE ests 0
- num Singletons: 25
- num Doubletons: 5
- Bang, et al. (2023)

jg_crt_6: Bruhn/set_6/Financial Literacy (Public/Blocked)

```
Cluster RCT: 15993 units in 802 clusters across 389 blocks
Block Statistics:
    Avg units/block: 41.11 (coef var 0.54)
    Avg clusters/block: 2.06 (coef var 0.42)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.01
    Avg tx: 0.50 (coef var 0.05)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 19.94 (coef var 0.45)
    25-75 Quantiles: 13.0-26.0 w/ IQR = 13.0
    ICC: 0.04
    Prop treated: 0.50
    R2.2: 0.80 (15 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (15 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.02	0.01	5***	4.37***	5***	1.35	1.23	1.1

- Rough degrees-of-freedom: 24
- num ATE ests 0, num SE ests 0
- num Singletons: 769
- num Doubletons: 7
- Bruhn, et al. (2016)

jg_crt_18: Duflo/set_12/English (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.27
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.10
    Prop treated: 0.80
    R2.2: 0.71 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.38 (8 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.01	0	0.01	1.41	1.35	1.41	1.41	1.34	1.41

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024b)

jg_crt_19: Duflo/set_12/Local Language (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.17
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.19
    Prop treated: 0.80
    R2.2: 0.70 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.27 (8 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.01	0.03	1.56	1.45	1.39	1.56	1.45	1.39

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024c)

jg_crt_17: Duflo/set_12/Math (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.16
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.08
    Prop treated: 0.80
    R2.2: 0.68 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.40 (8 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.01	0.01	1.32	1.28	1.31	1.32	1.28	1.31

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024a)

jg_crt_31: Duflo/set_20/Academic Achievement (Public/Blocked)

```
Cluster RCT: 11395 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 129.49 (coef var 0.24)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.06
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 29.91 (coef var 0.33)
    25-75 Quantiles: 24.0-38.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.58 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.58 (4 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.01	0.01	0.01	1.87	1.8	1.75	1.1	1.02	1.06

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Duflo, et al. (2015)

jg_crt_63: Hoffmann/set_42/Indebtedness (Public/Blocked)

```
Cluster RCT: 8987 units in 179 clusters across 85 blocks
Block Statistics:
    Avg units/block: 105.73 (coef var 0.15)
    Avg clusters/block: 2.11 (coef var 0.15)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.03
    Avg tx: 0.50 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 50.21 (coef var 0.01)
    25-75 Quantiles: 50.0-50.0 w/ IQR = 0.0
    ICC: 0.04
    Prop treated: 0.50
    R2.2: 0.20 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.05 (4 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.02	0.02	0.02	5***	5***	5***	1.06	1.05	1.05

- Rough degrees-of-freedom: 9
- num ATE ests 0, num SE ests 0
- num Singletons: 161
- num Doubletons: 9
- Hoffmann, et al. (2018)

jg_crt_2: Kim/set_2/Reading Comprehension (Public/Blocked)

```
Cluster RCT: 2174 units in 83 clusters across 7 blocks
Block Statistics:
    Avg units/block: 310.57 (coef var 0.37)
    Avg clusters/block: 11.86 (coef var 0.41)
    25-75 Quantiles: 9.5-12.0 w/ IQR = 2.5
    ICC: 0.04
    Avg tx: 0.53 (coef var 0.16)
    25-75 Quantile tx: 0.47-0.57 w/ IQR 0.10
Cluster Statistics:
    Avg size: 26.19 (coef var 1.35)
    25-75 Quantiles: 1.0-57.0 w/ IQR = 56.0
    ICC: 0.09
    Prop treated: 0.54
    R2.2: 0.61 (11 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (11 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.3***	0.2***	0.05	2.03	1.64	1.55	1.71	1.62	1.33

- Rough degrees-of-freedom: 69
- num ATE ests 0, num SE ests 0
- Kim, et al. (2023)

jg__crt__8: Kim/set__7/Reading Comprehension (Public/Blocked)

```
Cluster RCT: 1335 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 190.71 (coef var 0.34)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.10
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 44.50 (coef var 0.52)
    25-75 Quantiles: 27.8-61.8 w/ IQR = 34.0
    ICC: 0.13
    Prop treated: 0.50
    R2.2: 0.93 (11 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (11 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.19***	0.11***	0.18***	1.62	1.29	1.56	1.62	1.29	1.56

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2024b)

jg_crt_7: Kim/set_7/Vocabulary (Public/Blocked)

```
Cluster RCT: 1386 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 198.00 (coef var 0.34)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.12
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 46.20 (coef var 0.51)
    25-75 Quantiles: 29.0-62.8 w/ IQR = 33.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.87 (11 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.41 (11 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.12***	0.06	0.12***	1.78	1.28	1.75	1.3	1.2	1.3

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2024a)

jg__crt__10: Kim/set__9/Reading Self Concept (Public/Blocked)

```
Cluster RCT: 4895 units in 58 clusters across 7 blocks
Block Statistics:
    Avg units/block: 699.29 (coef var 0.38)
    Avg clusters/block: 8.29 (coef var 0.22)
    25-75 Quantiles: 8.0-8.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 84.40 (coef var 0.31)
    25-75 Quantiles: 68.2-99.0 w/ IQR = 30.8
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.21 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.04 (12 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.01	0	0	1.09	1.09	1.03	1.06	1.06	1.02

- Rough degrees-of-freedom: 44
- num ATE ests 0, num SE ests 0
- Kim, et al. (2021a)

jg_crt_11: Kim/set_9/Vocabulary (Public/Blocked)

```
Cluster RCT: 2588 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 369.71 (coef var 0.35)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.09
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 86.27 (coef var 0.35)
    25-75 Quantiles: 70.8-102.8 w/ IQR = 32.0
    ICC: 0.11
    Prop treated: 0.50
    R2.2: 0.74 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (12 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.14***	0.11***	0.14***	1.29	1.24	1.27	1.19	1.19	1.13

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2021b)

jg_crt_12: Kim/set_9/Vocabulary (Public/Blocked)

```
Cluster RCT: 2612 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 373.14 (coef var 0.39)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.09
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 87.07 (coef var 0.29)
    25-75 Quantiles: 68.5-99.8 w/ IQR = 31.2
    ICC: 0.07
    Prop treated: 0.50
    R2.2: 0.81 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.44 (12 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.05	0.03	0.04	1.35	1.34	1.31	1.12	1.09	1.12

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2021c)

jg__crt__41: Mohohlwane/set__27/Oral Reading Fluency (Public/Blocked)

```
Cluster RCT: 3068 units in 180 clusters across 10 blocks
Block Statistics:
    Avg units/block: 306.80 (coef var 0.04)
    Avg clusters/block: 18.00 (coef var 0.03)
    25-75 Quantiles: 18.0-18.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.56 (coef var 0.07)
    25-75 Quantile tx: 0.54-0.57 w/ IQR 0.04
Cluster Statistics:
    Avg size: 17.04 (coef var 0.17)
    25-75 Quantiles: 16.0-19.0 w/ IQR = 3.0
    ICC: 0.21
    Prop treated: 0.56
    R2.2: 0.08 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.19 (4 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.01	0.01	0.01	1.06	1.04	1.02	1.03	1.02	1

- Rough degrees-of-freedom: 160
- num ATE ests 0, num SE ests 0
- Mohohlwane, et al. (2023)

jg__crt__56: Sebele/set__38/Literacy (Public/Blocked)

```
Cluster RCT: 2307 units in 74 clusters across 10 blocks
Block Statistics:
    Avg units/block: 230.70 (coef var 0.65)
    Avg clusters/block: 7.40 (coef var 0.68)
    25-75 Quantiles: 3.0-11.0 w/ IQR = 8.0
    ICC: 0.05
    Avg tx: 0.53 (coef var 0.34)
    25-75 Quantile tx: 0.38-0.66 w/ IQR 0.29
Cluster Statistics:
    Avg size: 31.18 (coef var 0.73)
    25-75 Quantiles: 16.2-38.8 w/ IQR = 22.5
    ICC: 0.13
    Prop treated: 0.50
    R2.2: 0.16 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.10 (3 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.09	0.08	0.06	1.32	1.16	1.27	1.18	1.03	1.1

- Rough degrees-of-freedom: 54
- num ATE ests 0, num SE ests 0
- num Singletons: 5
- num Doubletons: 5
- Sebele, et al. (2023)

jg_crt_16: de Barros/set_11/Math (Public/Blocked)

```
Cluster RCT: 3202 units in 292 clusters across 25 blocks
Block Statistics:
    Avg units/block: 128.08 (coef var 0.39)
    Avg clusters/block: 11.68 (coef var 0.11)
    25-75 Quantiles: 12.0-12.0 w/ IQR = 0.0
    ICC: 0.12
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 10.97 (coef var 0.64)
    25-75 Quantiles: 5.8-15.0 w/ IQR = 9.2
    ICC: 0.28
    Prop treated: 0.50
    R2.2: 0.10 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (5 covariates)
```

Ranges of estimates:

ate	ate_Clu	ate_Per	se	se_Clu	se_Per	se_noFI	se_noFI_Clu	se_noFI_Per
0.04	0.01	0.02	1.25	1.09	1.21	1.17	1.01	1.03

- Rough degrees-of-freedom: 242
- num ATE ests 0, num SE ests 0
- de Barros, et al. (2024)

jg_crt_70: Banerjee/set_46/Hindi (Public/Unblocked)

```
Cluster RCT: 6344 units in 156 clusters
Cluster Statistics:
    Avg size: 40.67 (coef var 0.35)
    25-75 Quantiles: 32.0-46.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.37 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.21 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017c)

jg_crt_72: Banerjee/set_46/Hindi (Public/Unblocked)

```
Cluster RCT: 5359 units in 156 clusters
Cluster Statistics:
    Avg size: 34.35 (coef var 0.34)
    25-75 Quantiles: 27.0-39.0 w/ IQR = 12.0
    ICC: 0.08
    Prop treated: 0.74
    R2.2: 0.63 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017e)

jg_crt_71: Banerjee/set_46/Math (Public/Unblocked)

```
Cluster RCT: 6344 units in 156 clusters
Cluster Statistics:
    Avg size: 40.67 (coef var 0.35)
    25-75 Quantiles: 32.0-46.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.43 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.27 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017d)

jg_crt_73: Banerjee/set_46/Math (Public/Unblocked)

```
Cluster RCT: 5356 units in 156 clusters
Cluster Statistics:
    Avg size: 34.33 (coef var 0.34)
    25-75 Quantiles: 27.0-39.0 w/ IQR = 12.0
    ICC: 0.06
    Prop treated: 0.74
    R2.2: 0.65 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.35 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017f)

jg__crt__22: Berry/set__15/Saving Attitudes (Public/Unblocked)

```
Cluster RCT: 5291 units in 135 clusters
Cluster Statistics:
    Avg size: 39.19 (coef var 0.06)
    25-75 Quantiles: 39.0-40.0 w/ IQR = 1.0
    ICC: 0.04
    Prop treated: 0.67
    R2.2: 0.16 (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.01 (6 covariates)
```

- Rough degrees-of-freedom: 133
- num ATE ests 0, num SE ests 0
- Berry, et al. (2018)

jg__crt__39: Berry/set__26/Cognitive Test (Public/Unblocked)

```
Cluster RCT: 6818 units in 119 clusters
Cluster Statistics:
    Avg size: 57.29 (coef var 0.75)
    25-75 Quantiles: 29.0-68.5 w/ IQR = 39.5
    ICC: 0.15
    Prop treated: 0.25
    R2.2: 0.50 (21 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.07 (21 covariates)
```

- Rough degrees-of-freedom: 117
- num ATE ests 0, num SE ests 0
- Berry, et al. (2022a)

jg__crt__40: Berry/set__26/Computation (Public/Unblocked)

```
Cluster RCT: 6810 units in 119 clusters
Cluster Statistics:
    Avg size: 57.23 (coef var 0.74)
    25-75 Quantiles: 29.0-68.5 w/ IQR = 39.5
    ICC: 0.44
    Prop treated: 0.25
    R2.2: 0.30 (21 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (21 covariates)
```

- Rough degrees-of-freedom: 117
- num ATE ests 0, num SE ests 0
- Berry, et al. (2022b)

jg_crt_48: Cardenas/set_32/Child Development (ASQ-3) (Public/Unblocked)

```
Cluster RCT: 1371 units in 123 clusters
Cluster Statistics:
    Avg size: 11.15 (coef var 0.50)
    25-75 Quantiles: 7.0-14.5 w/ IQR = 7.5
    ICC: 0.12
    Prop treated: 0.51
    R2.2: 0.27 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.05 (3 covariates)
```

- Rough degrees-of-freedom: 121
- num ATE ests 0, num SE ests 0
- Cardenas, et al. (2023)

jg__crt__49: Daniel/set__33/Psychological Distress (SRQ-20) (Public/Unblocked)

```
Cluster RCT: 161 units in 93 clusters
Cluster Statistics:
    Avg size: 1.73 (coef var 0.50)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.07
    Prop treated: 0.56
    R2.2: 0.70 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.33 (9 covariates)
```

- Rough degrees-of-freedom: 91
- num ATE ests 0, num SE ests 0
- Daniel, et al. (2017)

jg__crt__21: Davenport/set__14/Math (Public/Unblocked)

```
Cluster RCT: 3689 units in 172 clusters
Cluster Statistics:
    Avg size: 21.45 (coef var 0.14)
    25-75 Quantiles: 20.0-23.0 w/ IQR = 3.0
    ICC: 0.16
    Prop treated: 0.52
    R2.2: 0.66 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.22 (2 covariates)
```

- Rough degrees-of-freedom: 170
- num ATE ests 0, num SE ests 0
- Davenport, et al. (2023)

jg_crt_1: Gilbert/set_1/Reading Comprehension (Public/Unblocked)

```
Cluster RCT: 7797 units in 110 clusters
Cluster Statistics:
    Avg size: 70.88 (coef var 0.54)
    25-75 Quantiles: 44.8-95.8 w/ IQR = 51.0
    ICC: 0.25
    Prop treated: 0.51
    R2.2: 0.73 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.50 (1 covariates)
```

- Rough degrees-of-freedom: 108
- num ATE ests 0, num SE ests 0
- Gilbert, et al. (2023)

jg_crt_74: Gilbert/set_47/Vocabulary (Public/Unblocked)

```
Cluster RCT: 1225 units in 29 clusters
Cluster Statistics:
    Avg size: 42.24 (coef var 0.50)
    25-75 Quantiles: 25.0-60.0 w/ IQR = 35.0
    ICC: 0.17
    Prop treated: 0.48
    R2.2: 0.83 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.35 (1 covariates)
```

- Rough degrees-of-freedom: 27
- num ATE ests 0, num SE ests 0
- Gilbert, et al. (2024b)

jg__crt__46: Glatz/set__31/Language (Public/Unblocked)

```
Cluster RCT: 121 units in 9 clusters
Cluster Statistics:
    Avg size: 13.44 (coef var 0.32)
    25-75 Quantiles: 11.0-15.0 w/ IQR = 4.0
    ICC: 0.32
    Prop treated: 0.56
    R2.2: 1.00 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.28 (7 covariates)
```

- Rough degrees-of-freedom: 7
- num ATE ests 0, num SE ests 0
- Glatz, et al. (2023a)

jg_crt_47: Glatz/set_31/Math (Public/Unblocked)

```
Cluster RCT: 124 units in 10 clusters
Cluster Statistics:
    Avg size: 12.40 (coef var 0.67)
    25-75 Quantiles: 6.2-18.0 w/ IQR = 11.8
    ICC: 0.00
    Prop treated: 0.60
    R2.2: 0.00 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (7 covariates)
```

- Rough degrees-of-freedom: 8
- num ATE ests 0, num SE ests 0
- Glatz, et al. (2023b)

jg_crt_9: Hidrobo/set_8/Domestic Violence (VAWI) (Public/Unblocked)

```
Cluster RCT: 1438 units in 145 clusters
Cluster Statistics:
    Avg size: 9.92 (coef var 0.42)
    25-75 Quantiles: 7.0-13.0 w/ IQR = 6.0
    ICC: 0.05
    Prop treated: 0.76
    R2.2: 0.48 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.25 (4 covariates)
```

- Rough degrees-of-freedom: 143
- num ATE ests 0, num SE ests 0
- Hidrobo, et al. (2016)

jg_crt_43: Hussam/set_28/Cognitive Test (Public/Unblocked)

```
Cluster RCT: 726 units in 149 clusters
Cluster Statistics:
    Avg size: 4.87 (coef var 0.08)
    25-75 Quantiles: 5.0-5.0 w/ IQR = 0.0
    ICC: 0.06
    Prop treated: 0.56
    R2.2: 0.91 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.38 (3 covariates)
```

- Rough degrees-of-freedom: 147
- num ATE ests 0, num SE ests 0
- Hussam, et al. (2022b)

jg_crt_42: Hussam/set_28/Mental Health (Public/Unblocked)

```
Cluster RCT: 726 units in 149 clusters
Cluster Statistics:
    Avg size: 4.87 (coef var 0.08)
    25-75 Quantiles: 5.0-5.0 w/ IQR = 0.0
    ICC: 0.04
    Prop treated: 0.56
    R2.2: 0.81 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.19 (3 covariates)
```

- Rough degrees-of-freedom: 147
- num ATE ests 0, num SE ests 0
- Hussam, et al. (2022a)

jg_crt_24: Llaurado/set_17/Dietary Behavior (Public/Unblocked)

```
Cluster RCT: 568 units in 20 clusters
Cluster Statistics:
    Avg size: 28.40 (coef var 0.58)
    25-75 Quantiles: 20.8-35.2 w/ IQR = 14.5
    ICC: 0.02
    Prop treated: 0.45
    R2.2: 1.00 (10 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (10 covariates)
```

- Rough degrees-of-freedom: 18
- num ATE ests 0, num SE ests 0
- Llaurado, et al. (2014)

jg_crt_51: Luo/set_34/Feeding Practices (Public/Unblocked)

```
Cluster RCT: 388 units in 41 clusters
Cluster Statistics:
    Avg size: 9.46 (coef var 0.66)
    25-75 Quantiles: 6.0-12.0 w/ IQR = 6.0
    ICC: 0.08
    Prop treated: 0.49
    R2.2: 0.42 (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (6 covariates)
```

- Rough degrees-of-freedom: 39
- num ATE ests 0, num SE ests 0
- Luo, et al. (2019b)

jg_crt_50: Luo/set_34/Parenting Beliefs (Public/Unblocked)

```
Cluster RCT: 447 units in 42 clusters
Cluster Statistics:
    Avg size: 10.64 (coef var 0.66)
    25-75 Quantiles: 6.0-13.0 w/ IQR = 7.0
    ICC: 0.00
    Prop treated: 0.48
    R2.2: NA (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (6 covariates)
```

- Rough degrees-of-freedom: 40
- num ATE ests 0, num SE ests 0
- Luo, et al. (2019a)

jg_crt_32: Maruyama/set_21/Math (Public/Unblocked)

```
Cluster RCT: 3619 units in 232 clusters
Cluster Statistics:
    Avg size: 15.60 (coef var 0.56)
    25-75 Quantiles: 9.0-21.0 w/ IQR = 12.0
    ICC: 0.25
    Prop treated: 0.51
    R2.2: 0.49 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.23 (4 covariates)
```

- Rough degrees-of-freedom: 230
- num ATE ests 0, num SE ests 0
- Maruyama (2022)

jg_crt_57: Maselko/set_39/Depression (PHQ-9) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.82 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.12 (5 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020a)

jg_crt_58: Maselko/set_39/Depression (SCID) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.07 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (5 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020b)

jg_crt_59: Maselko/set_39/Stress (PSS) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.03
    Prop treated: 0.50
    R2.2: 0.27 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.11 (5 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020c)

jg_crt_66: O'Connor/set_44/General Help Seeking Questionnaire (GHSQ) (Public/Unblocked)

```
Cluster RCT: 274 units in 25 clusters
Cluster Statistics:
    Avg size: 10.96 (coef var 0.45)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.03
    Prop treated: 0.48
    R2.2: 0.56 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.24 (9 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023b)

jg_crt_65: O'Connor/set_44/Mental Health Literacy (MHL) (Public/Unblocked)

```
Cluster RCT: 280 units in 25 clusters
Cluster Statistics:
    Avg size: 11.20 (coef var 0.43)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.02
    Prop treated: 0.48
    R2.2: 1.00 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.39 (9 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023a)

jg__crt__67: O'Connor/set__44/Mental Health Stigma (Public/Unblocked)

```
Cluster RCT: 276 units in 25 clusters
Cluster Statistics:
    Avg size: 11.04 (coef var 0.45)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.00
    Prop treated: 0.48
    R2.2: 1.00 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.43 (9 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023c)

jg_crt_35: Persson/set_24/Democratic Values (Public/Unblocked)

```
Cluster RCT: 1233 units in 59 clusters
Cluster Statistics:
    Avg size: 20.90 (coef var 0.34)
    25-75 Quantiles: 15.0-28.0 w/ IQR = 13.0
    ICC: 0.07
    Prop treated: 0.51
    R2.2: 0.77 (15 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.34 (15 covariates)
```

- Rough degrees-of-freedom: 57
- num ATE ests 0, num SE ests 0
- Persson, et al. (2020a)

jg__crt__36: Persson/set__24/Political Knowledge (Public/Unblocked)

```
Cluster RCT: 1213 units in 59 clusters
Cluster Statistics:
    Avg size: 20.56 (coef var 0.35)
    25-75 Quantiles: 15.0-27.0 w/ IQR = 12.0
    ICC: 0.10
    Prop treated: 0.51
    R2.2: 0.43 (15 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.21 (15 covariates)
```

- Rough degrees-of-freedom: 57
- num ATE ests 0, num SE ests 0
- Persson, et al. (2020b)

jg_crt_13: Romero/set_10/Literacy (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.14
    Prop treated: 0.49
    R2.2: 0.83 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.42 (3 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020a)

jg_crt_14: Romero/set_10/Math (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.07
    Prop treated: 0.49
    R2.2: 0.77 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.55 (3 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020b)

jg_crt_15: Romero/set_10/Raven's Progressive Matrices (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.03
    Prop treated: 0.49
    R2.2: 0.34 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.12 (3 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020c)

jg__crt__26: Schreinemachers/set_18/Food Knowledge (Public/Unblocked)

```
Cluster RCT: 775 units in 30 clusters
Cluster Statistics:
    Avg size: 25.83 (coef var 0.11)
    25-75 Quantiles: 25.0-27.8 w/ IQR = 2.8
    ICC: 0.14
    Prop treated: 0.50
    R2.2: 0.22 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (4 covariates)
```

- Rough degrees-of-freedom: 28
- num ATE ests 0, num SE ests 0
- Schreinemachers, et al. (2020b)

jg__crt__25: Schreinemachers/set_18/Food Preferences (Public/Unblocked)

```
Cluster RCT: 775 units in 30 clusters
Cluster Statistics:
    Avg size: 25.83 (coef var 0.11)
    25-75 Quantiles: 25.0-27.8 w/ IQR = 2.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.50 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.10 (4 covariates)
```

- Rough degrees-of-freedom: 28
- num ATE ests 0, num SE ests 0
- Schreinemachers, et al. (2020a)

jg__crt__55: Wang/set__37/Academic Achievement (Public/Unblocked)

```
Cluster RCT: 1704 units in 90 clusters
Cluster Statistics:
    Avg size: 18.93 (coef var 0.13)
    25-75 Quantiles: 18.0-20.0 w/ IQR = 2.0
    ICC: 0.08
    Prop treated: 0.67
    R2.2: 0.58 (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (6 covariates)
```

- Rough degrees-of-freedom: 88
- num ATE ests 0, num SE ests 0
- Wang, et al. (2023)

jg__crt__62: Wilson-Barthes/set__41/Depression (PHQ-4) (Public/Unblocked)

```
Cluster RCT: 709 units in 57 clusters
Cluster Statistics:
    Avg size: 12.44 (coef var 0.38)
    25-75 Quantiles: 9.0-14.0 w/ IQR = 5.0
    ICC: 0.08
    Prop treated: 0.51
    R2.2: 0.31 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.03 (11 covariates)
```

- Rough degrees-of-freedom: 55
- num ATE ests 0, num SE ests 0
- Wilson-Barthes, et al. (2024)

jg_crt_5: Woods-Townsend/set_5/Health Literacy (Public/Unblocked)

```
Cluster RCT: 2486 units in 37 clusters
Cluster Statistics:
    Avg size: 67.19 (coef var 0.28)
    25-75 Quantiles: 56.0-76.0 w/ IQR = 20.0
    ICC: 0.09
    Prop treated: 0.49
    R2.2: 0.59 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.12 (4 covariates)
```

- Rough degrees-of-freedom: 35
- num ATE ests 0, num SE ests 0
- Woods-Townsend, et al. (2021)

jg__crt__64: Zhao/set__43/Social Emotional Learning (Public/Unblocked)

```
Cluster RCT: 4056 units in 216 clusters
Cluster Statistics:
    Avg size: 18.78 (coef var 0.48)
    25-75 Quantiles: 12.0-25.0 w/ IQR = 13.0
    ICC: 0.36
    Prop treated: 0.50
    R2.2: 0.10 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.01 (8 covariates)
```

- Rough degrees-of-freedom: 214
- num ATE ests 0, num SE ests 0
- Zhao, et al. (2023)