# Statistics for all our datasets and outcomes

Miratrix

2025-02-19

## Individual studies

The following pages give stats for each study (and outcome) in turn.

See the empirical results report for more aggregated details about the studies and the estimators applied to those studies.

## Beacon_S8TGPA: Beacon Mentor/S8TGPA (Curated/Blocked)

```
Cluster RCT: 2011 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 87.43 (coef var 0.86)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.07
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.23 (coef var 0.18)
    25-75 Quantiles: 21.0-27.5 w/ IQR = 6.5
    ICC: 0.01
    Prop treated: 0.49
    R2.2: 0.13 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.22
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.01 | 1.03 | 0.01 | 1.03 | 0 | 1.03 | 0 | 1.03 | 0 | 1.03 | 0 | 1.03 |

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 11
- num Singletons: 27
- num Doubletons: 13

## Beacon_S8TOTCR: Beacon Mentor/S8TOTCR (Curated/Blocked)

```
Cluster RCT: 2165 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 94.13 (coef var 0.87)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.08
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 26.08 (coef var 0.15)
    25-75 Quantiles: 24.0-29.0 w/ IQR = 5.0
    ICC: 0.01
    Prop treated: 0.49
    R2.2: 0.50 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 4.56
    R2.1: 0.14 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.01 | 1.06 | 0.01 | 1.06 | 0 | 1.01 | 0 | 1.02 | 0 | 1.02 | 0 | 1.01 |

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 11
- num Singletons: 27
- num Doubletons: 13

## Beacon_SRPRST2: Beacon Mentor/SRPRST2 (Curated/Blocked)

```
Cluster RCT: 2165 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 94.13 (coef var 0.87)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.00
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 26.08 (coef var 0.15)
    25-75 Quantiles: 24.0-29.0 w/ IQR = 5.0
    ICC: 0.00
    Prop treated: 0.49
    R2.2: 0.07 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 49.20
    R2.1: 0.00 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 | 1.03 | 0 | 1.03 | 0 | 1.01 | 0 | 1.03 | 0 | 1.03 | 0 | 1.01 |

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 11
- num Singletons: 27
- num Doubletons: 13

## CARES_DC_CST_COMPTOT_PTH: CARES/F1_DC_CST_COMPTOT (Curated/Blocked)

```
Cluster RCT: 1206 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 54.82 (coef var 0.74)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 23.19 (coef var 0.59)
    25-75 Quantiles: 12.0-29.2 w/ IQR = 17.2
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.31 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.15
    R2.1: 0.01 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.08 | 1.32 | 0.08 | 1.28 | 0.01 | 1.07 | 0.08 | 1.32 | 0.08 | 1.28 | 0.01 | 1.07 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CARES_DC_EMIT_PTH: CARES/F1_DC_EMIT (Curated/Blocked)

```
Cluster RCT: 1229 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 55.86 (coef var 0.75)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.11
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 23.63 (coef var 0.60)
    25-75 Quantiles: 12.0-31.0 w/ IQR = 19.0
    ICC: 0.01
    Prop treated: 0.50
    R2.2: 0.79 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.22
    R2.1: 0.17 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.47 | 0.04 | 1.4 | 0.02 | 1.12 | 0.03 | 1.47 | 0.03 | 1.4 | 0.01 | 1.12 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CARES_DC_PT_Incred: CARES/F1_DC_PT (Curated/Blocked)

```
Cluster RCT: 1298 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 59.00 (coef var 0.69)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.04
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.96 (coef var 0.54)
    25-75 Quantiles: 15.8-31.0 w/ IQR = 15.2
    ICC: 0.03
    Prop treated: 0.50
    R2.2: 0.34 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.32
    R2.1: 0.16 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.21 | 0.03 | 1.13 | 0.02 | 1.21 | 0.03 | 1.21 | 0.03 | 1.13 | 0.01 | 1.21 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CARES_DC_PT_Tools_Mind: CARES/F1_DC_PT (Curated/Blocked)

```
Cluster RCT: 1268 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 57.64 (coef var 0.67)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.03
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.38 (coef var 0.56)
    25-75 Quantiles: 13.0-34.2 w/ IQR = 21.2
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.64 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.32
    R2.1: 0.16 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.43 | 0.03 | 1.43 | 0.03 | 1.08 | 0.04 | 1.15 | 0.03 | 1.09 | 0.01 | 1.08 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CARES_TR_BPI_Incred: CARES/F1_TR_BPI (Curated/Blocked)

```
Cluster RCT: 1318 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 59.91 (coef var 0.68)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.35 (coef var 0.53)
    25-75 Quantiles: 16.5-31.0 w/ IQR = 14.5
    ICC: 0.14
    Prop treated: 0.50
    R2.2: 0.55 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 7.98
    R2.1: 0.20 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.14*** | 1.26 | 0.04 | 1.26 | 0.07 | 1.06 | 0.12*** | 1.21 | 0.02 | 1.07 | 0.04 | 1.06 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CARES_TR_SSRS_PTH: CARES/F1_TR_SSRS (Curated/Blocked)

```
Cluster RCT: 1276 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 58.00 (coef var 0.73)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.54 (coef var 0.57)
    25-75 Quantiles: 13.0-33.2 w/ IQR = 20.2
    ICC: 0.11
    Prop treated: 0.50
    R2.2: 0.32 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 11.09
    R2.1: 0.20 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.09 | 1.65 | 0.04 | 1.43 | 0.03 | 1.05 | 0.09 | 1.2 | 0.04 | 1.04 | 0.03 | 1.05 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CARES_TR_WRS_Incred: CARES/F1_TR_WRS (Curated/Blocked)

```
Cluster RCT: 1320 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 60.00 (coef var 0.68)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.38 (coef var 0.52)
    25-75 Quantiles: 16.5-31.2 w/ IQR = 14.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.38 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.04
    R2.1: 0.31 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.11*** | 1.26 | 0.06 | 1.14 | 0.09 | 1.02 | 0.07 | 1.26 | 0.02 | 1.06 | 0 | 1.02 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CARES_TR_WRS_Tools_Mind: CARES/F1_TR_WRS (Curated/Blocked)

```
Cluster RCT: 1293 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 58.77 (coef var 0.65)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.87 (coef var 0.56)
    25-75 Quantiles: 13.8-34.0 w/ IQR = 20.2
    ICC: 0.05
    Prop treated: 0.50
    R2.2: 0.36 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.04
    R2.1: 0.27 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.05 | 1.2 | 0.02 | 1.18 | 0.03 | 1.04 | 0.04 | 1.2 | 0.01 | 1.18 | 0.02 | 1.04 |

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 11
- num Singletons: 36
- num Doubletons: 8

## CLC_GRCCSS_POST: CLC/GRCCSS_POST (Curated/Blocked)

```
Cluster RCT: 9557 units in 28 clusters across 9 blocks
Block Statistics:
    Avg units/block: 1061.89 (coef var 0.85)
    Avg clusters/block: 3.11 (coef var 0.78)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.15
    Avg tx: 0.52 (coef var 0.07)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 341.32 (coef var 0.61)
    25-75 Quantiles: 245.2-365.2 w/ IQR = 120.0
    ICC: 0.03
    Prop treated: 0.54
    R2.2: 0.67 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 16.42
    R2.1: 0.17 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.06 | 1.51 | 0.03 | 1.24 | 0.06 | 1.46 | 0.03 | 1.51 | 0.03 | 1.24 | 0.03 | 1.46 |

- Rough degrees-of-freedom: 10
- num ATE ests 19, num SE ests 11
- num Singletons: 14
- num Doubletons: 1

## CLC_PCCRERCORE: CLC/PCCRERCORE (Curated/Blocked)

```
Cluster RCT: 16465 units in 28 clusters across 9 blocks
Block Statistics:
    Avg units/block: 1829.44 (coef var 0.91)
    Avg clusters/block: 3.11 (coef var 0.78)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.08
    Avg tx: 0.52 (coef var 0.07)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 588.04 (coef var 0.43)
    25-75 Quantiles: 412.0-694.8 w/ IQR = 282.8
    ICC: 0.01
    Prop treated: 0.54
    R2.2: 0.26 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 18.17
    R2.1: 0.07 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.05 | 1.36 | 0.02 | 1.36 | 0.02 | 1.07 | 0.05 | 1.27 | 0.02 | 1.18 | 0.02 | 1.07 |

- Rough degrees-of-freedom: 10
- num ATE ests 19, num SE ests 11
- num Singletons: 14
- num Doubletons: 1

## EMERGE_eclsb2_BB: EMERGE/eclsb2 (Curated/Blocked)

```
Cluster RCT: 514 units in 51 clusters across 5 blocks
Block Statistics:
    Avg units/block: 102.80 (coef var 1.00)
    Avg clusters/block: 10.20 (coef var 1.00)
    25-75 Quantiles: 6.0-8.0 w/ IQR = 2.0
    ICC: 0.37
    Avg tx: 0.45 (coef var 0.12)
    25-75 Quantile tx: 0.43-0.50 w/ IQR 0.07
Cluster Statistics:
    Avg size: 10.08 (coef var 0.24)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.07
    Prop treated: 0.45
    R2.2: 0.08 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 6.54
    R2.1: 0.08 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.08 | 1.05 | 0.06 | 1.05 | 0.03 | 1.02 | 0.07 | 1.05 | 0.05 | 1.04 | 0.02 | 1.02 |

- Rough degrees-of-freedom: 41
- num ATE ests 19, num SE ests 11
- num Singletons: 2
- num Doubletons: 0

## EMERGE_eclsb2_BBSSR: EMERGE/eclsb2 (Curated/Blocked)

```
Cluster RCT: 539 units in 54 clusters across 5 blocks
Block Statistics:
    Avg units/block: 107.80 (coef var 0.82)
    Avg clusters/block: 10.80 (coef var 0.84)
    25-75 Quantiles: 7.0-10.0 w/ IQR = 3.0
    ICC: 0.39
    Avg tx: 0.51 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.56 w/ IQR 0.06
Cluster Statistics:
    Avg size: 9.98 (coef var 0.25)
    25-75 Quantiles: 8.2-12.0 w/ IQR = 3.8
    ICC: 0.10
    Prop treated: 0.48
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 6.54
    R2.1: 0.06 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.07 | 0.03 | 1.03 | 0.04 | 1.02 | 0.04 | 1.07 | 0.03 | 1.03 | 0.04 | 1.02 |

- Rough degrees-of-freedom: 44
- num ATE ests 19, num SE ests 11
- num Singletons: 2
- num Doubletons: 0

## EMERGE_team2___BB: EMERGE/team2_scaled (Curated/Blocked)

```
Cluster RCT: 531 units in 52 clusters across 5 blocks
Block Statistics:
    Avg units/block: 106.20 (coef var 0.97)
    Avg clusters/block: 10.40 (coef var 0.97)
    25-75 Quantiles: 7.0-8.0 w/ IQR = 1.0
    ICC: 0.21
    Avg tx: 0.47 (coef var 0.16)
    25-75 Quantile tx: 0.43-0.50 w/ IQR 0.07
Cluster Statistics:
    Avg size: 10.21 (coef var 0.24)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.09
    Prop treated: 0.46
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 91.57
    R2.1: 0.07 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.06 | 1.1 | 0.03 | 1.1 | 0 | 1.02 | 0.06 | 1.09 | 0.03 | 1.09 | 0 | 1.02 |

- Rough degrees-of-freedom: 42
- num ATE ests 19, num SE ests 11
- num Singletons: 2
- num Doubletons: 0

## EMERGE_team2___BBSSR: EMERGE/team2_scaled (Curated/Blocked)

```
Cluster RCT: 561 units in 55 clusters across 5 blocks
Block Statistics:
    Avg units/block: 112.20 (coef var 0.83)
    Avg clusters/block: 11.00 (coef var 0.81)
    25-75 Quantiles: 8.0-10.0 w/ IQR = 2.0
    ICC: 0.23
    Avg tx: 0.52 (coef var 0.14)
    25-75 Quantile tx: 0.50-0.56 w/ IQR 0.06
Cluster Statistics:
    Avg size: 10.20 (coef var 0.23)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.12
    Prop treated: 0.49
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 91.57
    R2.1: 0.08 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.2 | 0.01 | 1.1 | 0.02 | 1.05 | 0.04 | 1.2 | 0.01 | 1.1 | 0.01 | 1.05 |

- Rough degrees-of-freedom: 45
- num ATE ests 19, num SE ests 11
- num Singletons: 2
- num Doubletons: 0

## MPC_eclsb2_scale: MPC/eclsb2_scale (Curated/Blocked)

```
Cluster RCT: 1389 units in 69 clusters across 16 blocks
Block Statistics:
    Avg units/block: 86.81 (coef var 0.19)
    Avg clusters/block: 4.31 (coef var 0.14)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.01
    Avg tx: 0.51 (coef var 0.15)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 20.13 (coef var 0.33)
    25-75 Quantiles: 16.0-24.0 w/ IQR = 8.0
    ICC: 0.08
    Prop treated: 0.51
    R2.2: 0.07 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 5.89
    R2.1: 0.03 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.12 | 0.04 | 1.12 | 0.02 | 1.07 | 0.03 | 1.1 | 0.02 | 1.1 | 0 | 1.07 |

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 11
- num Singletons: 1
- num Doubletons: 25

## MPC_wj_ap2: MPC/wj_ap2 (Curated/Blocked)

```
Cluster RCT: 1388 units in 69 clusters across 16 blocks
Block Statistics:
    Avg units/block: 86.75 (coef var 0.19)
    Avg clusters/block: 4.31 (coef var 0.14)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.01
    Avg tx: 0.51 (coef var 0.15)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 20.12 (coef var 0.33)
    25-75 Quantiles: 16.0-24.0 w/ IQR = 8.0
    ICC: 0.05
    Prop treated: 0.51
    R2.2: 0.13 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 23.26
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.05 | 1.17 | 0.04 | 1.12 | 0.02 | 1.05 | 0.04 | 1.17 | 0.03 | 1.1 | 0.01 | 1.05 |

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 11
- num Singletons: 1
- num Doubletons: 25

## MathPD_MTSS: Math PD/MTSS (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.10
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.12
    Prop treated: 0.51
    R2.2: 0.11 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 13.84
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.14*** | 1.25 | 0.08 | 1.14 | 0.05 | 1.25 | 0.14*** | 1.18 | 0.08 | 1.1 | 0.04 | 1.16 |

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

## MathPD_MTSS_FRACTDEC: Math PD/MTSS_FRACTDEC (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.08
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.11
    Prop treated: 0.51
    R2.2: 0.10 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 14.98
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.13*** | 1.27 | 0.08 | 1.17 | 0.04 | 1.27 | 0.12*** | 1.2 | 0.08 | 1.13 | 0.04 | 1.19 |

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

## MathPD_MTSS_PCTRATIO: Math PD/MTSS_PCTRATIO (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.09
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.11
    Prop treated: 0.51
    R2.2: 0.12 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 14.36
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.14*** | 1.21 | 0.08 | 1.11 | 0.05 | 1.21 | 0.14*** | 1.15 | 0.08 | 1.09 | 0.04 | 1.13 |

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

### PowerTeaching_TSTSSTAND: PowerTeaching/TSTSSTAND (Curated/Blocked)

```
Cluster RCT: 26808 units in 58 clusters across 5 blocks
Block Statistics:
    Avg units/block: 5361.60 (coef var 1.22)
    Avg clusters/block: 11.60 (coef var 0.70)
    25-75 Quantiles: 6.0-15.0 w/ IQR = 9.0
    ICC: 0.00
    Avg tx: 0.52 (coef var 0.05)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 462.21 (coef var 0.77)
    25-75 Quantiles: 115.0-700.8 w/ IQR = 585.8
    ICC: 0.09
    Prop treated: 0.52
    R2.2: 0.63 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.43 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.09 | 1.26 | 0.04 | 1.07 | 0.01 | 1.18 | 0.07 | 1.26 | 0.02 | 1.07 | 0.01 | 1.18 |

- Rough degrees-of-freedom: 48
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 2

## Success_S14WJLWI_SCORE: Success for All/S14WJLWI_SCORE (Curated/Blocked)

```
Cluster RCT: 1631 units in 37 clusters across 5 blocks
Block Statistics:
    Avg units/block: 326.20 (coef var 0.72)
    Avg clusters/block: 7.40 (coef var 0.74)
    25-75 Quantiles: 4.0-6.0 w/ IQR = 2.0
    ICC: 0.13
    Avg tx: 0.51 (coef var 0.03)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 44.08 (coef var 0.32)
    25-75 Quantiles: 35.0-54.0 w/ IQR = 19.0
    ICC: 0.03
    Prop treated: 0.51
    R2.2: 0.72 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 8.30
    R2.1: 0.17 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.01 | 1.15 | 0.01 | 1.11 | 0.01 | 1.11 | 0.01 | 1.07 | 0.01 | 1.03 | 0.01 | 1.05 |

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 4

## TRIAD_rema2: TRIAD/rema2 (Curated/Blocked)

```
Cluster RCT: 1208 units in 38 clusters across 7 blocks
Block Statistics:
    Avg units/block: 172.57 (coef var 0.27)
    Avg clusters/block: 5.43 (coef var 0.10)
    25-75 Quantiles: 5.0-6.0 w/ IQR = 1.0
    ICC: 0.00
    Avg tx: 0.64 (coef var 0.20)
    25-75 Quantile tx: 0.55-0.73 w/ IQR 0.18
Cluster Statistics:
    Avg size: 31.79 (coef var 0.58)
    25-75 Quantiles: 16.5-40.8 w/ IQR = 24.2
    ICC: 0.14
    Prop treated: 0.63
    R2.2: 0.67 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.76
    R2.1: 0.35 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.06 | 1.4 | 0.03 | 1.14 | 0.02 | 1.24 | 0.06 | 1.35 | 0.03 | 1.1 | 0 | 1.24 |

- Rough degrees-of-freedom: 24
- num ATE ests 19, num SE ests 11
- num Singletons: 2
- num Doubletons: 3

## TRIADScale-up_rema2: TRIAD Scale-up/rema2 (Curated/Blocked)

```
Cluster RCT: 409 units in 16 clusters across 8 blocks
Block Statistics:
    Avg units/block: 51.12 (coef var 0.21)
    Avg clusters/block: 2.00 (coef var 0.00)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.56 (coef var 0.32)
    25-75 Quantiles: 20.0-29.2 w/ IQR = 9.2
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.00 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.78
    R2.1: 0.45 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.41 | 0.03 | 1.39 | 0.03 | 1.39 | 0.04 | 1.41 | 0.03 | 1.39 | 0.03 | 1.39 |

- Rough degrees-of-freedom: 0
- num ATE ests 15, num SE ests 11
- Matched pairs experiment

### TennStar_gktmathss: Tennessee STAR/gktmathss (Curated/Blocked)

```
Cluster RCT: 5871 units in 325 clusters across 79 blocks
Block Statistics:
    Avg units/block: 74.32 (coef var 0.32)
    Avg clusters/block: 4.11 (coef var 0.29)
    25-75 Quantiles: 3.0-5.0 w/ IQR = 2.0
    ICC: 0.17
    Avg tx: 0.40 (coef var 0.26)
    25-75 Quantile tx: 0.33-0.50 w/ IQR 0.17
Cluster Statistics:
    Avg size: 18.06 (coef var 0.22)
    25-75 Quantiles: 15.0-21.0 w/ IQR = 6.0
    ICC: 0.12
    Prop treated: 0.40
    R2.2: 0.03 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 46.73
    R2.1: 0.05 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.08 | 0.01 | 1.04 | 0.01 | 1.08 | 0.01 | 1.08 | 0 | 1.04 | 0 | 1.08 |

- Rough degrees-of-freedom: 167
- num ATE ests 19, num SE ests 11
- num Singletons: 37
- num Doubletons: 87

### TennStar_gktreadss: Tennessee STAR/gktreadss (Curated/Blocked)

```
Cluster RCT: 5789 units in 325 clusters across 79 blocks
Block Statistics:
    Avg units/block: 73.28 (coef var 0.33)
    Avg clusters/block: 4.11 (coef var 0.29)
    25-75 Quantiles: 3.0-5.0 w/ IQR = 2.0
    ICC: 0.17
    Avg tx: 0.40 (coef var 0.26)
    25-75 Quantile tx: 0.33-0.50 w/ IQR 0.17
Cluster Statistics:
    Avg size: 17.81 (coef var 0.22)
    25-75 Quantiles: 14.0-21.0 w/ IQR = 7.0
    ICC: 0.10
    Prop treated: 0.40
    R2.2: 0.03 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 31.27
    R2.1: 0.06 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.13 | 0.01 | 1.06 | 0.01 | 1.1 | 0 | 1.13 | 0 | 1.06 | 0 | 1.1 |

- Rough degrees-of-freedom: 167
- num ATE ests 19, num SE ests 11
- num Singletons: 37
- num Doubletons: 87

## jg__crt__52: Abaluck/set__35/COVID Symptoms (Public/Blocked)

```
Cluster RCT: 102869 units in 508 clusters across 254 blocks
Block Statistics:
    Avg units/block: 405.00 (coef var 0.26)
    Avg clusters/block: 2.00 (coef var 0.00)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.08
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 202.50 (coef var 0.30)
    25-75 Quantiles: 165.0-244.0 w/ IQR = 79.0
    ICC: 0.08
    Prop treated: 0.50
    R2.2: 0.00 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.01 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 3.46*** | 0.01 | 3.45*** | 0.01 | 1.04 | 0.02 | 1.04 | 0.01 | 1.01 | 0.01 | 1.04 |

- Rough degrees-of-freedom: 0
- num ATE ests 0, num SE ests 0
- Matched pairs experiment
- Abaluck, et al. (2022)

## jg__crt__34: Angelucci/set__23/Depression (PHQ-9) (Public/Blocked)

```
Cluster RCT: 887 units in 485 clusters across 9 blocks
Block Statistics:
    Avg units/block: 98.56 (coef var 0.68)
    Avg clusters/block: 53.89 (coef var 0.64)
    25-75 Quantiles: 26.0-70.0 w/ IQR = 44.0
    ICC: 0.01
    Avg tx: 0.59 (coef var 0.04)
    25-75 Quantile tx: 0.58-0.60 w/ IQR 0.02
Cluster Statistics:
    Avg size: 1.83 (coef var 0.41)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.19
    Prop treated: 0.59
    R2.2: 0.09 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.03 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.04 | 0.01 | 1.04 | 0 | 1.04 | 0.02 | 1.03 | 0.01 | 1.03 | 0 | 1.03 |

- Rough degrees-of-freedom: 467
- num ATE ests 0, num SE ests 0
- Angelucci, et al. (2024)

## jg__crt__68: Banerjee/set__45/Hindi (Public/Blocked)

```
Cluster RCT: 8761 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 99.56 (coef var 0.25)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.06
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.99 (coef var 0.33)
    25-75 Quantiles: 19.0-29.0 w/ IQR = 10.0
    ICC: 0.07
    Prop treated: 0.74
    R2.2: 0.52 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.39 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.28 | 0.02 | 1.18 | 0.02 | 1.08 | 0.01 | 1.19 | 0.01 | 1.09 | 0 | 1.08 |

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Banerjee, et al. (2017a)

## jg__crt__69: Banerjee/set__45/Math (Public/Blocked)

```
Cluster RCT: 8758 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 99.52 (coef var 0.25)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.10
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.99 (coef var 0.33)
    25-75 Quantiles: 19.0-29.0 w/ IQR = 10.0
    ICC: 0.06
    Prop treated: 0.74
    R2.2: 0.34 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.47 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.08 | 0.01 | 1.04 | 0.01 | 1.05 | 0.01 | 1.07 | 0.01 | 1.04 | 0 | 1.05 |

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Banerjee, et al. (2017b)

## jg__crt__29: Banerji/set__19/Language (Public/Blocked)

```
Cluster RCT: 14576 units in 8375 clusters across 12 blocks
Block Statistics:
    Avg units/block: 1214.67 (coef var 0.04)
    Avg clusters/block: 697.92 (coef var 0.03)
    25-75 Quantiles: 686.2-708.8 w/ IQR = 22.5
    ICC: 0.00
    Avg tx: 0.75 (coef var 0.01)
    25-75 Quantile tx: 0.74-0.75 w/ IQR 0.01
Cluster Statistics:
    Avg size: 1.74 (coef var 0.47)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.20
    Prop treated: 0.75
    R2.2: 0.83 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.41 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 | 1.09 | 0 | 1.09 | 0 | 1 | 0 | 1.09 | 0 | 1.09 | 0 | 1 |

- Rough degrees-of-freedom: 8351
- num ATE ests 0, num SE ests 0
- Banerji, et al. (2017c)

## jg__crt__30: Banerji/set__19/Math (Public/Blocked)

```
Cluster RCT: 14576 units in 8375 clusters across 12 blocks
Block Statistics:
    Avg units/block: 1214.67 (coef var 0.04)
    Avg clusters/block: 697.92 (coef var 0.03)
    25-75 Quantiles: 686.2-708.8 w/ IQR = 22.5
    ICC: 0.00
    Avg tx: 0.75 (coef var 0.01)
    25-75 Quantile tx: 0.74-0.75 w/ IQR 0.01
Cluster Statistics:
    Avg size: 1.74 (coef var 0.47)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.08
    Prop treated: 0.75
    R2.2: 0.87 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.25 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0 | 1.1 | 0 | 1.1 | 0 | 1.01 | 0 | 1.1 | 0 | 1.1 | 0 | 1.01 |

- Rough degrees-of-freedom: 8351
- num ATE ests 0, num SE ests 0
- Banerji, et al. (2017d)

## jg__crt__23: Bang/set__16/Math (Public/Blocked)

```
Cluster RCT: 926 units in 41 clusters across 16 blocks
Block Statistics:
    Avg units/block: 57.88 (coef var 0.27)
    Avg clusters/block: 2.56 (coef var 0.43)
    25-75 Quantiles: 2.0-2.2 w/ IQR = 0.2
    ICC: 0.39
    Avg tx: 0.51 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.59 (coef var 0.26)
    25-75 Quantiles: 19.0-27.0 w/ IQR = 8.0
    ICC: 0.13
    Prop treated: 0.51
    R2.2: 0.89 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.48 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.97 | 0.02 | 1.94 | 0.02 | 1.56 | 0.02 | 1.63 | 0.02 | 1.6 | 0.01 | 1.56 |

- Rough degrees-of-freedom: 9
- num ATE ests 0, num SE ests 0
- num Singletons: 25
- num Doubletons: 5
- Bang, et al. (2023)

## jg__crt__6: Bruhn/set__6/Financial Literacy (Public/Blocked)

```
Cluster RCT: 15993 units in 802 clusters across 389 blocks
Block Statistics:
    Avg units/block: 41.11 (coef var 0.54)
    Avg clusters/block: 2.06 (coef var 0.42)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.01
    Avg tx: 0.50 (coef var 0.05)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 19.94 (coef var 0.45)
    25-75 Quantiles: 13.0-26.0 w/ IQR = 13.0
    ICC: 0.04
    Prop treated: 0.50
    R2.2: 0.75 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.35 | 0.02 | 1.23 | 0.01 | 1.1 | 0.01 | 1.35 | 0.01 | 1.23 | 0 | 1.1 |

- Rough degrees-of-freedom: 24
- num ATE ests 0, num SE ests 0
- num Singletons: 769
- num Doubletons: 7
- Bruhn, et al. (2016)

## jg__crt__18: Duflo/set__12/English (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.27
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.10
    Prop treated: 0.80
    R2.2: 0.69 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.37 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.01 | 1.41 | 0 | 1.35 | 0.01 | 1.41 | 0.01 | 1.41 | 0 | 1.34 | 0.01 | 1.41 |

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024b)

## jg__crt__19: Duflo/set__12/Local Language (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.17
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.19
    Prop treated: 0.80
    R2.2: 0.69 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.27 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.56 | 0.01 | 1.45 | 0.03 | 1.39 | 0.04 | 1.56 | 0.01 | 1.45 | 0.03 | 1.39 |

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024c)

## jg_crt_17: Duflo/set_12/Math (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.16
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.08
    Prop treated: 0.80
    R2.2: 0.66 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.40 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.32 | 0.01 | 1.28 | 0.01 | 1.31 | 0.02 | 1.32 | 0.01 | 1.28 | 0.01 | 1.31 |

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024a)

## jg__crt__31: Duflo/set__20/Academic Achievement (Public/Blocked)

```
Cluster RCT: 11395 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 129.49 (coef var 0.24)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.06
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 29.91 (coef var 0.33)
    25-75 Quantiles: 24.0-38.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.59 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.58 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.01 | 1.14 | 0.01 | 1.05 | 0.01 | 1.06 | 0.01 | 1.1 | 0.01 | 1.02 | 0 | 1.06 |

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Duflo, et al. (2015)

## jg__crt__63: Hoffmann/set__42/Indebtedness (Public/Blocked)

```
Cluster RCT: 8987 units in 179 clusters across 85 blocks
Block Statistics:
    Avg units/block: 105.73 (coef var 0.15)
    Avg clusters/block: 2.11 (coef var 0.15)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.03
    Avg tx: 0.50 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 50.21 (coef var 0.01)
    25-75 Quantiles: 50.0-50.0 w/ IQR = 0.0
    ICC: 0.04
    Prop treated: 0.50
    R2.2: 0.17 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.04 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.02 | 1.29 | 0.02 | 1.29 | 0.02 | 1.05 | 0.01 | 1.06 | 0.01 | 1.05 | 0.01 | 1.05 |

- Rough degrees-of-freedom: 9
- num ATE ests 0, num SE ests 0
- num Singletons: 161
- num Doubletons: 9
- Hoffmann, et al. (2018)

## jg__crt__2: Kim/set__2/Reading Comprehension (Public/Blocked)

```
Cluster RCT: 2174 units in 83 clusters across 7 blocks
Block Statistics:
    Avg units/block: 310.57 (coef var 0.37)
    Avg clusters/block: 11.86 (coef var 0.41)
    25-75 Quantiles: 9.5-12.0 w/ IQR = 2.5
    ICC: 0.04
    Avg tx: 0.53 (coef var 0.16)
    25-75 Quantile tx: 0.47-0.57 w/ IQR 0.10
Cluster Statistics:
    Avg size: 26.19 (coef var 1.35)
    25-75 Quantiles: 1.0-57.0 w/ IQR = 56.0
    ICC: 0.09
    Prop treated: 0.54
    R2.2: 0.52 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (1 covariates)
```

Ranges of estimates:

| ate | se | ate__Clu | se__Clu | ate__Per | se__Per | ate__noFI | se__noFI | ate__Clu__noFI | se__Clu__noFI | ate__Per__noFI | se__Per__noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.3*** | 2.03*** | 0.2*** | 1.64 | 0.05 | 1.55 | 0.29*** | 1.71 | 0.2*** | 1.62 | 0.04 | 1.33 |

- Rough degrees-of-freedom: 69
- num ATE ests 0, num SE ests 0
- Kim, et al. (2023)

## jg__crt__8: Kim/set__7/Reading Comprehension (Public/Blocked)

```
Cluster RCT: 1335 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 190.71 (coef var 0.34)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.10
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 44.50 (coef var 0.52)
    25-75 Quantiles: 27.8-61.8 w/ IQR = 34.0
    ICC: 0.13
    Prop treated: 0.50
    R2.2: 0.83 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.30 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.19*** | 1.62 | 0.11*** | 1.29 | 0.18*** | 1.56 | 0.18*** | 1.62 | 0.11*** | 1.29 | 0.18*** | 1.56 |

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2024b)

## jg__crt__7: Kim/set__7/Vocabulary (Public/Blocked)

```
Cluster RCT: 1386 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 198.00 (coef var 0.34)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.12
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 46.20 (coef var 0.51)
    25-75 Quantiles: 29.0-62.8 w/ IQR = 33.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.85 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.40 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.12*** | 1.78 | 0.06 | 1.28 | 0.12*** | 1.75 | 0.12*** | 1.3 | 0.06 | 1.2 | 0.12*** | 1.3 |

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2024a)

## jg__crt__10: Kim/set__9/Reading Self Concept (Public/Blocked)

```
Cluster RCT: 4895 units in 58 clusters across 7 blocks
Block Statistics:
    Avg units/block: 699.29 (coef var 0.38)
    Avg clusters/block: 8.29 (coef var 0.22)
    25-75 Quantiles: 8.0-8.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 84.40 (coef var 0.31)
    25-75 Quantiles: 68.2-99.0 w/ IQR = 30.8
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.10 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.03 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.01 | 1.09 | 0 | 1.09 | 0 | 1.03 | 0 | 1.06 | 0 | 1.06 | 0 | 1.02 |

- Rough degrees-of-freedom: 44
- num ATE ests 0, num SE ests 0
- Kim, et al. (2021a)

## jg__crt__11: Kim/set__9/Vocabulary (Public/Blocked)

```
Cluster RCT: 2588 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 369.71 (coef var 0.35)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.09
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 86.27 (coef var 0.35)
    25-75 Quantiles: 70.8-102.8 w/ IQR = 32.0
    ICC: 0.11
    Prop treated: 0.50
    R2.2: 0.68 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.14*** | 1.29 | 0.11*** | 1.24 | 0.14*** | 1.27 | 0.14*** | 1.19 | 0.11*** | 1.19 | 0.13*** | 1.13 |

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2021b)

## jg__crt__12: Kim/set__9/Vocabulary (Public/Blocked)

```
Cluster RCT: 2612 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 373.14 (coef var 0.39)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.09
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 87.07 (coef var 0.29)
    25-75 Quantiles: 68.5-99.8 w/ IQR = 31.2
    ICC: 0.07
    Prop treated: 0.50
    R2.2: 0.38 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.41 (2 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.05 | 1.35 | 0.03 | 1.34 | 0.04 | 1.31 | 0.02 | 1.12 | 0.01 | 1.09 | 0.02 | 1.12 |

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2021c)

## jg__crt__41: Mohohlwane/set__27/Oral Reading Fluency (Public/Blocked)

```
Cluster RCT: 3068 units in 180 clusters across 10 blocks
Block Statistics:
    Avg units/block: 306.80 (coef var 0.04)
    Avg clusters/block: 18.00 (coef var 0.03)
    25-75 Quantiles: 18.0-18.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.56 (coef var 0.07)
    25-75 Quantile tx: 0.54-0.57 w/ IQR 0.04
Cluster Statistics:
    Avg size: 17.04 (coef var 0.17)
    25-75 Quantiles: 16.0-19.0 w/ IQR = 3.0
    ICC: 0.21
    Prop treated: 0.56
    R2.2: 0.07 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.16 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.01 | 1.06 | 0.01 | 1.04 | 0.01 | 1.02 | 0.01 | 1.03 | 0.01 | 1.02 | 0 | 1 |

- Rough degrees-of-freedom: 160
- num ATE ests 0, num SE ests 0
- Mohohlwane, et al. (2023)

## jg__crt__56: Sebele/set__38/Literacy (Public/Blocked)

```
Cluster RCT: 2307 units in 74 clusters across 10 blocks
Block Statistics:
    Avg units/block: 230.70 (coef var 0.65)
    Avg clusters/block: 7.40 (coef var 0.68)
    25-75 Quantiles: 3.0-11.0 w/ IQR = 8.0
    ICC: 0.05
    Avg tx: 0.53 (coef var 0.34)
    25-75 Quantile tx: 0.38-0.66 w/ IQR 0.29
Cluster Statistics:
    Avg size: 31.18 (coef var 0.73)
    25-75 Quantiles: 16.2-38.8 w/ IQR = 22.5
    ICC: 0.13
    Prop treated: 0.50
    R2.2: 0.17 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.09 | 1.18 | 0.08 | 1.03 | 0.06 | 1.1 | 0.06 | 1.18 | 0.05 | 1.03 | 0 | 1.1 |

- Rough degrees-of-freedom: 54
- num ATE ests 0, num SE ests 0
- num Singletons: 5
- num Doubletons: 5
- Sebele, et al. (2023)

## jg__crt__16: de Barros/set__11/Math (Public/Blocked)

```
Cluster RCT: 3202 units in 292 clusters across 25 blocks
Block Statistics:
    Avg units/block: 128.08 (coef var 0.39)
    Avg clusters/block: 11.68 (coef var 0.11)
    25-75 Quantiles: 12.0-12.0 w/ IQR = 0.0
    ICC: 0.12
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 10.97 (coef var 0.64)
    25-75 Quantiles: 5.8-15.0 w/ IQR = 9.2
    ICC: 0.28
    Prop treated: 0.50
    R2.2: 0.12 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (1 covariates)
```

Ranges of estimates:

| ate | se | ate_Clu | se_Clu | ate_Per | se_Per | ate_noFI | se_noFI | ate_Clu_noFI | se_Clu_noFI | ate_Per_noFI | se_Per_noFI |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.04 | 1.25 | 0.01 | 1.09 | 0.02 | 1.21 | 0.03 | 1.17 | 0.01 | 1.01 | 0.01 | 1.03 |

- Rough degrees-of-freedom: 242
- num ATE ests 0, num SE ests 0
- de Barros, et al. (2024)

### jg_crt_70: Banerjee/set_46/Hindi (Public/Unblocked)

```
Cluster RCT: 6344 units in 156 clusters
Cluster Statistics:
    Avg size: 40.67 (coef var 0.35)
    25-75 Quantiles: 32.0-46.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.41 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.14 (2 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017c)

### jg_crt_72: Banerjee/set_46/Hindi (Public/Unblocked)

```
Cluster RCT: 5359 units in 156 clusters
Cluster Statistics:
    Avg size: 34.35 (coef var 0.34)
    25-75 Quantiles: 27.0-39.0 w/ IQR = 12.0
    ICC: 0.08
    Prop treated: 0.74
    R2.2: 0.62 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.26 (2 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017e)

### jg_crt_71: Banerjee/set_46/Math (Public/Unblocked)

```
Cluster RCT: 6344 units in 156 clusters
Cluster Statistics:
    Avg size: 40.67 (coef var 0.35)
    25-75 Quantiles: 32.0-46.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.47 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.15 (2 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017d)

### jg_crt_73: Banerjee/set_46/Math (Public/Unblocked)

```
Cluster RCT: 5356 units in 156 clusters
Cluster Statistics:
    Avg size: 34.33 (coef var 0.34)
    25-75 Quantiles: 27.0-39.0 w/ IQR = 12.0
    ICC: 0.06
    Prop treated: 0.74
    R2.2: 0.63 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.25 (2 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017f)

### jg__crt__22: Berry/set__15/Saving Attitudes (Public/Unblocked)

```
Cluster RCT: 5291 units in 135 clusters
Cluster Statistics:
    Avg size: 39.19 (coef var 0.06)
    25-75 Quantiles: 39.0-40.0 w/ IQR = 1.0
    ICC: 0.04
    Prop treated: 0.67
    R2.2: 0.13 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.00 (2 covariates)
```

- Rough degrees-of-freedom: 133
- num ATE ests 0, num SE ests 0
- Berry, et al. (2018)

### jg__crt__39: Berry/set__26/Cognitive Test (Public/Unblocked)

```
Cluster RCT: 6818 units in 119 clusters
Cluster Statistics:
    Avg size: 57.29 (coef var 0.75)
    25-75 Quantiles: 29.0-68.5 w/ IQR = 39.5
    ICC: 0.15
    Prop treated: 0.25
    R2.2: 0.52 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.07 (2 covariates)
```

- Rough degrees-of-freedom: 117
- num ATE ests 0, num SE ests 0
- Berry, et al. (2022a)

### jg__crt__40: Berry/set__26/Computation (Public/Unblocked)

```
Cluster RCT: 6810 units in 119 clusters
Cluster Statistics:
    Avg size: 57.23 (coef var 0.74)
    25-75 Quantiles: 29.0-68.5 w/ IQR = 39.5
    ICC: 0.44
    Prop treated: 0.25
    R2.2: 0.33 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (2 covariates)
```

- Rough degrees-of-freedom: 117
- num ATE ests 0, num SE ests 0
- Berry, et al. (2022b)

## jg_crt_48: Cardenas/set_32/Child Development (ASQ-3) (Public/Unblocked)

```
Cluster RCT: 1371 units in 123 clusters
Cluster Statistics:
    Avg size: 11.15 (coef var 0.50)
    25-75 Quantiles: 7.0-14.5 w/ IQR = 7.5
    ICC: 0.12
    Prop treated: 0.51
    R2.2: 0.29 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.04 (2 covariates)
```

- Rough degrees-of-freedom: 121
- num ATE ests 0, num SE ests 0
- Cardenas, et al. (2023)

### jg__crt__49: Daniel/set__33/Psychological Distress (SRQ-20) (Public/Unblocked)

```
Cluster RCT: 161 units in 93 clusters
Cluster Statistics:
    Avg size: 1.73 (coef var 0.50)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.07
    Prop treated: 0.56
    R2.2: 0.87 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.30 (2 covariates)
```

- Rough degrees-of-freedom: 91
- num ATE ests 0, num SE ests 0
- Daniel, et al. (2017)

## jg__crt__21: Davenport/set__14/Math (Public/Unblocked)

```
Cluster RCT: 3689 units in 172 clusters
Cluster Statistics:
    Avg size: 21.45 (coef var 0.14)
    25-75 Quantiles: 20.0-23.0 w/ IQR = 3.0
    ICC: 0.16
    Prop treated: 0.52
    R2.2: 0.47 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.22 (2 covariates)
```

- Rough degrees-of-freedom: 170
- num ATE ests 0, num SE ests 0
- Davenport, et al. (2023)

## jg_crt_1: Gilbert/set_1/Reading Comprehension (Public/Unblocked)

```
Cluster RCT: 7797 units in 110 clusters
Cluster Statistics:
    Avg size: 70.88 (coef var 0.54)
    25-75 Quantiles: 44.8-95.8 w/ IQR = 51.0
    ICC: 0.25
    Prop treated: 0.51
    R2.2: 0.73 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.50 (1 covariates)
```

- Rough degrees-of-freedom: 108
- num ATE ests 0, num SE ests 0
- Gilbert, et al. (2023)

## jg__crt__74: Gilbert/set__47/Vocabulary (Public/Unblocked)

```
Cluster RCT: 1225 units in 29 clusters
Cluster Statistics:
    Avg size: 42.24 (coef var 0.50)
    25-75 Quantiles: 25.0-60.0 w/ IQR = 35.0
    ICC: 0.17
    Prop treated: 0.48
    R2.2: 0.83 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.35 (1 covariates)
```

- Rough degrees-of-freedom: 27
- num ATE ests 0, num SE ests 0
- Gilbert, et al. (2024b)

### jg__crt__46: Glatz/set__31/Language (Public/Unblocked)

```
Cluster RCT: 121 units in 9 clusters
Cluster Statistics:
    Avg size: 13.44 (coef var 0.32)
    25-75 Quantiles: 11.0-15.0 w/ IQR = 4.0
    ICC: 0.32
    Prop treated: 0.56
    R2.2: 0.38 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.29 (2 covariates)
```

- Rough degrees-of-freedom: 7
- num ATE ests 0, num SE ests 0
- Glatz, et al. (2023a)

### jg_crt_47: Glatz/set_31/Math (Public/Unblocked)

```
Cluster RCT: 124 units in 10 clusters
Cluster Statistics:
    Avg size: 12.40 (coef var 0.67)
    25-75 Quantiles: 6.2-18.0 w/ IQR = 11.8
    ICC: 0.00
    Prop treated: 0.60
    R2.2: NA (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.28 (2 covariates)
```

- Rough degrees-of-freedom: 8
- num ATE ests 0, num SE ests 0
- Glatz, et al. (2023b)

### jg_crt_9: Hidrobo/set_8/Domestic Violence (VAWI) (Public/Unblocked)

```
Cluster RCT: 1438 units in 145 clusters
Cluster Statistics:
    Avg size: 9.92 (coef var 0.42)
    25-75 Quantiles: 7.0-13.0 w/ IQR = 6.0
    ICC: 0.05
    Prop treated: 0.76
    R2.2: 0.42 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.25 (2 covariates)
```

- Rough degrees-of-freedom: 143
- num ATE ests 0, num SE ests 0
- Hidrobo, et al. (2016)

### jg_crt_43: Hussam/set_28/Cognitive Test (Public/Unblocked)

```
Cluster RCT: 726 units in 149 clusters
Cluster Statistics:
    Avg size: 4.87 (coef var 0.08)
    25-75 Quantiles: 5.0-5.0 w/ IQR = 0.0
    ICC: 0.06
    Prop treated: 0.56
    R2.2: 0.87 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.38 (1 covariates)
```

- Rough degrees-of-freedom: 147
- num ATE ests 0, num SE ests 0
- Hussam, et al. (2022b)

### jg_crt_42: Hussam/set_28/Mental Health (Public/Unblocked)

```
Cluster RCT: 726 units in 149 clusters
Cluster Statistics:
    Avg size: 4.87 (coef var 0.08)
    25-75 Quantiles: 5.0-5.0 w/ IQR = 0.0
    ICC: 0.04
    Prop treated: 0.56
    R2.2: 0.80 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.16 (1 covariates)
```

- Rough degrees-of-freedom: 147
- num ATE ests 0, num SE ests 0
- Hussam, et al. (2022a)

### jg_crt_24: Llaurado/set_17/Dietary Behavior (Public/Unblocked)

```
Cluster RCT: 568 units in 20 clusters
Cluster Statistics:
    Avg size: 28.40 (coef var 0.58)
    25-75 Quantiles: 20.8-35.2 w/ IQR = 14.5
    ICC: 0.02
    Prop treated: 0.45
    R2.2: 1.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (2 covariates)
```

- Rough degrees-of-freedom: 18
- num ATE ests 0, num SE ests 0
- Llaurado, et al. (2014)

## jg_crt_51: Luo/set_34/Feeding Practices (Public/Unblocked)

```
Cluster RCT: 388 units in 41 clusters
Cluster Statistics:
    Avg size: 9.46 (coef var 0.66)
    25-75 Quantiles: 6.0-12.0 w/ IQR = 6.0
    ICC: 0.08
    Prop treated: 0.49
    R2.2: 0.49 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (1 covariates)
```

- Rough degrees-of-freedom: 39
- num ATE ests 0, num SE ests 0
- Luo, et al. (2019b)

## jg_crt_50: Luo/set_34/Parenting Beliefs (Public/Unblocked)

```
Cluster RCT: 447 units in 42 clusters
Cluster Statistics:
    Avg size: 10.64 (coef var 0.66)
    25-75 Quantiles: 6.0-13.0 w/ IQR = 7.0
    ICC: 0.00
    Prop treated: 0.48
    R2.2: NA (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (1 covariates)
```

- Rough degrees-of-freedom: 40
- num ATE ests 0, num SE ests 0
- Luo, et al. (2019a)

### jg_crt_32: Maruyama/set_21/Math (Public/Unblocked)

```
Cluster RCT: 3619 units in 232 clusters
Cluster Statistics:
    Avg size: 15.60 (coef var 0.56)
    25-75 Quantiles: 9.0-21.0 w/ IQR = 12.0
    ICC: 0.25
    Prop treated: 0.51
    R2.2: 0.48 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.23 (1 covariates)
```

- Rough degrees-of-freedom: 230
- num ATE ests 0, num SE ests 0
- Maruyama (2022)

## jg_crt_57: Maselko/set_39/Depression (PHQ-9) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.46 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.11 (1 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020a)

### jg_crt_58: Maselko/set_39/Depression (SCID) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.08 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.08 (1 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020b)

### jg_crt_59: Maselko/set_39/Stress (PSS) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.03
    Prop treated: 0.50
    R2.2: 0.07 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.10 (1 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020c)

## jg_crt_66: O'Connor/set_44/General Help Seeking Questionnaire (GHSQ) (Public/Unblocked)

```
Cluster RCT: 274 units in 25 clusters
Cluster Statistics:
    Avg size: 10.96 (coef var 0.45)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.03
    Prop treated: 0.48
    R2.2: 0.15 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.24 (2 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023b)

### jg__crt__65: O'Connor/set__44/Mental Health Literacy (MHL) (Public/Unblocked)

```
Cluster RCT: 280 units in 25 clusters
Cluster Statistics:
    Avg size: 11.20 (coef var 0.43)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.02
    Prop treated: 0.48
    R2.2: 0.85 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.36 (2 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023a)

### jg_crt_67: O'Connor/set_44/Mental Health Stigma (Public/Unblocked)

```
Cluster RCT: 276 units in 25 clusters
Cluster Statistics:
    Avg size: 11.04 (coef var 0.45)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.00
    Prop treated: 0.48
    R2.2: 0.83 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.44 (2 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023c)

## jg_crt_35: Persson/set_24/Democratic Values (Public/Unblocked)

```
Cluster RCT: 1233 units in 59 clusters
Cluster Statistics:
    Avg size: 20.90 (coef var 0.34)
    25-75 Quantiles: 15.0-28.0 w/ IQR = 13.0
    ICC: 0.07
    Prop treated: 0.51
    R2.2: 0.80 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.34 (2 covariates)
```

- Rough degrees-of-freedom: 57
- num ATE ests 0, num SE ests 0
- Persson, et al. (2020a)

### jg__crt__36: Persson/set__24/Political Knowledge (Public/Unblocked)

```
Cluster RCT: 1213 units in 59 clusters
Cluster Statistics:
    Avg size: 20.56 (coef var 0.35)
    25-75 Quantiles: 15.0-27.0 w/ IQR = 12.0
    ICC: 0.10
    Prop treated: 0.51
    R2.2: 0.26 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.19 (2 covariates)
```

- Rough degrees-of-freedom: 57
- num ATE ests 0, num SE ests 0
- Persson, et al. (2020b)

### jg_crt_13: Romero/set_10/Literacy (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.14
    Prop treated: 0.49
    R2.2: 0.81 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.40 (1 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020a)

### jg_crt_14: Romero/set_10/Math (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.07
    Prop treated: 0.49
    R2.2: 0.73 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.51 (1 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020b)

### jg_crt_15: Romero/set_10/Raven's Progressive Matrices (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.03
    Prop treated: 0.49
    R2.2: 0.31 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.10 (1 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020c)

### jg__crt__26: Schreinemachers/set_18/Food Knowledge (Public/Unblocked)

```
Cluster RCT: 775 units in 30 clusters
Cluster Statistics:
    Avg size: 25.83 (coef var 0.11)
    25-75 Quantiles: 25.0-27.8 w/ IQR = 2.8
    ICC: 0.14
    Prop treated: 0.50
    R2.2: 0.11 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (1 covariates)
```

- Rough degrees-of-freedom: 28
- num ATE ests 0, num SE ests 0
- Schreinemachers, et al. (2020b)

### jg__crt__25: Schreinemachers/set__18/Food Preferences (Public/Unblocked)

```
Cluster RCT: 775 units in 30 clusters
Cluster Statistics:
    Avg size: 25.83 (coef var 0.11)
    25-75 Quantiles: 25.0-27.8 w/ IQR = 2.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.23 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.10 (1 covariates)
```

- Rough degrees-of-freedom: 28
- num ATE ests 0, num SE ests 0
- Schreinemachers, et al. (2020a)

### jg__crt__55: Wang/set__37/Academic Achievement (Public/Unblocked)

```
Cluster RCT: 1704 units in 90 clusters
Cluster Statistics:
    Avg size: 18.93 (coef var 0.13)
    25-75 Quantiles: 18.0-20.0 w/ IQR = 2.0
    ICC: 0.08
    Prop treated: 0.67
    R2.2: 0.06 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.06 (1 covariates)
```

- Rough degrees-of-freedom: 88
- num ATE ests 0, num SE ests 0
- Wang, et al. (2023)

### jg__crt__62: Wilson-Barthes/set__41/Depression (PHQ-4) (Public/Unblocked)

```
Cluster RCT: 709 units in 57 clusters
Cluster Statistics:
    Avg size: 12.44 (coef var 0.38)
    25-75 Quantiles: 9.0-14.0 w/ IQR = 5.0
    ICC: 0.08
    Prop treated: 0.51
    R2.2: 0.34 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (1 covariates)
```

- Rough degrees-of-freedom: 55
- num ATE ests 0, num SE ests 0
- Wilson-Barthes, et al. (2024)

### jg_crt_5: Woods-Townsend/set_5/Health Literacy (Public/Unblocked)

```
Cluster RCT: 2486 units in 37 clusters
Cluster Statistics:
    Avg size: 67.19 (coef var 0.28)
    25-75 Quantiles: 56.0-76.0 w/ IQR = 20.0
    ICC: 0.09
    Prop treated: 0.49
    R2.2: 0.55 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.13 (1 covariates)
```

- Rough degrees-of-freedom: 35
- num ATE ests 0, num SE ests 0
- Woods-Townsend, et al. (2021)

### jg_crt_64: Zhao/set_43/Social Emotional Learning (Public/Unblocked)

```
Cluster RCT: 4056 units in 216 clusters
Cluster Statistics:
    Avg size: 18.78 (coef var 0.48)
    25-75 Quantiles: 12.0-25.0 w/ IQR = 13.0
    ICC: 0.36
    Prop treated: 0.50
    R2.2: 0.03 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.00 (1 covariates)
```

- Rough degrees-of-freedom: 214
- num ATE ests 0, num SE ests 0
- Zhao, et al. (2023)