Statistics for all our datasets and outcomes

Miratrix

2025-02-19

Introduction

This makes a master file describing all our studies and things like their R2 values. It then prints out each study as a little descriptive table.

Our count of studies is the following:

	Blocked	Unblocked
Curated	11	0
Public	15	23

Our count of outcomes is the following:

	Blocked	Unblocked
Curated	28	0
Public	22	38

The number of large ranges of SE and ATE (*** means yes, blank means no):

```
##               big SE ratio
## big ATE range    ***
##                37   4
##            ***  9   0
```

Some statistics across the 50 outcomes:

statistic	mean	median	sd	min	Q10	Q90	max
J	483.74	56.50	1637.23	16.00	30.00	495.00	8375.00
Jcv	0.40	0.33	0.30	0.00	0.09	0.85	1.00
K	35.16	16.00	65.39	5.00	5.00	85.30	389.00
R2.1	0.21	0.17	0.17	0.00	0.02	0.44	0.58
R2.2	0.43	0.37	0.32	0.00	0.06	0.83	0.95
R_ate	0.06	0.04	0.06	0.00	0.01	0.14	0.30
R_se	1.79	1.39	1.05	1.04	1.10	2.43	5.00
block_ICC	0.09	0.07	0.10	0.00	0.00	0.21	0.39
cluster_ICC	0.09	0.09	0.06	0.00	0.01	0.15	0.28
n	7761.36	2148.50	15702.56	409.00	854.40	17499.30	102869.00
nbar	60.41	25.37	110.50	1.74	10.19	86.35	588.04
ncv	0.41	0.34	0.21	0.01	0.21	0.60	1.35
p.tx	0.55	0.50	0.10	0.40	0.49	0.74	0.80

Some statistics on our results

The 10th and 90th percentile number of individuals, clusters and blocks are around: 850 to 17,500 (individuals), 30 to 495 (clusters), and 5 to 85 (blocks).

unit	10%	90%
n	854.4	17499.3
J	30.0	495.0
K	5.0	85.3

Cut-off for "low" degrees of freedom

Low is strictly less than 10

The range of ATE estimates greater than 0.10 and 0.05

group	measure	n	n_10	big_10	big_5
all	ate	50	9	0.18	0.38
estimand	ate_Cluster	50	3	0.06	0.22
estimand	ate_Person	50	3	0.06	0.16
noFI	ate_noFI	50	8	0.16	0.32
noFI_estimand	ate_Cluster_noFI	50	3	0.06	0.18
noFI_estimand	ate_Person_noFI	50	3	0.06	0.06

How often Standard errors being large

group	measure	n	n_1.5	big_1.5	n_2	big_2	max
all	se	50	22	0.44	10	0.20	5.00
estimand	se_Cluster	50	17	0.34	7	0.14	5.00
estimand	se_Person	50	18	0.36	6	0.12	5.00
noFI	se_noFI	50	5	0.10	0	0.00	1.71
noFI_estimand	se_Cluster_noFI	50	2	0.04	0	0.00	1.62
noFI_estimand	se_Person_noFI	50	3	0.06	0	0.00	1.56

When DF are low, the ratio of the largest to smallest standard error is always greater than 1.5x. When DF are high, only 6 out of 34 outcomes have a ratio above 1.5.

low_df	group	measure	n	n_1.5	big_1.5	n_2	big_2
high	all	se	34	6	0.18	2	0.06
high	estimand	se_Cluster	34	5	0.15	1	0.03
high	estimand	se_Person	34	5	0.15	1	0.03
high	noFI	se_noFI	34	2	0.06	0	0.00
high	noFI_estimand	se_Cluster_noFI	34	1	0.03	0	0.00
high	noFI_estimand	se_Person_noFI	34	0	0.00	0	0.00
low	all	se	16	16	1.00	8	0.50
low	estimand	se_Cluster	16	12	0.75	6	0.38
low	estimand	se_Person	16	13	0.81	5	0.31
low	noFI	se_noFI	16	3	0.19	0	0.00
low	noFI_estimand	se_Cluster_noFI	16	1	0.06	0	0.00
low	noFI_estimand	se_Person_noFI	16	3	0.19	0	0.00

low_df	group	measure	n	n_1.5	big_1.5	n_2	big_2

To consider how much trouble the fully interacted models are causing, we exclude them and recalculate the ratios (see Figure 5). Doing so dramatically changes the story. For example, the largest estimated standard error is 1.5x the smallest estimated standard error in only 10 percent of cases without the fully-interacted models, down from 48 percent when considering all estimators. The ratio never exceeds 1.7 once the fully-interacted models are excluded.

See above tables.

Even in Figure 3 we see estimated standard errors that are 20 percent different across estimators in over 20 percent of the cases we examined.

See above tables

While this model-free approach is appealing in theory, in practice this means design-based standard errors can only be estimated if every block X experimental arm has at least two or more clusters. Only three studies in our sample meet this condition; consequently, the design-based standard errors do not exist for XX out of 50 outcomes when the fully-interacted model (for individual or aggregate data) is implemented. The same limitation applies to heteroskedastic robust standard errors. For most outcomes, there are only 13 estimated standard errors, rather than 19 (See Supplemental Excel Spreadsheet 1).

This table counts the number of undefined estimators within each group given the set of covariates included.

Estimator	n	n_ATE_all	n_ATE_best	n_ATE_none	n_SE_all	n_SE_best	n_SE_none
LRa-FE-db	50	0	0	0	2	0	0
LRa-FE-het	50	0	0	0	8	0	0
LRa-FIcw-db	50	12	2	0	40	34	34
LRa-FIcw-het	50	12	2	0	41	34	34
LRapw-FE-db	50	0	0	0	2	0	0
LRapw-FE-het	50	0	0	0	4	0	0
LRapw-FIpw-db	50	12	2	0	40	34	34
LRapw-FIpw-het	50	12	2	0	40	34	34
LRi-FE-crve	50	0	0	0	0	0	0
LRi-FE-db	50	0	0	0	2	0	0
LRi-FIpw-crve	50	10	0	0	10	0	0
LRi-FIpw-db	50	12	2	0	40	34	34
LRicw-FE-crve	50	0	0	0	0	0	0
LRicw-FE-db	50	0	0	0	2	0	0
LRicw-FIcw-crve	50	10	0	0	10	0	0
LRicw-FIcw-db	50	12	2	0	40	34	34
MLM-FE	50	0	0	0	0	0	0
MLM-FIcw	50	0	0	0	0	0	0
MLM-RE	50	0	0	0	0	0	0

This table counts the number of estimates for each outcome that are undefined

UniqueID	n	n_ATE_all	n_ATE_best	n_ATE_none	n_SE_all	n_SE_best	n_SE_none
Beacon_S8TGPA	19	0	0	0	6	6	6
Beacon_S8TOTCR	19	0	0	0	6	6	6
Beacon_SRPRST2	19	0	0	0	6	6	6
CARES_DC_CST_COMPTOT_PTH	19	0	0	0	6	6	6

UniqueID	n	n_ATE_all	n_ATE_best	n_ATE_none	n_SE_all	n_SE_best	n_SE_none
CARES_DC_EMIT_PTH	19	0	0	0	6	6	6
CARES_DC_PT_Incred	19	0	0	0	6	6	6
CARES_DC_PT_Tools_Mind	19	0	0	0	6	6	6
CARES_TR_BPI_Incred	19	0	0	0	6	6	6
CARES_TR_SSRS_PTH	19	0	0	0	6	6	6
CARES_TR_WRS_Incred	19	0	0	0	6	6	6
CARES_TR_WRS_Tools_Mind	19	0	0	0	6	6	6
CLC_GRCCSS_POST	19	8	0	0	13	6	6
CLC_PCCRERCORE	19	8	0	0	12	6	6
EMERGE_eclsb2_BB	19	0	0	0	6	6	6
EMERGE_eclsb2_BBSSR	19	0	0	0	6	6	6
EMERGE_team2___BB	19	0	0	0	6	6	6
EMERGE_team2___BBSSR	19	0	0	0	6	6	6
MPC_eclsb2_scale	19	0	0	0	6	6	6
MPC_wj_ap2	19	0	0	0	6	6	6
MathPD_MTSS	19	8	0	0	10	0	0
MathPD_MTSS_FRACTDEC	19	8	0	0	10	0	0
MathPD_MTSS_PCTRATIO	19	8	0	0	9	0	0
PowerTeaching_TSTSSTAND	19	8	0	0	8	0	0
Success_S14WJLWI_SCORE	19	0	0	0	0	0	0
TRIADScale-up_rema2	19	6	6	0	6	6	6
TRIAD_rema2	19	0	0	0	6	6	6
TennStar_gktmathss	19	8	0	0	9	6	6
TennStar_gktreadss	19	8	0	0	9	6	6
jg_crt_10	19	0	0	0	0	0	0
jg_crt_11	19	0	0	0	0	0	0
jg_crt_12	19	0	0	0	0	0	0
jg_crt_16	19	0	0	0	0	0	0
jg_crt_17	19	0	0	0	8	6	6
jg_crt_18	19	0	0	0	7	6	6
jg_crt_19	19	0	0	0	6	6	6
jg_crt_2	19	0	0	0	0	0	0
jg_crt_23	19	0	0	0	6	6	6
jg_crt_29	19	0	0	0	2	0	0
jg_crt_30	19	0	0	0	0	0	0
jg_crt_31	19	0	0	0	6	6	6
jg_crt_34	19	0	0	0	0	0	0
jg_crt_41	19	0	0	0	0	0	0
jg_crt_52	19	6	6	0	6	6	6
jg_crt_56	19	0	0	0	6	6	6
jg_crt_6	19	0	0	0	6	6	6
jg_crt_63	19	0	0	0	6	6	6
jg_crt_68	19	0	0	0	6	6	6
jg_crt_69	19	0	0	0	6	6	6
jg_crt_7	19	8	0	0	8	0	0
jg_crt_8	19	8	0	0	8	0	0

The troublesome studies

This section looks at studies with very big ranges and tries to identify what makes them odd.


High range of ATE estimates

Project	UniqueID	K	J	n	cons_df	R_ate	R_ate_Clu	R_ate_Per
Kim/set_2	jg_crt_2	7	83	2174	69	0.30	0.20	0.05
Kim/set_7	jg_crt_8	7	30	1335	16	0.19	0.11	0.18

High range of ATE estimates within Estimand

Project	UniqueID	K	J	n	cons_df	R_ate	R_ate_Clu	R_ate_Per
Kim/set_2	jg_crt_2	7	83	2174	69	0.30	0.20	0.05
Kim/set_7	jg_crt_7	7	30	1386	16	0.12	0.06	0.12
Kim/set_7	jg_crt_8	7	30	1335	16	0.19	0.11	0.18
Kim/set_9	jg_crt_11	7	30	2588	16	0.14	0.11	0.14


UniqueID	num_singletons	ncv	Jcv	ATE_min	ATE_max	range	SE_avg	n_est	n_def
jg_crt_11	0	0.35	0.18	0.54	0.67	0.14	0.10	19	19
jg_crt_2	0	1.35	0.41	-0.06	0.24	0.30	0.10	19	19
jg_crt_7	0	0.51	0.18	0.09	0.21	0.12	0.07	19	19
jg_crt_8	0	0.52	0.18	0.06	0.25	0.19	0.09	19	19



High range of SE estimates

Project	UniqueID	K	J	n	cons_df	R_se	R_se_Clu	R_se_Per
TRIAD Scale-up	TRIADScale-up_rema2	8	16	409	0	5	5.00	5
Abaluck/set_35	jg_crt_52	254	508	102869	0	5	5.00	5
Bruhn/set_6	jg_crt_6	389	802	15993	24	5	4.37	5
Hoffmann/set_42	jg_crt_63	85	179	8987	9	5	5.00	5

UniqueID	cons_df	num_singletons	SE_min	SE_max	n_est	n_def
TRIADScale-up_rema2	0	16	0.0051	0.1535	19	13
jg_crt_52	0	508	0.0001	0.0891	19	13
jg_crt_6	24	769	0.0030	0.0198	19	13
jg_crt_63	9	161	0.0063	0.0349	19	13



The individual studies follow:

Beacon_S8TGPA: Beacon Mentor/S8TGPA (Curated/Blocked)

```
Cluster RCT: 2011 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 87.43 (coef var 0.86)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.07
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.23 (coef var 0.18)
    25-75 Quantiles: 21.0-27.5 w/ IQR = 6.5
    ICC: 0.01
    Prop treated: 0.49
    R2.2: 0.06 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.22
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.01	1.4	0.01	1.4	0	1.39	0	1.04	0	1.04	0	1.03

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 27
- num Doubletons: 13

Beacon_S8TOTCR: Beacon Mentor/S8TOTCR (Curated/Blocked)

```
Cluster RCT: 2165 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 94.13 (coef var 0.87)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.08
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 26.08 (coef var 0.15)
    25-75 Quantiles: 24.0-29.0 w/ IQR = 5.0
    ICC: 0.01
    Prop treated: 0.49
    R2.2: 0.48 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 4.56
    R2.1: 0.14 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.01	1.39	0.01	1.38	0	1.38	0	1.02	0	1.02	0	1.01

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 27
- num Doubletons: 13

Beacon_SRPRST2: Beacon Mentor/SRPRST2 (Curated/Blocked)

```
Cluster RCT: 2165 units in 83 clusters across 23 blocks
Block Statistics:
    Avg units/block: 94.13 (coef var 0.87)
    Avg clusters/block: 3.61 (coef var 0.94)
    25-75 Quantiles: 2.0-4.0 w/ IQR = 2.0
    ICC: 0.00
    Avg tx: 0.49 (coef var 0.12)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 26.08 (coef var 0.15)
    25-75 Quantiles: 24.0-29.0 w/ IQR = 5.0
    ICC: 0.00
    Prop treated: 0.49
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 49.20
    R2.1: 0.00 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0	1.33	0	1.32	0	1.32	0	1.04	0	1.03	0	1.02

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 27
- num Doubletons: 13

CARES_DC_CST_COMPTOT_PTH: CARES/F1_DC_CST_COMPTOT (Curated/Blocked)

```
Cluster RCT: 1206 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 54.82 (coef var 0.74)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 23.19 (coef var 0.59)
    25-75 Quantiles: 12.0-29.2 w/ IQR = 17.2
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.83 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.15
    R2.1: 0.01 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.08	2.33	0.08	2.33	0.01	1.85	0.08	1.29	0.08	1.28	0.01	1.05

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_DC_EMIT_PTH: CARES/F1_DC_EMIT (Curated/Blocked)

```
Cluster RCT: 1229 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 55.86 (coef var 0.75)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.11
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 23.63 (coef var 0.60)
    25-75 Quantiles: 12.0-31.0 w/ IQR = 19.0
    ICC: 0.01
    Prop treated: 0.50
    R2.2: 0.95 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.22
    R2.1: 0.17 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	1.65	0.04	1.43	0.02	1.25	0.03	1.46	0.03	1.41	0.01	1.11

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_DC_PT_Incred: CARES/F1_DC_PT (Curated/Blocked)

```
Cluster RCT: 1298 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 59.00 (coef var 0.69)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.04
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.96 (coef var 0.54)
    25-75 Quantiles: 15.8-31.0 w/ IQR = 15.2
    ICC: 0.03
    Prop treated: 0.50
    R2.2: 0.31 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.32
    R2.1: 0.16 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	2.1	0.03	2.01	0.02	1.73	0.03	1.21	0.03	1.13	0.01	1.21

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_DC_PT_Tools_Mind: CARES/F1_DC_PT (Curated/Blocked)

```
Cluster RCT: 1268 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 57.64 (coef var 0.67)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.03
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.38 (coef var 0.56)
    25-75 Quantiles: 13.0-34.2 w/ IQR = 21.2
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.61 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.32
    R2.1: 0.16 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	1.92	0.03	1.92	0.03	1.34	0.04	1.15	0.03	1.09	0.01	1.08

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_BPI_Incred: CARES/F1_TR_BPI (Curated/Blocked)

```
Cluster RCT: 1318 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 59.91 (coef var 0.68)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.35 (coef var 0.53)
    25-75 Quantiles: 16.5-31.0 w/ IQR = 14.5
    ICC: 0.14
    Prop treated: 0.50
    R2.2: 0.53 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 7.98
    R2.1: 0.20 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.14***	2.26	0.04	1.7	0.07	2.18	0.12***	1.21	0.02	1.08	0.04	1.06

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_SSRS_PTH: CARES/F1_TR_SSRS (Curated/Blocked)

```
Cluster RCT: 1276 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 58.00 (coef var 0.73)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.54 (coef var 0.57)
    25-75 Quantiles: 13.0-33.2 w/ IQR = 20.2
    ICC: 0.11
    Prop treated: 0.50
    R2.2: 0.38 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 11.09
    R2.1: 0.20 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.09	3.24	0.04	2.78	0.03	2.86	0.09	1.21	0.04	1.04	0.03	1.06

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_WRS_Incred: CARES/F1_TR_WRS (Curated/Blocked)

```
Cluster RCT: 1320 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 60.00 (coef var 0.68)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.38 (coef var 0.52)
    25-75 Quantiles: 16.5-31.2 w/ IQR = 14.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.36 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.04
    R2.1: 0.31 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.11***	1.96	0.06	1.71	0.09	1.96	0.07	1.26	0.02	1.06	0	1

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CARES_TR_WRS_Tools_Mind: CARES/F1_TR_WRS (Curated/Blocked)

```
Cluster RCT: 1293 units in 52 clusters across 22 blocks
Block Statistics:
    Avg units/block: 58.77 (coef var 0.65)
    Avg clusters/block: 2.36 (coef var 0.33)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.02
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 24.87 (coef var 0.56)
    25-75 Quantiles: 13.8-34.0 w/ IQR = 20.2
    ICC: 0.05
    Prop treated: 0.50
    R2.2: 0.32 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.04
    R2.1: 0.27 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.05	2.22	0.02	1.63	0.03	1.92	0.04	1.21	0.01	1.19	0.02	1.05

- Rough degrees-of-freedom: 8
- num ATE ests 19, num SE ests 13
- num Singletons: 36
- num Doubletons: 8

CLC_GRCCSS_POST: CLC/GRCCSS_POST (Curated/Blocked)

```
Cluster RCT: 9557 units in 28 clusters across 9 blocks
Block Statistics:
    Avg units/block: 1061.89 (coef var 0.85)
    Avg clusters/block: 3.11 (coef var 0.78)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.15
    Avg tx: 0.52 (coef var 0.07)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 341.32 (coef var 0.61)
    25-75 Quantiles: 245.2-365.2 w/ IQR = 120.0
    ICC: 0.03
    Prop treated: 0.54
    R2.2: 0.69 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 16.42
    R2.1: 0.17 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.06	1.58	0.03	1.31	0.06	1.51	0.03	1.58	0.03	1.3	0.03	1.51

- Rough degrees-of-freedom: 10
- num ATE ests 19, num SE ests 13
- num Singletons: 14
- num Doubletons: 1

CLC_PCCRERCORE: CLC/PCCRERCORE (Curated/Blocked)

```
Cluster RCT: 16465 units in 28 clusters across 9 blocks
Block Statistics:
    Avg units/block: 1829.44 (coef var 0.91)
    Avg clusters/block: 3.11 (coef var 0.78)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.08
    Avg tx: 0.52 (coef var 0.07)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 588.04 (coef var 0.43)
    25-75 Quantiles: 412.0-694.8 w/ IQR = 282.8
    ICC: 0.01
    Prop treated: 0.54
    R2.2: 0.23 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 18.17
    R2.1: 0.07 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.05	1.56	0.02	1.56	0.02	1.49	0.05	1.35	0.02	1.18	0.02	1.13

- Rough degrees-of-freedom: 10
- num ATE ests 19, num SE ests 13
- num Singletons: 14
- num Doubletons: 1

EMERGE_eclsb2_BB: EMERGE/eclsb2 (Curated/Blocked)

```
Cluster RCT: 514 units in 51 clusters across 5 blocks
Block Statistics:
    Avg units/block: 102.80 (coef var 1.00)
    Avg clusters/block: 10.20 (coef var 1.00)
    25-75 Quantiles: 6.0-8.0 w/ IQR = 2.0
    ICC: 0.37
    Avg tx: 0.45 (coef var 0.12)
    25-75 Quantile tx: 0.43-0.50 w/ IQR 0.07
Cluster Statistics:
    Avg size: 10.08 (coef var 0.24)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.07
    Prop treated: 0.45
    R2.2: 0.12 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 6.54
    R2.1: 0.08 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.08	1.08	0.06	1.05	0.03	1.04	0.07	1.06	0.05	1.05	0.02	1.03

- Rough degrees-of-freedom: 41
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

EMERGE_eclsb2_BBSSR: EMERGE/eclsb2 (Curated/Blocked)

```
Cluster RCT: 539 units in 54 clusters across 5 blocks
Block Statistics:
    Avg units/block: 107.80 (coef var 0.82)
    Avg clusters/block: 10.80 (coef var 0.84)
    25-75 Quantiles: 7.0-10.0 w/ IQR = 3.0
    ICC: 0.39
    Avg tx: 0.51 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.56 w/ IQR 0.06
Cluster Statistics:
    Avg size: 9.98 (coef var 0.25)
    25-75 Quantiles: 8.2-12.0 w/ IQR = 3.8
    ICC: 0.10
    Prop treated: 0.48
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 6.54
    R2.1: 0.06 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	1.1	0.03	1.05	0.04	1.02	0.04	1.1	0.03	1.05	0.04	1.02

- Rough degrees-of-freedom: 44
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

EMERGE_team2___BB: EMERGE/team2_scaled (Curated/Blocked)

```
Cluster RCT: 531 units in 52 clusters across 5 blocks
Block Statistics:
    Avg units/block: 106.20 (coef var 0.97)
    Avg clusters/block: 10.40 (coef var 0.97)
    25-75 Quantiles: 7.0-8.0 w/ IQR = 1.0
    ICC: 0.21
    Avg tx: 0.47 (coef var 0.16)
    25-75 Quantile tx: 0.43-0.50 w/ IQR 0.07
Cluster Statistics:
    Avg size: 10.21 (coef var 0.24)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.09
    Prop treated: 0.46
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 91.57
    R2.1: 0.07 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.06	1.18	0.03	1.12	0	1.09	0.06	1.11	0.03	1.1	0	1.03

- Rough degrees-of-freedom: 42
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

EMERGE_team2___BBSSR: EMERGE/team2_scaled (Curated/Blocked)

```
Cluster RCT: 561 units in 55 clusters across 5 blocks
Block Statistics:
    Avg units/block: 112.20 (coef var 0.83)
    Avg clusters/block: 11.00 (coef var 0.81)
    25-75 Quantiles: 8.0-10.0 w/ IQR = 2.0
    ICC: 0.23
    Avg tx: 0.52 (coef var 0.14)
    25-75 Quantile tx: 0.50-0.56 w/ IQR 0.06
Cluster Statistics:
    Avg size: 10.20 (coef var 0.23)
    25-75 Quantiles: 9.0-12.0 w/ IQR = 3.0
    ICC: 0.12
    Prop treated: 0.49
    R2.2: 0.00 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 91.57
    R2.1: 0.08 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	1.21	0.01	1.1	0.02	1.07	0.04	1.2	0.01	1.1	0.01	1.06

- Rough degrees-of-freedom: 45
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 0

MPC_eclsb2_scale: MPC/eclsb2_scale (Curated/Blocked)

```
Cluster RCT: 1389 units in 69 clusters across 16 blocks
Block Statistics:
    Avg units/block: 86.81 (coef var 0.19)
    Avg clusters/block: 4.31 (coef var 0.14)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.01
    Avg tx: 0.51 (coef var 0.15)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 20.13 (coef var 0.33)
    25-75 Quantiles: 16.0-24.0 w/ IQR = 8.0
    ICC: 0.08
    Prop treated: 0.51
    R2.2: 0.07 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 5.89
    R2.1: 0.03 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	1.12	0.04	1.12	0.02	1.07	0.03	1.1	0.02	1.1	0	1.07

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 1
- num Doubletons: 25

MPC_wj_ap2: MPC/wj_ap2 (Curated/Blocked)

```
Cluster RCT: 1388 units in 69 clusters across 16 blocks
Block Statistics:
    Avg units/block: 86.75 (coef var 0.19)
    Avg clusters/block: 4.31 (coef var 0.14)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.01
    Avg tx: 0.51 (coef var 0.15)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 20.12 (coef var 0.33)
    25-75 Quantiles: 16.0-24.0 w/ IQR = 8.0
    ICC: 0.05
    Prop treated: 0.51
    R2.2: 0.13 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 23.26
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.05	1.17	0.04	1.12	0.02	1.1	0.04	1.17	0.03	1.1	0.01	1.05

- Rough degrees-of-freedom: 37
- num ATE ests 19, num SE ests 13
- num Singletons: 1
- num Doubletons: 25

MathPD_MTSS: Math PD/MTSS (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.10
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.12
    Prop treated: 0.51
    R2.2: 0.11 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 13.84
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.14***	1.23	0.08	1.14	0.05	1.23	0.14***	1.17	0.08	1.1	0.04	1.16

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

MathPD_MTSS_FRACTDEC: Math PD/MTSS_FRACTDEC (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.08
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.11
    Prop treated: 0.51
    R2.2: 0.09 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 14.98
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.13***	1.25	0.08	1.17	0.04	1.25	0.12***	1.19	0.08	1.13	0.04	1.18

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

MathPD_MTSS_PCTRATIO: Math PD/MTSS_PCTRATIO (Curated/Blocked)

```
Cluster RCT: 2132 units in 39 clusters across 6 blocks
Block Statistics:
    Avg units/block: 355.33 (coef var 0.47)
    Avg clusters/block: 6.50 (coef var 0.19)
    25-75 Quantiles: 6.0-7.5 w/ IQR = 1.5
    ICC: 0.09
    Avg tx: 0.52 (coef var 0.08)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 54.67 (coef var 0.44)
    25-75 Quantiles: 36.0-72.0 w/ IQR = 36.0
    ICC: 0.11
    Prop treated: 0.51
    R2.2: 0.14 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 14.36
    R2.1: 0.02 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.14***	1.19	0.08	1.11	0.05	1.19	0.14***	1.14	0.08	1.09	0.04	1.12

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 1

PowerTeaching_TSTSSTAND: PowerTeaching/TSTSSTAND (Curated/Blocked)

```
Cluster RCT: 26808 units in 58 clusters across 5 blocks
Block Statistics:
    Avg units/block: 5361.60 (coef var 1.22)
    Avg clusters/block: 11.60 (coef var 0.70)
    25-75 Quantiles: 6.0-15.0 w/ IQR = 9.0
    ICC: 0.00
    Avg tx: 0.52 (coef var 0.05)
    25-75 Quantile tx: 0.50-0.53 w/ IQR 0.03
Cluster Statistics:
    Avg size: 462.21 (coef var 0.77)
    25-75 Quantiles: 115.0-700.8 w/ IQR = 585.8
    ICC: 0.09
    Prop treated: 0.52
    R2.2: 0.62 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.43 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.09	1.29	0.04	1.1	0.01	1.2	0.07	1.29	0.02	1.1	0.01	1.2

- Rough degrees-of-freedom: 48
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 2

Success_S14WJLWI_SCORE: Success for All/S14WJLWI_SCORE (Curated/Blocked)

```
Cluster RCT: 1631 units in 37 clusters across 5 blocks
Block Statistics:
    Avg units/block: 326.20 (coef var 0.72)
    Avg clusters/block: 7.40 (coef var 0.74)
    25-75 Quantiles: 4.0-6.0 w/ IQR = 2.0
    ICC: 0.13
    Avg tx: 0.51 (coef var 0.03)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 44.08 (coef var 0.32)
    25-75 Quantiles: 35.0-54.0 w/ IQR = 19.0
    ICC: 0.03
    Prop treated: 0.51
    R2.2: 0.71 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 8.30
    R2.1: 0.17 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.01	1.15	0.01	1.11	0.01	1.11	0.01	1.07	0.01	1.03	0.01	1.05

- Rough degrees-of-freedom: 27
- num ATE ests 19, num SE ests 19
- num Singletons: 0
- num Doubletons: 4

TRIAD_rema2: TRIAD/rema2 (Curated/Blocked)

```
Cluster RCT: 1208 units in 38 clusters across 7 blocks
Block Statistics:
    Avg units/block: 172.57 (coef var 0.27)
    Avg clusters/block: 5.43 (coef var 0.10)
    25-75 Quantiles: 5.0-6.0 w/ IQR = 1.0
    ICC: 0.00
    Avg tx: 0.64 (coef var 0.20)
    25-75 Quantile tx: 0.55-0.73 w/ IQR 0.18
Cluster Statistics:
    Avg size: 31.79 (coef var 0.58)
    25-75 Quantiles: 16.5-40.8 w/ IQR = 24.2
    ICC: 0.14
    Prop treated: 0.63
    R2.2: 0.77 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.76
    R2.1: 0.35 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.06	1.42	0.03	1.16	0.02	1.42	0.06	1.36	0.03	1.11	0	1.24

- Rough degrees-of-freedom: 24
- num ATE ests 19, num SE ests 13
- num Singletons: 2
- num Doubletons: 3

TRIADScale-up_rema2: TRIAD Scale-up/rema2 (Curated/Blocked)

```
Cluster RCT: 409 units in 16 clusters across 8 blocks
Block Statistics:
    Avg units/block: 51.12 (coef var 0.21)
    Avg clusters/block: 2.00 (coef var 0.00)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 25.56 (coef var 0.32)
    25-75 Quantiles: 20.0-29.2 w/ IQR = 9.2
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.86 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 0.78
    R2.1: 0.45 (1 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	5***	0.03	5***	0.03	5***	0.04	1.45	0.03	1.45	0.03	1.42

- Rough degrees-of-freedom: 0
- num ATE ests 13, num SE ests 13
- Matched pairs experiment

TennStar_gktmathss: Tennessee STAR/gktmathss (Curated/Blocked)

```
Cluster RCT: 5871 units in 325 clusters across 79 blocks
Block Statistics:
    Avg units/block: 74.32 (coef var 0.32)
    Avg clusters/block: 4.11 (coef var 0.29)
    25-75 Quantiles: 3.0-5.0 w/ IQR = 2.0
    ICC: 0.17
    Avg tx: 0.40 (coef var 0.26)
    25-75 Quantile tx: 0.33-0.50 w/ IQR 0.17
Cluster Statistics:
    Avg size: 18.06 (coef var 0.22)
    25-75 Quantiles: 15.0-21.0 w/ IQR = 6.0
    ICC: 0.12
    Prop treated: 0.40
    R2.2: 0.10 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 46.73
    R2.1: 0.05 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	1.18	0.01	1.18	0.01	1.17	0.01	1.08	0	1.04	0	1.08

- Rough degrees-of-freedom: 167
- num ATE ests 19, num SE ests 13
- num Singletons: 37
- num Doubletons: 87

TennStar_gktreadss: Tennessee STAR/gktreadss (Curated/Blocked)

```
Cluster RCT: 5789 units in 325 clusters across 79 blocks
Block Statistics:
    Avg units/block: 73.28 (coef var 0.33)
    Avg clusters/block: 4.11 (coef var 0.29)
    25-75 Quantiles: 3.0-5.0 w/ IQR = 2.0
    ICC: 0.17
    Avg tx: 0.40 (coef var 0.26)
    25-75 Quantile tx: 0.33-0.50 w/ IQR 0.17
Cluster Statistics:
    Avg size: 17.81 (coef var 0.22)
    25-75 Quantiles: 14.0-21.0 w/ IQR = 7.0
    ICC: 0.10
    Prop treated: 0.40
    R2.2: 0.11 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 31.27
    R2.1: 0.06 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	1.13	0.01	1.07	0.01	1.09	0	1.13	0	1.07	0	1.09

- Rough degrees-of-freedom: 167
- num ATE ests 19, num SE ests 13
- num Singletons: 37
- num Doubletons: 87

jg__crt__52: Abaluck/set__35/COVID Symptoms (Public/Blocked)

```
Cluster RCT: 102869 units in 508 clusters across 254 blocks
Block Statistics:
    Avg units/block: 405.00 (coef var 0.26)
    Avg clusters/block: 2.00 (coef var 0.00)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.08
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 202.50 (coef var 0.30)
    25-75 Quantiles: 165.0-244.0 w/ IQR = 79.0
    ICC: 0.08
    Prop treated: 0.50
    R2.2: 0.03 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	5***	0.01	5***	0.01	5***	0.02	1.04	0.01	1.01	0.01	1.04

- Rough degrees-of-freedom: 0
- num ATE ests 0, num SE ests 0
- Matched pairs experiment
- Abaluck, et al. (2022)

jg__crt__34: Angelucci/set__23/Depression (PHQ-9) (Public/Blocked)

```
Cluster RCT: 887 units in 485 clusters across 9 blocks
Block Statistics:
    Avg units/block: 98.56 (coef var 0.68)
    Avg clusters/block: 53.89 (coef var 0.64)
    25-75 Quantiles: 26.0-70.0 w/ IQR = 44.0
    ICC: 0.01
    Avg tx: 0.59 (coef var 0.04)
    25-75 Quantile tx: 0.58-0.60 w/ IQR 0.02
Cluster Statistics:
    Avg size: 1.83 (coef var 0.41)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.19
    Prop treated: 0.59
    R2.2: 0.14 (10 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (10 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	1.04	0.01	1.04	0	1.04	0.02	1.03	0.01	1.03	0	1.03

- Rough degrees-of-freedom: 467
- num ATE ests 0, num SE ests 0
- Angelucci, et al. (2024)

jg__crt__68: Banerjee/set__45/Hindi (Public/Blocked)

```
Cluster RCT: 8761 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 99.56 (coef var 0.25)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.06
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.99 (coef var 0.33)
    25-75 Quantiles: 19.0-29.0 w/ IQR = 10.0
    ICC: 0.07
    Prop treated: 0.74
    R2.2: 0.53 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.40 (5 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	1.94	0.02	1.87	0.02	1.64	0.01	1.19	0.01	1.09	0	1.08

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Banerjee, et al. (2017a)

jg__crt__69: Banerjee/set__45/Math (Public/Blocked)

```
Cluster RCT: 8758 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 99.52 (coef var 0.25)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.10
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.99 (coef var 0.33)
    25-75 Quantiles: 19.0-29.0 w/ IQR = 10.0
    ICC: 0.06
    Prop treated: 0.74
    R2.2: 0.34 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.47 (5 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	1.7	0.01	1.7	0.01	1.65	0.01	1.07	0.01	1.04	0	1.05

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Banerjee, et al. (2017b)

jg__crt__29: Banerji/set__19/Language (Public/Blocked)

```
Cluster RCT: 14576 units in 8375 clusters across 12 blocks
Block Statistics:
    Avg units/block: 1214.67 (coef var 0.04)
    Avg clusters/block: 697.92 (coef var 0.03)
    25-75 Quantiles: 686.2-708.8 w/ IQR = 22.5
    ICC: 0.00
    Avg tx: 0.75 (coef var 0.01)
    25-75 Quantile tx: 0.74-0.75 w/ IQR 0.01
Cluster Statistics:
    Avg size: 1.74 (coef var 0.47)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.20
    Prop treated: 0.75
    R2.2: 0.81 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.55 (4 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0	1.09	0	1.09	0	1	0	1.09	0	1.09	0	1

- Rough degrees-of-freedom: 8351
- num ATE ests 0, num SE ests 0
- Banerji, et al. (2017c)

jg__crt__30: Banerji/set__19/Math (Public/Blocked)

```
Cluster RCT: 14576 units in 8375 clusters across 12 blocks
Block Statistics:
    Avg units/block: 1214.67 (coef var 0.04)
    Avg clusters/block: 697.92 (coef var 0.03)
    25-75 Quantiles: 686.2-708.8 w/ IQR = 22.5
    ICC: 0.00
    Avg tx: 0.75 (coef var 0.01)
    25-75 Quantile tx: 0.74-0.75 w/ IQR 0.01
Cluster Statistics:
    Avg size: 1.74 (coef var 0.47)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.08
    Prop treated: 0.75
    R2.2: 0.80 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.44 (4 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0	1.1	0	1.1	0	1.01	0	1.1	0	1.1	0	1.01

- Rough degrees-of-freedom: 8351
- num ATE ests 0, num SE ests 0
- Banerji, et al. (2017d)

jg__crt__23: Bang/set__16/Math (Public/Blocked)

```
Cluster RCT: 926 units in 41 clusters across 16 blocks
Block Statistics:
    Avg units/block: 57.88 (coef var 0.27)
    Avg clusters/block: 2.56 (coef var 0.43)
    25-75 Quantiles: 2.0-2.2 w/ IQR = 0.2
    ICC: 0.39
    Avg tx: 0.51 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 22.59 (coef var 0.26)
    25-75 Quantiles: 19.0-27.0 w/ IQR = 8.0
    ICC: 0.13
    Prop treated: 0.51
    R2.2: 0.89 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.49 (2 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	1.97	0.02	1.94	0.02	1.56	0.02	1.63	0.02	1.6	0.01	1.56

- Rough degrees-of-freedom: 9
- num ATE ests 0, num SE ests 0
- num Singletons: 25
- num Doubletons: 5
- Bang, et al. (2023)

jg__crt__6: Bruhn/set__6/Financial Literacy (Public/Blocked)

```
Cluster RCT: 15993 units in 802 clusters across 389 blocks
Block Statistics:
    Avg units/block: 41.11 (coef var 0.54)
    Avg clusters/block: 2.06 (coef var 0.42)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.01
    Avg tx: 0.50 (coef var 0.05)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 19.94 (coef var 0.45)
    25-75 Quantiles: 13.0-26.0 w/ IQR = 13.0
    ICC: 0.04
    Prop treated: 0.50
    R2.2: 0.80 (15 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (15 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	5***	0.02	4.37***	0.01	5***	0.01	1.35	0.01	1.23	0	1.1

- Rough degrees-of-freedom: 24
- num ATE ests 0, num SE ests 0
- num Singletons: 769
- num Doubletons: 7
- Bruhn, et al. (2016)

jg__crt__18: Duflo/set__12/English (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.27
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.10
    Prop treated: 0.80
    R2.2: 0.71 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.38 (8 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.01	1.41	0	1.35	0.01	1.41	0.01	1.41	0	1.34	0.01	1.41

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024b)

jg__crt__19: Duflo/set__12/Local Language (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.17
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.19
    Prop treated: 0.80
    R2.2: 0.70 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.27 (8 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	1.56	0.01	1.45	0.03	1.39	0.04	1.56	0.01	1.45	0.03	1.39

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024c)

jg_crt_17: Duflo/set_12/Math (Public/Blocked)

```
Cluster RCT: 27056 units in 495 clusters across 38 blocks
Block Statistics:
    Avg units/block: 712.00 (coef var 0.61)
    Avg clusters/block: 13.03 (coef var 0.58)
    25-75 Quantiles: 6.5-16.0 w/ IQR = 9.5
    ICC: 0.16
    Avg tx: 0.80 (coef var 0.06)
    25-75 Quantile tx: 0.77-0.82 w/ IQR 0.05
Cluster Statistics:
    Avg size: 54.66 (coef var 0.25)
    25-75 Quantiles: 47.0-65.0 w/ IQR = 18.0
    ICC: 0.08
    Prop treated: 0.80
    R2.2: 0.68 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.40 (8 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	1.32	0.01	1.28	0.01	1.31	0.02	1.32	0.01	1.28	0.01	1.31

- Rough degrees-of-freedom: 419
- num ATE ests 0, num SE ests 0
- num Singletons: 12
- num Doubletons: 9
- Duflo, et al. (2024a)

jg__crt__31: Duflo/set__20/Academic Achievement (Public/Blocked)

```
Cluster RCT: 11395 units in 381 clusters across 88 blocks
Block Statistics:
    Avg units/block: 129.49 (coef var 0.24)
    Avg clusters/block: 4.33 (coef var 0.18)
    25-75 Quantiles: 4.0-5.0 w/ IQR = 1.0
    ICC: 0.06
    Avg tx: 0.74 (coef var 0.09)
    25-75 Quantile tx: 0.75-0.75 w/ IQR 0.00
Cluster Statistics:
    Avg size: 29.91 (coef var 0.33)
    25-75 Quantiles: 24.0-38.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.58 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.58 (4 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.01	1.87	0.01	1.8	0.01	1.75	0.01	1.1	0.01	1.02	0	1.06

- Rough degrees-of-freedom: 205
- num ATE ests 0, num SE ests 0
- num Singletons: 79
- num Doubletons: 13
- Duflo, et al. (2015)

jg__crt__63: Hoffmann/set__42/Indebtedness (Public/Blocked)

```
Cluster RCT: 8987 units in 179 clusters across 85 blocks
Block Statistics:
    Avg units/block: 105.73 (coef var 0.15)
    Avg clusters/block: 2.11 (coef var 0.15)
    25-75 Quantiles: 2.0-2.0 w/ IQR = 0.0
    ICC: 0.03
    Avg tx: 0.50 (coef var 0.11)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 50.21 (coef var 0.01)
    25-75 Quantiles: 50.0-50.0 w/ IQR = 0.0
    ICC: 0.04
    Prop treated: 0.50
    R2.2: 0.20 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.05 (4 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.02	5***	0.02	5***	0.02	5***	0.01	1.06	0.01	1.05	0.01	1.05

- Rough degrees-of-freedom: 9
- num ATE ests 0, num SE ests 0
- num Singletons: 161
- num Doubletons: 9
- Hoffmann, et al. (2018)

jg__crt__2: Kim/set__2/Reading Comprehension (Public/Blocked)

```
Cluster RCT: 2174 units in 83 clusters across 7 blocks
Block Statistics:
    Avg units/block: 310.57 (coef var 0.37)
    Avg clusters/block: 11.86 (coef var 0.41)
    25-75 Quantiles: 9.5-12.0 w/ IQR = 2.5
    ICC: 0.04
    Avg tx: 0.53 (coef var 0.16)
    25-75 Quantile tx: 0.47-0.57 w/ IQR 0.10
Cluster Statistics:
    Avg size: 26.19 (coef var 1.35)
    25-75 Quantiles: 1.0-57.0 w/ IQR = 56.0
    ICC: 0.09
    Prop treated: 0.54
    R2.2: 0.61 (11 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (11 covariates)
```

Ranges of estimates:

ate	se	ate__Clu	se__Clu	ate__Per	se__Per	ate__noFI	se__noFI	ate__Clu__noFI	se__Clu__noFI	ate__Per__noFI	se__Per__noFI
0.3***	2.03	0.2***	1.64	0.05	1.55	0.29***	1.71	0.2***	1.62	0.04	1.33

- Rough degrees-of-freedom: 69
- num ATE ests 0, num SE ests 0
- Kim, et al. (2023)

jg__crt__8: Kim/set__7/Reading Comprehension (Public/Blocked)

```
Cluster RCT: 1335 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 190.71 (coef var 0.34)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.10
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 44.50 (coef var 0.52)
    25-75 Quantiles: 27.8-61.8 w/ IQR = 34.0
    ICC: 0.13
    Prop treated: 0.50
    R2.2: 0.93 (11 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (11 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.19***	1.62	0.11***	1.29	0.18***	1.56	0.18***	1.62	0.11***	1.29	0.18***	1.56

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2024b)

jg_crt_7: Kim/set_7/Vocabulary (Public/Blocked)

```
Cluster RCT: 1386 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 198.00 (coef var 0.34)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.12
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 46.20 (coef var 0.51)
    25-75 Quantiles: 29.0-62.8 w/ IQR = 33.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.87 (11 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.41 (11 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.12***	1.78	0.06	1.28	0.12***	1.75	0.12***	1.3	0.06	1.2	0.12***	1.3

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2024a)

jg__crt__10: Kim/set__9/Reading Self Concept (Public/Blocked)

```
Cluster RCT: 4895 units in 58 clusters across 7 blocks
Block Statistics:
    Avg units/block: 699.29 (coef var 0.38)
    Avg clusters/block: 8.29 (coef var 0.22)
    25-75 Quantiles: 8.0-8.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 84.40 (coef var 0.31)
    25-75 Quantiles: 68.2-99.0 w/ IQR = 30.8
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.21 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.04 (12 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.01	1.09	0	1.09	0	1.03	0	1.06	0	1.06	0	1.02

- Rough degrees-of-freedom: 44
- num ATE ests 0, num SE ests 0
- Kim, et al. (2021a)

jg__crt__11: Kim/set__9/Vocabulary (Public/Blocked)

```
Cluster RCT: 2588 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 369.71 (coef var 0.35)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.09
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 86.27 (coef var 0.35)
    25-75 Quantiles: 70.8-102.8 w/ IQR = 32.0
    ICC: 0.11
    Prop treated: 0.50
    R2.2: 0.74 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (12 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.14***	1.29	0.11***	1.24	0.14***	1.27	0.14***	1.19	0.11***	1.19	0.13***	1.13

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2021b)

jg__crt__12: Kim/set__9/Vocabulary (Public/Blocked)

```
Cluster RCT: 2612 units in 30 clusters across 7 blocks
Block Statistics:
    Avg units/block: 373.14 (coef var 0.39)
    Avg clusters/block: 4.29 (coef var 0.18)
    25-75 Quantiles: 4.0-4.0 w/ IQR = 0.0
    ICC: 0.09
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 87.07 (coef var 0.29)
    25-75 Quantiles: 68.5-99.8 w/ IQR = 31.2
    ICC: 0.07
    Prop treated: 0.50
    R2.2: 0.81 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.44 (12 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.05	1.35	0.03	1.34	0.04	1.31	0.02	1.12	0.01	1.09	0.02	1.12

- Rough degrees-of-freedom: 16
- num ATE ests 0, num SE ests 0
- num Singletons: 0
- num Doubletons: 12
- Kim, et al. (2021c)

jg__crt__41: Mohohlwane/set__27/Oral Reading Fluency (Public/Blocked)

```
Cluster RCT: 3068 units in 180 clusters across 10 blocks
Block Statistics:
    Avg units/block: 306.80 (coef var 0.04)
    Avg clusters/block: 18.00 (coef var 0.03)
    25-75 Quantiles: 18.0-18.0 w/ IQR = 0.0
    ICC: 0.00
    Avg tx: 0.56 (coef var 0.07)
    25-75 Quantile tx: 0.54-0.57 w/ IQR 0.04
Cluster Statistics:
    Avg size: 17.04 (coef var 0.17)
    25-75 Quantiles: 16.0-19.0 w/ IQR = 3.0
    ICC: 0.21
    Prop treated: 0.56
    R2.2: 0.08 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.19 (4 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.01	1.06	0.01	1.04	0.01	1.02	0.01	1.03	0.01	1.02	0	1

- Rough degrees-of-freedom: 160
- num ATE ests 0, num SE ests 0
- Mohohlwane, et al. (2023)

jg__crt__56: Sebele/set__38/Literacy (Public/Blocked)

```
Cluster RCT: 2307 units in 74 clusters across 10 blocks
Block Statistics:
    Avg units/block: 230.70 (coef var 0.65)
    Avg clusters/block: 7.40 (coef var 0.68)
    25-75 Quantiles: 3.0-11.0 w/ IQR = 8.0
    ICC: 0.05
    Avg tx: 0.53 (coef var 0.34)
    25-75 Quantile tx: 0.38-0.66 w/ IQR 0.29
Cluster Statistics:
    Avg size: 31.18 (coef var 0.73)
    25-75 Quantiles: 16.2-38.8 w/ IQR = 22.5
    ICC: 0.13
    Prop treated: 0.50
    R2.2: 0.16 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.10 (3 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.09	1.32	0.08	1.16	0.06	1.27	0.06	1.18	0.05	1.03	0	1.1

- Rough degrees-of-freedom: 54
- num ATE ests 0, num SE ests 0
- num Singletons: 5
- num Doubletons: 5
- Sebele, et al. (2023)

jg__crt__16: de Barros/set__11/Math (Public/Blocked)

```
Cluster RCT: 3202 units in 292 clusters across 25 blocks
Block Statistics:
    Avg units/block: 128.08 (coef var 0.39)
    Avg clusters/block: 11.68 (coef var 0.11)
    25-75 Quantiles: 12.0-12.0 w/ IQR = 0.0
    ICC: 0.12
    Avg tx: 0.50 (coef var 0.00)
    25-75 Quantile tx: 0.50-0.50 w/ IQR 0.00
Cluster Statistics:
    Avg size: 10.97 (coef var 0.64)
    25-75 Quantiles: 5.8-15.0 w/ IQR = 9.2
    ICC: 0.28
    Prop treated: 0.50
    R2.2: 0.10 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (5 covariates)
```

Ranges of estimates:

ate	se	ate_Clu	se_Clu	ate_Per	se_Per	ate_noFI	se_noFI	ate_Clu_noFI	se_Clu_noFI	ate_Per_noFI	se_Per_noFI
0.04	1.25	0.01	1.09	0.02	1.21	0.03	1.17	0.01	1.01	0.01	1.03

- Rough degrees-of-freedom: 242
- num ATE ests 0, num SE ests 0
- de Barros, et al. (2024)

jg_crt_70: Banerjee/set_46/Hindi (Public/Unblocked)

```
Cluster RCT: 6344 units in 156 clusters
Cluster Statistics:
    Avg size: 40.67 (coef var 0.35)
    25-75 Quantiles: 32.0-46.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.37 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.21 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017c)

jg_crt_72: Banerjee/set_46/Hindi (Public/Unblocked)

```
Cluster RCT: 5359 units in 156 clusters
Cluster Statistics:
    Avg size: 34.35 (coef var 0.34)
    25-75 Quantiles: 27.0-39.0 w/ IQR = 12.0
    ICC: 0.08
    Prop treated: 0.74
    R2.2: 0.63 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017e)

jg_crt_71: Banerjee/set_46/Math (Public/Unblocked)

```
Cluster RCT: 6344 units in 156 clusters
Cluster Statistics:
    Avg size: 40.67 (coef var 0.35)
    25-75 Quantiles: 32.0-46.0 w/ IQR = 14.0
    ICC: 0.05
    Prop treated: 0.74
    R2.2: 0.43 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.27 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017d)

jg_crt_73: Banerjee/set_46/Math (Public/Unblocked)

```
Cluster RCT: 5356 units in 156 clusters
Cluster Statistics:
    Avg size: 34.33 (coef var 0.34)
    25-75 Quantiles: 27.0-39.0 w/ IQR = 12.0
    ICC: 0.06
    Prop treated: 0.74
    R2.2: 0.65 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.35 (8 covariates)
```

- Rough degrees-of-freedom: 154
- num ATE ests 0, num SE ests 0
- Notes: separate study in same article
- Banerjee, et al. (2017f)

jg__crt__22: Berry/set__15/Saving Attitudes (Public/Unblocked)

```
Cluster RCT: 5291 units in 135 clusters
Cluster Statistics:
    Avg size: 39.19 (coef var 0.06)
    25-75 Quantiles: 39.0-40.0 w/ IQR = 1.0
    ICC: 0.04
    Prop treated: 0.67
    R2.2: 0.16 (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.01 (6 covariates)
```

- Rough degrees-of-freedom: 133
- num ATE ests 0, num SE ests 0
- Berry, et al. (2018)

jg__crt__39: Berry/set__26/Cognitive Test (Public/Unblocked)

```
Cluster RCT: 6818 units in 119 clusters
Cluster Statistics:
    Avg size: 57.29 (coef var 0.75)
    25-75 Quantiles: 29.0-68.5 w/ IQR = 39.5
    ICC: 0.15
    Prop treated: 0.25
    R2.2: 0.50 (21 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.07 (21 covariates)
```

- Rough degrees-of-freedom: 117
- num ATE ests 0, num SE ests 0
- Berry, et al. (2022a)

jg__crt__40: Berry/set__26/Computation (Public/Unblocked)

```
Cluster RCT: 6810 units in 119 clusters
Cluster Statistics:
    Avg size: 57.23 (coef var 0.74)
    25-75 Quantiles: 29.0-68.5 w/ IQR = 39.5
    ICC: 0.44
    Prop treated: 0.25
    R2.2: 0.30 (21 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (21 covariates)
```

- Rough degrees-of-freedom: 117
- num ATE ests 0, num SE ests 0
- Berry, et al. (2022b)

jg_crt_48: Cardenas/set_32/Child Development (ASQ-3) (Public/Unblocked)

```
Cluster RCT: 1371 units in 123 clusters
Cluster Statistics:
    Avg size: 11.15 (coef var 0.50)
    25-75 Quantiles: 7.0-14.5 w/ IQR = 7.5
    ICC: 0.12
    Prop treated: 0.51
    R2.2: 0.27 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.05 (3 covariates)
```

- Rough degrees-of-freedom: 121
- num ATE ests 0, num SE ests 0
- Cardenas, et al. (2023)

jg__crt__49: Daniel/set__33/Psychological Distress (SRQ-20) (Public/Unblocked)

```
Cluster RCT: 161 units in 93 clusters
Cluster Statistics:
    Avg size: 1.73 (coef var 0.50)
    25-75 Quantiles: 1.0-2.0 w/ IQR = 1.0
    ICC: 0.07
    Prop treated: 0.56
    R2.2: 0.70 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.33 (9 covariates)
```

- Rough degrees-of-freedom: 91
- num ATE ests 0, num SE ests 0
- Daniel, et al. (2017)

jg_crt_21: Davenport/set_14/Math (Public/Unblocked)

```
Cluster RCT: 3689 units in 172 clusters
Cluster Statistics:
    Avg size: 21.45 (coef var 0.14)
    25-75 Quantiles: 20.0-23.0 w/ IQR = 3.0
    ICC: 0.16
    Prop treated: 0.52
    R2.2: 0.66 (2 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.22 (2 covariates)
```

- Rough degrees-of-freedom: 170
- num ATE ests 0, num SE ests 0
- Davenport, et al. (2023)

jg_crt_1: Gilbert/set_1/Reading Comprehension (Public/Unblocked)

```
Cluster RCT: 7797 units in 110 clusters
Cluster Statistics:
    Avg size: 70.88 (coef var 0.54)
    25-75 Quantiles: 44.8-95.8 w/ IQR = 51.0
    ICC: 0.25
    Prop treated: 0.51
    R2.2: 0.73 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.50 (1 covariates)
```

- Rough degrees-of-freedom: 108
- num ATE ests 0, num SE ests 0
- Gilbert, et al. (2023)

jg__crt__74: Gilbert/set__47/Vocabulary (Public/Unblocked)

```
Cluster RCT: 1225 units in 29 clusters
Cluster Statistics:
    Avg size: 42.24 (coef var 0.50)
    25-75 Quantiles: 25.0-60.0 w/ IQR = 35.0
    ICC: 0.17
    Prop treated: 0.48
    R2.2: 0.83 (1 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.35 (1 covariates)
```

- Rough degrees-of-freedom: 27
- num ATE ests 0, num SE ests 0
- Gilbert, et al. (2024b)

jg__crt__46: Glatz/set__31/Language (Public/Unblocked)

```
Cluster RCT: 121 units in 9 clusters
Cluster Statistics:
    Avg size: 13.44 (coef var 0.32)
    25-75 Quantiles: 11.0-15.0 w/ IQR = 4.0
    ICC: 0.32
    Prop treated: 0.56
    R2.2: 1.00 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.28 (7 covariates)
```

- Rough degrees-of-freedom: 7
- num ATE ests 0, num SE ests 0
- Glatz, et al. (2023a)

jg_crt_47: Glatz/set_31/Math (Public/Unblocked)

```
Cluster RCT: 124 units in 10 clusters
Cluster Statistics:
    Avg size: 12.40 (coef var 0.67)
    25-75 Quantiles: 6.2-18.0 w/ IQR = 11.8
    ICC: 0.00
    Prop treated: 0.60
    R2.2: 0.00 (8 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.32 (7 covariates)
```

- Rough degrees-of-freedom: 8
- num ATE ests 0, num SE ests 0
- Glatz, et al. (2023b)

jg_crt_9: Hidrobo/set_8/Domestic Violence (VAWI) (Public/Unblocked)

```
Cluster RCT: 1438 units in 145 clusters
Cluster Statistics:
    Avg size: 9.92 (coef var 0.42)
    25-75 Quantiles: 7.0-13.0 w/ IQR = 6.0
    ICC: 0.05
    Prop treated: 0.76
    R2.2: 0.48 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.25 (4 covariates)
```

- Rough degrees-of-freedom: 143
- num ATE ests 0, num SE ests 0
- Hidrobo, et al. (2016)

jg_crt_43: Hussam/set_28/Cognitive Test (Public/Unblocked)

```
Cluster RCT: 726 units in 149 clusters
Cluster Statistics:
    Avg size: 4.87 (coef var 0.08)
    25-75 Quantiles: 5.0-5.0 w/ IQR = 0.0
    ICC: 0.06
    Prop treated: 0.56
    R2.2: 0.91 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.38 (3 covariates)
```

- Rough degrees-of-freedom: 147
- num ATE ests 0, num SE ests 0
- Hussam, et al. (2022b)

jg_crt_42: Hussam/set_28/Mental Health (Public/Unblocked)

```
Cluster RCT: 726 units in 149 clusters
Cluster Statistics:
    Avg size: 4.87 (coef var 0.08)
    25-75 Quantiles: 5.0-5.0 w/ IQR = 0.0
    ICC: 0.04
    Prop treated: 0.56
    R2.2: 0.81 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.19 (3 covariates)
```

- Rough degrees-of-freedom: 147
- num ATE ests 0, num SE ests 0
- Hussam, et al. (2022a)

jg_crt_24: Llaurado/set_17/Dietary Behavior (Public/Unblocked)

```
Cluster RCT: 568 units in 20 clusters
Cluster Statistics:
    Avg size: 28.40 (coef var 0.58)
    25-75 Quantiles: 20.8-35.2 w/ IQR = 14.5
    ICC: 0.02
    Prop treated: 0.45
    R2.2: 1.00 (10 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.31 (10 covariates)
```

- Rough degrees-of-freedom: 18
- num ATE ests 0, num SE ests 0
- Llaurado, et al. (2014)

jg_crt_51: Luo/set_34/Feeding Practices (Public/Unblocked)

```
Cluster RCT: 388 units in 41 clusters
Cluster Statistics:
    Avg size: 9.46 (coef var 0.66)
    25-75 Quantiles: 6.0-12.0 w/ IQR = 6.0
    ICC: 0.08
    Prop treated: 0.49
    R2.2: 0.42 (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (6 covariates)
```

- Rough degrees-of-freedom: 39
- num ATE ests 0, num SE ests 0
- Luo, et al. (2019b)

jg_crt_50: Luo/set_34/Parenting Beliefs (Public/Unblocked)

```
Cluster RCT: 447 units in 42 clusters
Cluster Statistics:
    Avg size: 10.64 (coef var 0.66)
    25-75 Quantiles: 6.0-13.0 w/ IQR = 7.0
    ICC: 0.00
    Prop treated: 0.48
    R2.2: NA (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (6 covariates)
```

- Rough degrees-of-freedom: 40
- num ATE ests 0, num SE ests 0
- Luo, et al. (2019a)

jg__crt__32: Maruyama/set__21/Math (Public/Unblocked)

```
Cluster RCT: 3619 units in 232 clusters
Cluster Statistics:
    Avg size: 15.60 (coef var 0.56)
    25-75 Quantiles: 9.0-21.0 w/ IQR = 12.0
    ICC: 0.25
    Prop treated: 0.51
    R2.2: 0.49 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.23 (4 covariates)
```

- Rough degrees-of-freedom: 230
- num ATE ests 0, num SE ests 0
- Maruyama (2022)

jg_crt_57: Maselko/set_39/Depression (PHQ-9) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.00
    Prop treated: 0.50
    R2.2: 0.82 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.12 (5 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020a)

jg_crt_58: Maselko/set_39/Depression (SCID) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.02
    Prop treated: 0.50
    R2.2: 0.07 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (5 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020b)

jg_crt_59: Maselko/set_39/Stress (PSS) (Public/Unblocked)

```
Cluster RCT: 889 units in 40 clusters
Cluster Statistics:
    Avg size: 22.23 (coef var 0.12)
    25-75 Quantiles: 20.0-24.0 w/ IQR = 4.0
    ICC: 0.03
    Prop treated: 0.50
    R2.2: 0.27 (5 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.11 (5 covariates)
```

- Rough degrees-of-freedom: 38
- num ATE ests 0, num SE ests 0
- Maselko, et al. (2020c)

jg_crt_66: O'Connor/set_44/General Help Seeking Questionnaire (GHSQ) (Public/Unblocked)

```
Cluster RCT: 274 units in 25 clusters
Cluster Statistics:
    Avg size: 10.96 (coef var 0.45)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.03
    Prop treated: 0.48
    R2.2: 0.56 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.24 (9 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023b)

jg__crt__65: O'Connor/set__44/Mental Health Literacy (MHL) (Public/Unblocked)

```
Cluster RCT: 280 units in 25 clusters
Cluster Statistics:
    Avg size: 11.20 (coef var 0.43)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.02
    Prop treated: 0.48
    R2.2: 1.00 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.39 (9 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023a)

jg__crt__67: O'Connor/set__44/Mental Health Stigma (Public/Unblocked)

```
Cluster RCT: 276 units in 25 clusters
Cluster Statistics:
    Avg size: 11.04 (coef var 0.45)
    25-75 Quantiles: 7.0-15.0 w/ IQR = 8.0
    ICC: 0.00
    Prop treated: 0.48
    R2.2: 1.00 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.43 (9 covariates)
```

- Rough degrees-of-freedom: 23
- num ATE ests 0, num SE ests 0
- O'Connor, et al. (2023c)

jg_crt_35: Persson/set_24/Democratic Values (Public/Unblocked)

```
Cluster RCT: 1233 units in 59 clusters
Cluster Statistics:
    Avg size: 20.90 (coef var 0.34)
    25-75 Quantiles: 15.0-28.0 w/ IQR = 13.0
    ICC: 0.07
    Prop treated: 0.51
    R2.2: 0.77 (15 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.34 (15 covariates)
```

- Rough degrees-of-freedom: 57
- num ATE ests 0, num SE ests 0
- Persson, et al. (2020a)

jg__crt__36: Persson/set__24/Political Knowledge (Public/Unblocked)

```
Cluster RCT: 1213 units in 59 clusters
Cluster Statistics:
    Avg size: 20.56 (coef var 0.35)
    25-75 Quantiles: 15.0-27.0 w/ IQR = 12.0
    ICC: 0.10
    Prop treated: 0.51
    R2.2: 0.43 (15 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.21 (15 covariates)
```

- Rough degrees-of-freedom: 57
- num ATE ests 0, num SE ests 0
- Persson, et al. (2020b)

jg_crt_13: Romero/set_10/Literacy (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.14
    Prop treated: 0.49
    R2.2: 0.83 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.42 (3 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020a)

jg_crt_14: Romero/set_10/Math (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.07
    Prop treated: 0.49
    R2.2: 0.77 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.55 (3 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020b)

jg_crt_15: Romero/set_10/Raven's Progressive Matrices (Public/Unblocked)

```
Cluster RCT: 3381 units in 178 clusters
Cluster Statistics:
    Avg size: 18.99 (coef var 0.09)
    25-75 Quantiles: 19.0-20.0 w/ IQR = 1.0
    ICC: 0.03
    Prop treated: 0.49
    R2.2: 0.34 (3 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.12 (3 covariates)
```

- Rough degrees-of-freedom: 176
- num ATE ests 0, num SE ests 0
- Notes: TOT not easily recoverable
- Romero, et al. (2020c)

jg__crt__26: Schreinemachers/set_18/Food Knowledge (Public/Unblocked)

```
Cluster RCT: 775 units in 30 clusters
Cluster Statistics:
    Avg size: 25.83 (coef var 0.11)
    25-75 Quantiles: 25.0-27.8 w/ IQR = 2.8
    ICC: 0.14
    Prop treated: 0.50
    R2.2: 0.22 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.02 (4 covariates)
```

- Rough degrees-of-freedom: 28
- num ATE ests 0, num SE ests 0
- Schreinemachers, et al. (2020b)

jg_crt_25: Schreinemachers/set_18/Food Preferences (Public/Unblocked)

```
Cluster RCT: 775 units in 30 clusters
Cluster Statistics:
    Avg size: 25.83 (coef var 0.11)
    25-75 Quantiles: 25.0-27.8 w/ IQR = 2.8
    ICC: 0.10
    Prop treated: 0.50
    R2.2: 0.50 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.10 (4 covariates)
```

- Rough degrees-of-freedom: 28
- num ATE ests 0, num SE ests 0
- Schreinemachers, et al. (2020a)

jg__crt__55: Wang/set__37/Academic Achievement (Public/Unblocked)

```
Cluster RCT: 1704 units in 90 clusters
Cluster Statistics:
    Avg size: 18.93 (coef var 0.13)
    25-75 Quantiles: 18.0-20.0 w/ IQR = 2.0
    ICC: 0.08
    Prop treated: 0.67
    R2.2: 0.58 (6 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.09 (6 covariates)
```

- Rough degrees-of-freedom: 88
- num ATE ests 0, num SE ests 0
- Wang, et al. (2023)

jg_crt_62: Wilson-Barthes/set_41/Depression (PHQ-4) (Public/Unblocked)

```
Cluster RCT: 709 units in 57 clusters
Cluster Statistics:
    Avg size: 12.44 (coef var 0.38)
    25-75 Quantiles: 9.0-14.0 w/ IQR = 5.0
    ICC: 0.08
    Prop treated: 0.51
    R2.2: 0.31 (12 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.03 (11 covariates)
```

- Rough degrees-of-freedom: 55
- num ATE ests 0, num SE ests 0
- Wilson-Barthes, et al. (2024)

jg_crt_5: Woods-Townsend/set_5/Health Literacy (Public/Unblocked)

```
Cluster RCT: 2486 units in 37 clusters
Cluster Statistics:
    Avg size: 67.19 (coef var 0.28)
    25-75 Quantiles: 56.0-76.0 w/ IQR = 20.0
    ICC: 0.09
    Prop treated: 0.49
    R2.2: 0.59 (4 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.12 (4 covariates)
```

- Rough degrees-of-freedom: 35
- num ATE ests 0, num SE ests 0
- Woods-Townsend, et al. (2021)

jg_crt_64: Zhao/set_43/Social Emotional Learning (Public/Unblocked)

```
Cluster RCT: 4056 units in 216 clusters
Cluster Statistics:
    Avg size: 18.78 (coef var 0.48)
    25-75 Quantiles: 12.0-25.0 w/ IQR = 13.0
    ICC: 0.36
    Prop treated: 0.50
    R2.2: 0.10 (9 covariates)
Unit Statistics:
    stddev( Y0 ): 1.00
    R2.1: 0.01 (8 covariates)
```

- Rough degrees-of-freedom: 214
- num ATE ests 0, num SE ests 0
- Zhao, et al. (2023)