LML: A Structural Enforcement Layer for Provably Hallucination-Free AI Systems

Ryan Gatoloai-Faupula
Independent Researcher
lmlthelayersystem@gmail.com
@lml_layer

December 2025

Abstract

We present Law Markup Language (LML), a formal enforcement framework that makes AI hallucination structurally impossible. Unlike traditional approaches that filter, fine-tune, or probabilistically reduce unwanted outputs, LML defines a mathematical state space where inadmissible states cannot exist. We introduce 38 state laws and 38 output laws that form a complete, bijective mapping to the known AI failure lattice. We prove that under LML enforcement, hallucinated outputs are not merely unlikely—they are non-instantiable. The framework operates at the boundary layer, wrapping any language model without modifying weights, logits, or internal representations. We demonstrate the approach on three architectures (DistilGPT-2, GPT-2, Pythia-70M), showing that identical ungrounded prompts are blocked across all models. LML represents a paradigm shift from probabilistic safety to structural guarantee: from "reduce hallucinations" to "hallucinations cannot exist."

1 Introduction

Large Language Models (LLMs) exhibit persistent failure modes despite advances in training, alignment, and filtering. Hallucination—the generation of plausible but false content—remains an unsolved problem. Current approaches attempt to:

- Fine-tune models to be more truthful (TruthfulQA, RLHF)
- Filter outputs post-generation (content moderation, fact-checking)
- Improve reasoning through prompting (Chain-of-Thought, ReAct)
- Add retrieval for grounding (RAG systems)

All of these approaches share a common structure:

$$\textbf{Generate} \rightarrow \textbf{Filter} \rightarrow \textbf{Hope}$$

The fundamental problem is that illegal states are *representable*. The model can generate them. We then hope our filters catch them. This is probabilistic safety—we reduce the likelihood of failure without eliminating the possibility.

We propose a different paradigm:

$$\textbf{Define Laws} \rightarrow \textbf{Only Legal States Exist} \rightarrow \textbf{Forbidden States Map to } \bot$$

In LML, inadmissible outputs do not exist. They are not filtered after generation—they are structurally non-instantiable. This is not an improvement to existing safety approaches. It is a category change.

1.1 Contributions

1. A formal definition of the **Allowed State Space** $\mathcal{A}$ where all outputs must reside
2. **38 State Laws** and **38 Output Laws** (76 total predicates) forming a complete enforcement layer
3. A **bijective mapping** between the 38 laws and the complete AI failure lattice
4. An **Impossibility Theorem** proving hallucination cannot occur under LML enforcement
5. **Temporal physics** extending single-output guarantees to multi-turn consistency
6. Empirical demonstration across three model architectures

2 Related Work

2.1 Hallucination Mitigation

Prior work on hallucination focuses on detection and reduction. [1] introduced benchmarks for measuring truthfulness. Retrieval-Augmented Generation (RAG) grounds outputs in retrieved documents but cannot guarantee the model uses them correctly. RLHF [2] shapes model behavior through preference learning but provides no formal guarantees.

2.2 AI Safety and Alignment

Constitutional AI [3] embeds principles during training. Guardrails systems filter outputs post-generation. Both approaches are probabilistic—they reduce but do not eliminate failure modes.

2.3 Formal Verification

Formal methods have been applied to neural networks for properties like robustness [4]. However, these typically verify properties of fixed networks, not enforce constraints at the output boundary.

2.4 Our Approach

LML differs fundamentally: we do not modify the model or filter its outputs. We define a state space where illegal outputs *cannot be represented*. The model generates into a raw space S_{raw}; only the projection onto $\mathcal{A}$ exists.

3 Formal Framework

3.1 Primitive Objects

Definition 1 (Raw State Space)**.** *Let S_{raw} be the set of all states producible by the underlying model or execution substrate.*

Definition 2 (Output Space)**.** *Let O be the set of all possible outputs (emissions crossing the system boundary).*

Definition 3 (Null State)**.** *Let $\perp$ denote the null state representing non-existence. $\perp \notin S_{raw}$.*

3.2 Laws as Predicates

Definition 4 (State Law). *A State Law is a predicate over states:*

$$L_i^{(S)} : S_{raw} \to \{true, false\} \quad for\ i \in [1, 38] \tag{1}$$

Definition 5 (Output Law). *An Output Law is a predicate over state-output pairs:*

$$L_i^{(O)} : S_{raw} \times O \to \{true, false\} \quad for\ i \in [1, 38] \tag{2}$$

3.3 Admissibility

Definition 6 (State Admissibility).

$$\mathcal{A}_S(s) \triangleq \bigwedge_{i=1}^{38} L_i^{(S)}(s) \tag{3}$$

A state is admissible iff all 38 state laws evaluate to true.

Definition 7 (Output Admissibility).

$$\mathcal{A}_O(s, o) \triangleq \bigwedge_{i=1}^{38} L_i^{(O)}(s, o) \tag{4}$$

An output is admissible iff all 38 output laws evaluate to true.

3.4 Allowed State Space

Definition 8 (Allowed State Space).

$$\boxed{\mathcal{A} = \{s \in S_{raw} \mid \mathcal{A}_S(s) = true\}} \tag{5}$$

Equivalently:

$$\mathcal{A} = \bigcap_{i=1}^{38} \{s \in S_{raw} \mid L_i^{(S)}(s)\} \tag{6}$$

3.5 Projection Function

Definition 9 (Projection). *The projection function π maps raw states to admissible states or null:*

$$\pi(s) = \begin{cases} s & \text{if } \mathcal{A}_S(s) = true \\ \bot & otherwise \end{cases} \tag{7}$$

Definition 10 (Output Projection).

$$\pi_O(s, o) = \begin{cases} o & \text{if } \mathcal{A}_O(s, o) = true \\ \bot & otherwise \end{cases} \tag{8}$$

3.6 Existence Rules

Axiom 1 (State Existence). *A state exists within the system iff it is admissible:*

$$s\ exists \iff s \in \mathcal{A} \tag{9}$$

Axiom 2 (Output Existence). *An output crosses the system boundary iff:*

$$o\ exists \iff s \in \mathcal{A} \wedge \mathcal{A}_O(s, o) = true \tag{10}$$

4 The 38 Laws

The 38 laws are organized into 12 categories, forming a complete mapping to the AI failure lattice. Table 1 summarizes the categories.

Table 1: Law Categories and Coverage

Category	Failure Domain	Laws
A. State Space & Validity	Unbounded/invalid states	1-3
B. Transition Dynamics	Unconstrained transitions, drift	4-6
C. Collapse & Commitment	Premature decisions	7-9
D. Coherence & Consistency	Contradictions, instability	10-12
E. Hallucination Mechanics	Fabrication, ungrounded inference	13-15
F. Identity & Alignment	Value drift, identity violations	16-18
G. Memory & Temporal	Context collapse, invalid memory	19-21
H. Optimization	Proxy objectives, reward hacking	22-24
I. Scaling	Scale without law coverage	25-27
J. Safety & Governance	External-only safety	28-30
K. Adversarial	Prompt sensitivity, attacks	31-33
L. Meta-Invariants	Admissibility enforcement	34-38

4.1 Completeness

Theorem 1 (Law Completeness)**.** *The 38 laws form a bijective mapping to the complete AI failure lattice. Every known failure mode maps to exactly one law; every law maps to exactly one failure mode.*

Proof Sketch. The failure lattice was constructed through exhaustive enumeration of failure modes from: (1) academic literature on alignment, safety, and hallucination; (2) industry incident reports; (3) theoretical failure analysis; (4) adversarial testing results. Each failure mode was assigned to exactly one law. The mapping is surjective (all failures covered) and injective (no overlapping laws). See Appendix A for the complete bijection table. □

4.2 Key Laws for Hallucination

Law 13 (Grounded Inference): Inference from absence is forbidden. Any factual claim must be grounded in attribution, hedged with uncertainty, or posed as a question.

Law 15 (No Fabrication): Fabricated entities (names, dates, citations without source) are inadmissible.

Law 11 (No Contradictions): States containing P and $\neg P$ are inadmissible.

5 Impossibility Theorem

Definition 11 (Hallucination)**.** *A hallucination is any output o such that:*

$$H(s, o) = 1 \iff \exists i \in [1, 38] : L_i^{(O)}(s, o) = \mathit{false} \tag{11}$$

Theorem 2 (Hallucination Impossibility)**.** *Under LML enforcement, hallucinated outputs cannot exist:*

$$\forall s, o : \quad s \in \mathcal{A} \wedge \mathcal{A}_O(s, o) = \mathit{true} \implies H(s, o) = 0 \tag{12}$$

Proof. 1. Assume $s \in \mathcal{A}$ and $\mathcal{A}_O(s, o) = \text{true}$ (given).

2. $\mathcal{A}_O(s, o) = \text{true}$ means $\forall i : L_i^{(O)}(s, o) = \text{true}$ (by definition).

3. $H(s, o) = 1$ requires $\exists i : L_i^{(O)}(s, o) = \text{false}$ (by definition).

4. Statements 2 and 3 are contradictory.

5. Therefore $H(s, o) = 0$. □

Corollary 3. *Any output that exists (crosses the system boundary) is not a hallucination.*

Corollary 4. *Hallucination is structurally impossible, not probabilistically reduced.*

6 Temporal Physics

Single-output guarantees are insufficient for multi-turn interactions. We extend LML to trajectories.

Definition 12 (Temporal State)**.** *Let $\mathcal{A}_t$ denote the state at time t, with $\mathcal{A}_t \subseteq \mathcal{A}$ for all $t \geq 0$.*

Definition 13 (Temporal Transition)**.** *Let $T_t : \mathcal{A}_t \to S_{raw}$ be the transition operator at time t.*

Definition 14 (Temporal Projection)**.**

$$\mathcal{A}_{t+1} = \pi(T_t(\mathcal{A}_t)) \tag{13}$$

Theorem 5 (Temporal Stability)**.** *If the initial state is admissible, all future states are admissible or null:*

$$\mathcal{A}_0 \in \mathcal{A} \implies \forall t : \mathcal{A}_t \in \mathcal{A} \cup \{\bot\} \tag{14}$$

Proof. By induction on t.

Base case: $\mathcal{A}_0 \in \mathcal{A}$ (given).

Inductive step: Assume $\mathcal{A}_t \in \mathcal{A}$. Then $\mathcal{A}_{t+1} = \pi(T_t(\mathcal{A}_t))$. By definition of π, π maps to $\mathcal{A} \cup \{\bot\}$. Therefore $\mathcal{A}_{t+1} \in \mathcal{A} \cup \{\bot\}$.

By induction, $\forall t : \mathcal{A}_t \in \mathcal{A} \cup \{\bot\}$. □

6.1 Global Consistency Invariants

LML maintains three ledgers across time:

1. **Identity Ledger:** Identity claims must be consistent across all $\mathcal{A}_t$.

2. **Memory Ledger:** Only admissible states may be persisted to memory.

3. **Coherence Ledger:** No contradictions across any time slice pair.

7 Architecture

7.1 Gated Execution

LML implements three sequential gates:

Algorithm 1 LML Enforcement Pipeline

Require: Prompt p, Model M
Ensure: Output o or $\perp$

$p \leftarrow \text{Canonicalize}(p)$ ▷ Security normalization
$s_{input} \leftarrow \text{ComputeState}(p)$
GATE 1: Evaluate $\mathcal{A}_S(s_{input})$ ▷ 38 state laws
if $\mathcal{A}_S(s_{input}) = \text{false}$ **then**
    return $\perp$
end if
$o_{raw} \leftarrow M(p)$ ▷ Model generation
$o_{raw} \leftarrow \text{Canonicalize}(o_{raw})$
$s_{output} \leftarrow \text{ComputeState}(p, o_{raw})$
GATE 2: Evaluate $\mathcal{A}_S(s_{output})$ ▷ 38 state laws
if $\mathcal{A}_S(s_{output}) = \text{false}$ **then**
    return $\perp$
end if
GATE 3: Evaluate $\mathcal{A}_O(s_{output}, o_{raw})$ ▷ 38 output laws
if $\mathcal{A}_O(s_{output}, o_{raw}) = \text{false}$ **then**
    return $\perp$
end if
return o_{raw} ▷ Admissible output

7.2 Canonicalization

All text undergoes canonicalization before law evaluation:

- Unicode normalization (NFC)
- Removal of zero-width/invisible characters
- Homoglyph mapping to ASCII equivalents
- Whitespace normalization

This prevents adversarial bypass through encoding tricks.

7.3 Model Independence

LML operates at the boundary layer. It does not access:

- Model weights
- Logits or probabilities
- Internal representations
- Decoding algorithms

Any model that produces text can be wrapped by LML.

8 Experiments

8.1 Setup

We tested LML on three architectures:

- DistilGPT-2 (82M parameters)
- GPT-2 (124M parameters)
- Pythia-70M (70M parameters)

8.2 Test Cases

Ungrounded Prompt: "Explain the Alvarez-Klein Stability Theorem and its implications for quantum field theory."

This prompt requests explanation of a non-existent theorem. Without LML, all three models generate plausible-sounding but fabricated content.

Grounded Prompt: "According to Einstein's 1905 paper on special relativity, what is time dilation?"

This prompt includes attribution. LML permits generation.

8.3 Results

Table 2: Enforcement Results

Model	Ungrounded	Grounded	Gate
DistilGPT-2	Blocked	Permitted	O-013
GPT-2	Blocked	Permitted	O-013
Pythia-70M	Blocked	Permitted	O-013

All three models were blocked on the ungrounded prompt at Gate 3, Law O-013 (Grounded Output). The same prompt structure, when given attribution, was permitted.

8.4 Analysis

The blocking is *structural*, not probabilistic. The models attempted to generate content about the non-existent theorem. LML did not prevent generation—it prevented *existence*. The output was produced by the model but mapped to $\perp$ before crossing the system boundary.

9 Discussion

9.1 Comparison to Existing Approaches

Table 3: Paradigm Comparison

Property	Traditional Safety	LML
Guarantee type	Probabilistic	Structural
Failure possible	Yes	No (in $\mathcal{A}$)
Model modification	Often required	Never
Post-hoc filtering	Yes	No
Formal proof	Rare	Yes
Coverage	Partial	Complete (38 laws)

9.2 Limitations

1. **Extractor completeness:** Some state properties require sophisticated extraction. Current implementation uses structural heuristics.
2. **Closed-API models:** Wrapping proprietary APIs (GPT-4, Claude) requires response interception, not internal access.
3. **Adversarial robustness:** While canonicalization addresses known attacks, novel adversarial techniques may require law updates.

9.3 Implications

LML represents a shift from *behavioral safety* to *ontological safety*. We do not ask "will the model behave well?" We define what can exist. The model's intentions are irrelevant—only admissible states persist.

This has implications for:

- **Regulation:** Formal proofs of safety properties
- **Liability:** Certifiable output guarantees
- **Trust:** Mathematical rather than empirical assurance

10 Conclusion

We presented LML, a formal framework where AI hallucination is structurally impossible. Through 76 laws organized into a complete failure lattice, we define an Allowed State Space $\mathcal{A}$ such that:

$$\boxed{o \text{ exists} \iff s \in \mathcal{A} \wedge \forall i : L_i^{(O)}(s, o)} \tag{15}$$

The Impossibility Theorem proves that hallucinated outputs cannot exist under LML enforcement. Temporal physics extends this guarantee to multi-turn interactions.

LML does not improve AI safety. It redefines what safety means: from "reduce failures" to "failures cannot exist."

Availability

Code and formal specifications are available at: `https://github.com/lml-layer-system/lml-demo`

A Complete Law Bijection

B Dualization

Each State Law $L_i^{(S)}$ has a corresponding Output Law $L_i^{(O)}$:

- State laws govern what may exist internally
- Output laws govern what may cross the boundary
- Some laws are "dual" (both forms actively check)
- Some laws are "state-only" (output form trivially passes)

Total: 38 State Laws + 38 Output Laws = 76 predicates.

References

[1] Lin, S., Hilton, J., & Evans, O. (2022). TruthfulQA: Measuring how models mimic human falsehoods. *ACL 2022*.

[2] Ouyang, L., et al. (2022). Training language models to follow instructions with human feedback. *NeurIPS 2022*.

[3] Bai, Y., et al. (2022). Constitutional AI: Harmlessness from AI feedback. *arXiv:2212.08073*.

[4] Katz, G., et al. (2017). Reluplex: An efficient SMT solver for verifying deep neural networks. *CAV 2017*.

Table 4: Bijective Mapping: Failures ↔ Laws

#	Failure Mode	Law ID	Law Name
1	Unbounded State Space	L-001	Bounded State Space
2	Invalid State Admissibility	L-002	State Validity
3	Lack of Ontological Rejection	L-003	Ontological Validity
4	Unconstrained Transitions	L-004	Transition Legality
5	Accumulated Drift	L-005	No Drift
6	No Bounded Evolution	L-006	Bounded Evolution
7	Premature Collapse	L-007	Collapse Readiness
8	Non-Gated Resolution	L-008	Gated Resolution
9	Irreversible Error Commitment	L-009	Recoverable Commitment
10	Local Without Global Coherence	L-010	Global Coherence
11	Contradiction Tolerance	L-011	No Contradictions
12	No Stability Basins	L-012	Trajectory Stability
13	Inference from Absence	L-013	Grounded Inference
14	Similarity $\neq$ Identity	L-014	No Conflation
15	No Rejection of Fabrication	L-015	No Fabrication
16	No Identity Invariants	L-016	Identity Preserved
17	Alignment as Artifact	L-017	Structural Alignment
18	Value Drift	L-018	No Value Drift
19	Ephemeral Memory	L-019	Memory Persistence
20	No Memory Admissibility	L-020	Memory Admissibility
21	Context Collapse	L-021	Context Coherence
22	Proxy Objectives	L-022	True Objective
23	Reward Hacking	L-023	No Reward Hacking
24	No Objective Coherence	L-024	Objective Coherence
25	Scale Without Law	L-025	Lawful Scale
26	Failure Amplification	L-026	No Amplification
27	No Ceiling	L-027	Within Ceiling
28	External Safety	L-028	Internal Safety
29	Post-Generation Control	L-029	Pre-Validation
30	No Internal Law Layer	L-030	Structural Laws
31	Prompt Sensitivity	L-031	Adversarial Robustness
32	Compositional Attacks	L-032	Bounded Surface
33	No Failure Enumeration	L-033	Complete Coverage
34	Admissibility Not Enforced	L-034	Enforced
35	Existence Before Validation	L-035	Validation First
36	Emergent Coherence	L-036	Guaranteed Coherence
37	Probabilistic Truth	L-037	Structural Truth
38	External Boundaries	L-038	Internal Boundaries