



Exemple d'utilisation de l'interface SYCL

Rapport de stage

Alexandre Honorat

Encadrants : Olivier Aumage, Denis Barthou

Tuteur : Denis Barthou

Filière Informatique, spécialité Parallélisme, Régulation et Calcul Distribué
Master Réseaux et Systèmes Mobiles, parcours Calcul Haute Performance

26 mai 2015



Table des matières

Introduction	2
1 Centre de recherche et cadre de travail	3
2 Bibliothèque de stencils basée sur SYCL	4
3 Utilisation de StarPU et intégration dans QIRAL	5
Conclusion	6
Bibliographie	6

Introduction

Chapitre 1

Centre de recherche et cadre de travail

Chapitre 2

Bibliothèque de stencils basée sur SYCL

Chapitre 3

Utilisation de StarPU et intégration dans QIRAL

Conclusion

Bibliographie

- [1] Denis Barthou, Olivier Brand-Foissac, Romain Dolbeau, Gilbert Grosdidier, Christina Eisenbeis, Michael Kruse, Olivier Pène, Konstantin Petrov, and Claude Tadonki. Automated code generation for lattice quantum chromodynamics and beyond. *CoRR*, abs/1401.2039, 2014.
- [2] Denis Barthou, Gilbert Grosdidier, Michael Kruse, Olivier Pène, and Claude Tadonki. QIRAL : A high level language for lattice QCD code generation. *CoRR*, abs/1208.4035, 2012.
- [3] Usman Dastgeer. Skeleton programming for heterogeneous gpu-based systems, 2011.
- [4] Christophe Dubach, Perry Cheng, Rodric Rabbah, David F. Bacon, and Stephen J. Fink. Compiling a high-level language for gpus : (via language support for architectures and compilers). In *Proceedings of the 33rd ACM SIGPLAN Conference on Programming Language Design and Implementation, PLDI '12*, pages 1–12, New York, NY, USA, 2012. ACM.
- [5] Clavel Eker, M. Clavel, S. Eker, and J. Meseguer. Principles of maude, 1996.
- [6] Douglas Gregor and Jaakko Järvi. Variadic templates for c++0x, February 2008.
- [7] Simon Heybrock, Bálint Joó, Dhiraj D. Kalamkar, Mikhail Smelyanskiy, Karthikeyan Vaidyanathan, Tilo Wettig, and Pradeep Dubey. Lattice QCD with domain decomposition on intel® xeon phi co-processors. In *International Conference for High Performance Computing, Networking, Storage and Analysis, SC 2014, New Orleans, LA, USA, November 16-21, 2014*, pages 69–80, 2014.
- [8] C. Kessler and W. Löwe. Optimized composition of performance-aware parallel components. *Concurr. Comput. : Pract. Exper.*, 24(5) :481–498, April 2012.
- [9] Roland Leißa, Sebastian Hack, and Ingo Wald. Extending a c-like language for portable simd programming. *SIGPLAN Not.*, 47(8) :65–74, February 2012.
- [10] A. Nguyen, N. Satish, J. Chhugani, Changkyu Kim, and P. Dubey. 3.5-d blocking optimization for stencil computations on modern cpus and gpus. In *High Performance Computing, Networking, Storage and Analysis (SC), 2010 International Conference for*, pages 1–13, Nov 2010.
- [11] Cedric Nugteren and Henk Corporaal. Introducing 'bones' : A parallelizing source-to-source compiler based on algorithmic skeletons. In *Proceedings of the 5th Annual Workshop on General Purpose Processing with Graphics Processing Units, GPGPU-5*, pages 1–10, New York, NY, USA, 2012. ACM.
- [12] Cedric Nugteren and Henk Corporaal. Bones : An automatic skeleton-based c-to-cuda compiler for gpus. *ACM Trans. Archit. Code Optim.*, 11(4) :35 :1–35 :25, December 2014.

- [13] Cedric Nugteren, Pieter Custers, and Henk Corporaal. Algorithmic species : A classification of affine loop nests for parallel programming. *ACM Trans. Archit. Code Optim.*, 9(4) :40 :1–40 :25, January 2013.
- [14] Laurent Plagne, Frank Hülsemann, Denis Barthou, and Julien Jaeger. Parallel expression template for large vectors. In *Proceedings of the 8th Workshop on Parallel/High-Performance Object-Oriented Scientific Computing*, POOSC '09, pages 8 :1–8 :8, New York, NY, USA, 2009. ACM.
- [15] Todd L. Veldhuizen. Arrays in blitz++. In *In Proceedings of the 2nd International Scientific Computing in Object-Oriented Parallel Environments (ISCOPE'98)*, pages 223–230. Springer-Verlag, 1998.