

### **BULON GRADO 5 - ROSCA USS**

### **ALTA RESITENCIA**

	DIAMETRO	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
0	1/2	•	•	•							
LARGO	5/8	•	•	•							
_	3/4	•	•	•	•	•					
	7/8	•	•	•	•	•					
	1	•	•	•	•	•	•	•			
	1 1/4	•	•	•	•	•	•	•	•		-
	1 1/2	•	•	•	•	•	•	•	•		
	1 3/4	•	•	•	•	•	•	•	•		
	2	•	•	•	•	•	•	•	•	•	
	2 1/4	•	•	•	•	•	•	•	•	•	
	2 1/2	•	•	•	•	•	•	•	•	•	•
	2 3/4	•	•	•	•	•	•	•	•	•	
	3	•	•	•	•	•	•	•	•	•	•
	3 1/4	•	•	•	•	•	•	•	•		
	3 1/2	•	•	•	•	•	•	•	•	•	•
	4	•	•	•	•	•	•	•	•	•	•
	4 1/2	•	•	•	•	•	•	•	•	•	•
	5	•	•	•	•	•	•	•	•	•	•
	5 1/2	•		•			•	•	•	•	•
	6	•	•	•	•	•	•	•	•	•	•
	7		•	•	•	•	•	•	•	•	•
	8								•	•	•
	9								•	•	•
	10									•	

# **TUERCA GRADO 5 - ROSCA USS**

DIAMETRO	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
ROSCA	R 20	R 18	R 16	R 14	R 13	R 12	R 11	R 10	R 9	R 8
	•	•	•	•		•		•	•	•



# **BULON GRADO 5 - ROSCA SAE**

	DIAMETRO	1//	E/10	2/0	7/16	1/2	0/16	E/0	3/4	7/8	1
		1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/0	•
30	1/2	•	•	•							
LARGO	5/8	•	•	•							
_	3/4	•	•	•	•	•					
	7/8	•	•	•	•						
	1	•	•	•	•	•		•			
	1 1/4	•	•	•	•	•	•	•			_
	1 1/2	•	•	•	•	•	•	•	•		
	1 3/4	•	•	•	•	•	•	•	•		
	2	•	•	•	•	•	•	•	•	•	
	2 1/4	•	•	•	•	•	•	•	•	•	
	2 1/2	•	•	•	•	•	•	•	•	•	•
	2 3/4	•	•	•	•	•	•	•	•	•	•
	3	•	•	•	•	•	•	•	•	•	•
	3 1/4	•	•	•	•	•	•	•	•	•	
	3 1/2	•	•	•	•	•	•	•	•	•	•
	4	•	•	•	•	•	•	•	•	•	•
	4 1/2	•	•	•	•	•	•	•	•	•	•
	5	•	•	•	•	•	•	•	•	•	•
	5 1/2		•	•	•	•	•	•	•	•	•
	6		•		•	•	•	•	•	•	•

# **TUERCA GRADO 5 - ROSCA SAE**

DIAMETRO	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
	H28	H24	H24	H20	H20	H18	H18	H16	H14	H12
	_	_		_		_	_	_	_	





# **BULON GRADO 8.8 METRICO (MA)**

	PAS0	P 0,80	P 1,00	P 1,00	P 1,25	P 1,25 P 1,50	P 1,25 P 1,50 P 1,75	P 1,50 P 2,00	P 1,50 P 2,00	P 1,50 P 2,50	P 1,50 P 2,50
	DIAMETRO	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm
09	10 mm	•	•								
LARGO	15 mm	•	•		•	•					
	20 mm	•	•	•	•	•	•	•			
	25 mm	•	•	•	•	•	•	•	•		
	30 mm	•	•	•	•	•	•	•	•		
	35 mm	•	•	•	•	•	•	•	•		
	40 mm	•	•	•	•	•	•	•	•	•	
	45 mm	•	•	•	•	•	•	•	•	•	
	50 mm	•	•	•	•	•	•	•	•	•	
	55 mm	•	•	•	•	•	•	•	•	•	•
	60 mm		•	•	•	•	•	•	•	•	•
	65 mm		•		•	•	•	•	•	•	•
	70 mm		•		•	•	•	•	•	•	•
	80 mm		•		•	•	•	•	•	•	•
	90 mm		•		•	•	•	•	•	•	•
	100 mm		•		•	•	•	•	•	•	•
	110 mm				•	•	•	•	•	•	•
	120 mm				•	•	•	•		•	•
	130 mm				•	•	•	•		•	•
	140 mm				•	•	•	•			
	150 mm				•	•	•	•			

# **TUERCA GRADO 8.8 METRICO (MA)**

PAS0	P 0,80	P 1,00	P 1,00	P 1,25	P 1,25 P 1,50	P 1,25 P 1,50 P 1,75	P 1,50 P 2,00	P 1,50 P 2,00	P 1,50 P 2,50	P 1,50 P 2,50
DIAMETRO	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm
	•	•	•	•	•	•	•	•	•	•



# BULON CABEZA REDONDA CUELLO CUADRADO

### **CONTUERCA**

	DIAMETRO	1/4	5/16	3/8	7/16	1/2
09	1	•	•	•		
LARGO	1 1/4	•	•	•		
	1 1/2	•	•	•	•	
	1 3/4	•	•	•	•	
	2	•	•	•	•	
	2 1/4	•	•	•	•	
	2 1/2	•	•	•	•	
	2 3/4	•	•	•	•	
	3	•	•	•	•	
	3 1/4	•	•	•	•	
	3 1/2	•	•	•	•	
	4	•	•	•	•	
	4 1/2	•	•	•	•	
	5	•	•	•	•	
	5 1/2	•	•	•	•	
	6		•	•	•	
	6 1/2		•	•	•	
	7		•	•	•	
	8		•	•	•	
	9		•	•	•	
	10		•	•	•	
	11			•	•	
	12			•		







# **BULONES GRADO 10.9 y 12.9**

Desarrollamos bulones y piezas especiales por encargo, respetando planos y estándares.



#### TABLA COMPARATIVA - PORTIPO DE ROSCA

R	OSCA U.N.O	).
Diametro Pulgadas	Diametro Milímetros	Hilos por Pulgada
1/4	6,35	20
5/16	7,94	18
3/8	9,52	16
7/16	11,11	14
1/2	12,70	13
1/2 Whit	12,70	12
9/16	14,28	12
5/8	15,88	11
3/4	19,05	10
7/8	22,22	9
1	25,40	8
1 1/8	28,57	7
1 1/4	31,75	7
1 3/8	34,92	6
1 1/2	38,10	6
1 3/4	44,45	5
2	50,80	4,5

F	ROSCA U.N.F	
Diametro Pulgadas	Diametro Milímetros	Hilos por Pulgada
1/4	6,35	28
5/16	7,94	24
3/8	9,52	24
7/16	11,11	20
1/2	12,70	20
9/16	14,28	18
5/8	15,88	18
3/4	19,05	16
7/8	22,22	14
1	25,40	12
1 1/8	28,57	12
1 1/4	31,75	12
1 3/8	34,92	12
1 1/2	38,10	12

RO	OSCA M. N	1.
Diametro Milímetros	M.A.	M.B.
6	1,00	0,75
7	1,00	0,75
8	1,25	1,00
9	1,50	1,00
10	1,50	1,25
11	1,50	1,25
12	1,75	1,50
14	2,00	1,50
16	2,00	1,50
18	2,50	2,00
20	2,50	2,00
22	2,50	2,00
24	3,00	2,00

### **ARANDELAS**

#### **PLANA GALVANIZADA**

DIAM	1/8	5/32	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•	•	•	•

### **CHAPISTA GALVANIZADA**

DIAM	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4



### **BISELADAS (PULGADAS)**

DIAM	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•	•	•



### **BISELADAS (METRICAS)**

DIAM	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	24 mm
	•	•	•	•	•	•	•	•	•	•	•



### **GROWER (PULGADAS)**

DIAMETRO	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
Acero común	•	•	•	•	•	•	•	•	•	•

### **GROWER (METRICAS)**

DIAMETRO	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm
Acero común	•	•	•	•	•	•	•	•	•	•



### **TUERCAS**

#### MARIPOSAS EN PULGADAS GALVANIZADAS

DIAMETRO	1/8	5/32	3/16	7/32	1/4	5/16	3/8	7/16	1/2 WHT
Rosca USS		•	•		•	•	•	•	



#### **MARIPOSAS METRICAS GALVANIZADAS**

DIAMETRO	5 mm	6 mm	8 mm	10 mm
	•	•	•	•



### **AUTOFRENANTE - PULGADAS**

DIAMETRO	1/4	5/16	3/8	7/16	1/2 wht	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•	•

#### **AUTOFRENANTES METRICAS**

PAS0	P 0,80	P 1,00	P 1,00	P 1,25	P 1,25 P 1,50	P 1,25 P 1,50 P 1,75	P 1,50 P 2,00	P 1,50 P 2,00	P 1,50 P 2,50	P 1,50 P 2,50
DIAMETRO	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm
	•	•	•	•	•	•	•	•	•	•

### **CASTILLO ROSCA SAE**

DIAMETRO	1/2	9/16	5/8	3/4	7/8	1	1 1/8	1 1/4	1 1/2
	•	•	•	•	•	•	•	•	•



### **ALTA ROSCA SAE**

DIAMETRO	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•





### **TORNILLO ALLEN CABEZA CILINDRICA**

### **ROSCA USS**

	DIAMETRO	3/16	1/4	5/16	3/8	7/16	1/2 WHT
09	3/8	•	•				
LARG0	1/2	•	•	•	•		
	5/8	•	•	•	•		
	3/4	•	•	•	•	•	
	7/8	•	•	•	•	•	
	1	•	•	•	•	•	•
	1 1/4	•	•	•	•	•	•
	1 1/2		•	•	•	•	•
	1 3/4	•	•		•	•	•
	2	•	•	•	•	•	•
	2 1/4		•	•	•		
	2 1/2		•	•	•	•	•
	2 3/4				•	•	•
	3		•	•	•		•
	4				•		



### **METRICOS**

	PAS0	P 0,70	P 0,80	P 1,00	P 1,00	P 1,25	P 1,50	P 1,75
	DIAMETRO	4 mm	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm
90	10 mm	•	•	•				
LARGO	16 mm	•	•	•	•	•		
	20 mm	•	•	•	•	•		•
	25 mm	•	•	•	•	•	•	•
	30 mm	•	•	•	•	•	•	•
	35 mm	•	•	•	•	•	•	•
	40 mm	•	•	•	•	•	•	•
	45 mm		•	•	•	•	•	
	50 mm		•	•	•	•	•	•
	55 mm			•		•	•	
	60 mm			•	•	•	•	•
	65 mm			•		•		•
	70 mm			•	•	•	•	•
	80 mm			•		•	•	•
	90 mm			•		•		•
	100 mm					•	•	





### **TORNILLO ALLEN CABEZA FRESADA**

### **METRICOS**

	PAS0	P 0,80	P 1,00	P 1,25	P 1,50	P 1,75
	DIAMETRO	5 mm	6 mm	8 mm	10 mm	12 mm
09	15 mm	•	•	•		
LARGO	20 mm	•	•	•	•	
	25 mm	•	•	•	•	•
	30 mm		•	•	•	•
	35 mm		•	•		•
	40 mm		•	•	•	•
	45 mm		•	•		•
	50 mm		•	•	•	•
	55 mm					
	60 mm				•	•



### **PULGADAS**

	DIAMETRO	3/16	1/4	5/16	3/8	7/16
LARGO						
ΙĀ						





# **TORNILLO ALLEN SIN CABEZA**

### **PULGADAS / ROSCA USS**

	DIAMETRO	3/16	1/4	5/16	3/8	7/16	1/2 wht
30	3/16	•					
LARGO	1/4	•					
	5/16	•	•		•		
	3/8	•	•	•	•		
	7/16	•		•	•		
	1/2	•	•	•			•
	5/8		•	•	•		
	3/4		•		•		
	7/8		•	•	•		
	1	•	•	•	•	•	•
	2		•	•	•		



### **METRICOS**

	PAS0	P 0,70	P 0,80	P 1,00	P 1,25
	DIAMETRO	4 mm	5 mm	6 mm	8 mm
30	6 mm	•	•	•	
LARGO	8 mm		•	•	
	10 mm		•	•	
	12 mm	•	•		•
	16 mm	•	•	•	•
	20 mm	•	•	•	•
	25 mm		•	•	•
	30 mm		•	•	
	35 mm				•





### **TORNILLO CABEZA REDONDA**

#### **GALVANIZADOS - ROSCA USS**

	DIAMETRO	1/8	5/32	3/16	1/4	5/16
90	3/8	•	•	•		
LARG0	1/2	•	•	•	•	
	5/8	•	•	•	•	•
	3/4	•	•	•	•	•
	7/8	•	•	•	•	
	1	•		•	•	•
	1 1/4	•	•	•	•	•
	1 1/2	•	•	•	•	•
	1 3/4	•	•	•	•	
	2	•	•	•	•	•
	2 1/4				•	•
	2 1/2	•	•	•	•	
	2 3/4	•	•	•		
	3			•		



### **TORNILLO CABEZA CILINDRICA**

#### **GALVANIZADOS / ZINCADOS METRICOS**

	PAS0	P 0,50	P 0,70	P 0,80	P 1,00	P 1,25
	DIAMETRO	3 mm	4 mm	5 mm	6 mm	8 mm
09	10 mm	•	•	•	•	
LARGO	16 mm	•	•	•	•	•
	20 mm	•		•	•	•
	25 mm	•		•	•	•
	30 mm		•	•	•	•
	35 mm		•	•	•	•
	40 mm		•	•	•	•
	45 mm			•	•	•
	50 mm			•	•	•





### **TORNILLO CABEZA FRESADA**

#### **GALVANIZADOS ROSCA USS**

	DIAMETRO	1/8	5/32	3/16	1/4	5/16
09	3/8		•	•	•	
LARGO	1/2	•	•		•	•
	5/8	•	•	•	•	•
	3/4	•		•	•	•
	7/8	•	•	•	•	•
	1	•			•	•
	1 1/4	•	•		•	•
	1 1/2	•	•	•	•	
	1 3/4	•	•	•	•	•
	2	•		•	•	•
	2 1/4			•		
	2 1/2				•	
	2 3/4			•		
	3		•	•	•	•



### **METRICOS**

	PAS0	P 0,50	P 0,70	P 0,80	P 1,00	P 1,25
	DIAMETRO	3 mm	4 mm	5 mm	6 mm	8 mm
30	10 mm	•	•	•		
LARGO	16 mm	•	•	•	•	•
	20 mm	•	•	•	•	
	25 mm	•	•	•	•	•
	30 mm	•	•	•	•	•
	35 mm		•		•	•
	40 mm		•	•	•	
	45 mm			•	•	•
	50 mm			•	•	•





### **TORNILLO TANQUE**

### **GALVANIZADOS, ROSCA USS**

	DIAMETRO	1/8	5/32	3/16	1/4	5/16
30	3/8			•		
LARGO	1/2	•	•	•	•	•
	5/8	•	•	•	•	
	3/4	•		•	•	•
	7/8	•	•	•	•	•
	1	•	•	•	•	•
	1 1/4	•	•	•	•	•
	1 1/2	•	•	•	•	•
	1 3/4	•	•	•	•	•
	2	•	•	•	•	•
	2 1/4			•	•	•
	2 1/2			•	•	
	2 3/4			•	•	
	3			•	•	
	3 1/2				•	
	4					



# PRISIONEROS CABEZA CUADRADA

	DIAMETRO	1/4	5/16	3/8	7/16	1/2 WHT	9/16	5/8	3/4
0	1/2	•	•	•					
LARGO	5/8	•	•	•	•				
	3/4	•	•	•	•	•	•		
	7/8	•	•	•	•	•			
	1	•	•	•	•	•			
	1 1/4	•	•	•	•	•	•		•
	1 1/2		•	•	•	•			•
	1 3/4	•	•	•	•	•			
	2	•	•	•	•	•			•
	2 1/2			•		•			•
	2 3/4			•		•		•	
	3				•	•		•	•





### **TORNILLO PARKER**

	DIAMETRO	4	6	7	8	10	12	14
30	5/16	•	•	•				
LARGO	3/8	•	•	•	•	•		
	1/2	•	•	•	•	•	•	
	5/8	•	•	•	•	•	•	•
	3/4	•	•	•	•	•	•	•
	7/8	•	•	•	•	•	•	•
	1	•	•	•	•	•	•	•
	1 1/4		•	•	•	•	•	•
	1 1/2		•	•	•	•	•	•
	1 3/4				•	•	•	
	2				•	•	•	•



# **TIRAFONDOS**

	DIAMETRO	3/16	1/4	5/16	3/8
0	1	•			
LARGO	1 1/4	•	•		
	1 1/2	•	•	•	
	1 3/4	•	•		
	2	•	•	•	
	2 1/4				
	2 1/2		•	•	•
	3		•	•	•
	4		•	•	•
	5				



# **TORNILLO FIX**

	DIAMETRO	3 (18)	3,5 (19)	4 (20)	4,5 (21)	5 (22)	6 (23)
30	12	•	•				
LARGO	16	•	•	•	•		
	20	•	•	•	•		
	25	•	•	•	•	•	
	30	•	•	•	•	•	
	35	•	•	•	•	•	
	40		•	•	•	•	•
	45		•	•	•	•	•
	50			•	•	•	•
	60			•	•	•	•
	70					•	•
	80					•	•
	90					•	•



### **TORNILLO PUNTA AGUJA NEGRO**

### **PARA MADERA**

	DIAMETRO	6	8	10
30	5/8	•		
LARGO	3/4	•		
	1	•	•	•
	1 1/4	•	•	•
	1 1/2	•	•	
	1 5/8	•		
	2	•	•	•
	2 1/4	•	•	
	2 1/2	•	•	
	3		•	•





### **TORNILLOS AUTOPERFORANTES**

#### **CABEZATANQUE - PUNTA MECHA**

	DIAMETRO	8	
30	1/2	•	
LARGO	9/16	•	
	3/4	•	2
	1	•	F
	1 1/4	•	

#### **CABEZATROMPETA - PUNTA MECHA**

	DIAMETRO	6	
30	1	•	
LARGO	1 1/8	•	
	1 5/8	•	



#### **CABEZA HEXAGONAL - PUNTA MECHA**

	DIAMETRO	12	14	
09	3/4		•	Light .
LARGO	1	•	•	
	1 1/2		•	
	2		•	Th.
	2 1/2		•	•
	3		•	

### **GANCHOS PARA TECHOS**

#### **CON ARANDELA Y TUERCA**

DIAMETRO	6	7
70 mm	•	
80 mm	•	.//
90 mm	•	38





### **ESPARRAGOS METRICOS**

	PAS0	P 0,80	P 1,00	P 1,00	P 1,25	P 1,25	P 1,50	P 1,25	P 1,50	P 1,75
	DIAMETRO	5 mm	6 mm	7 mm	8 mm	10 mm	10 mm	12 mm	12 mm	12 mm
30	20 mm	•								
LARGO	25 mm	•	•	•						
	30 mm	•	•	•	•	•	•			
	35 mm	•	•	•	•	•	•			
	40 mm	•	•	•	•	•	•	•		
	45 mm	•	•	•	•	•	•			•
	50 mm	•	•	•	•	•	•	•	•	
	55 mm	•			•	•	•			•
	60 mm		•	•	•		•		•	•
	65 mm				•	•	•			•
	70 mm		•	•	•	•	•	•	•	•
	75 mm				•	•	•			•
	80 mm		•	•		•	•	•	•	•
	85 mm				•	•	•			•
	90 mm		•	•	•	•	•	•		•
	95 mm					•	•			•
	100 mm		•		•	•	•	•		
	105 mm									•
	110 mm				•	•	•			
	120 mm					•				

### **COMBINADOS METRICOS**

	DIAMETRO	5x6	6x7	7x8	8x9	8x10	10x12	
30	35 mm		•	•	•			
LARG0	40 mm		•	•	•			
	45 mm					•		
	50 mm	•	•	•	•	•	•	
	60 mm			•	•	•	•	
	65 mm				•	•		=
	70 mm					•		
	85 mm				•	•		=
	95 mm				•			
	100 mm					•		





### **ESPARRAGOS ROSCA SAE-USS**

	DIAMETRO	4/4	E/4.0	0/0	7/40	1/0	0/40	E /O	0/4
	DIAMETRO	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4
LARGO	25 mm		•						
	30 mm		•	•					
	35 mm	•							
	40 mm	•	•	•	•				
	45 mm	•	•	•					
	50 mm	•	•	•	•	•	•	•	
	55 mm		•	•					
	60 mm	•	•	•	•	•	•	•	•
	65 mm								
	70 mm	•	•	•	•	•	•	•	•
	75 mm								
	80 mm		•	•	•	•	•	•	•
	85 mm								
	90 mm				•	•	•	•	•
	95 mm								
	100 mm				•	•		•	•
	105 mm								
	110 mm				•			•	
	120 mm					•		•	

### COMBINADOS SAE-USS COMBINADOS USS

	DIAMETRO	1/4x5/16	5/16x3/8	3/8x7/16
30	40 mm	•		•
LARGO	45 mm		•	
	50 mm	•	•	•
	60 mm		•	•
	70 mm		•	•
	80 mm		•	•

	DIAMETRO	7/16x1/2	1/2x9/16	7/16x9/16	1/2x5/8
30	50 mm	•	•	•	•
ARG0	60 mm	•	•	•	•

# **CONOS PARA PALIER**

DIAMETRO	3/8	7/16	7/16 REF	1/2	1/2 REF	9/16	5/8
	•	•	•	•	•	•	•







### **VARILLA ROSCADA**

### **HIERRO, PULGADAS - ROSCA USS**

DIAM	1/18	5/32	3/16	1/4	5/16	3/8	7/16	1/2 WHT	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•	•	•	•	•

### **HIERRO, METRICAS**

PAS0	P 1,00	P 1,25	P 1,50	P 1,75	P 2,00	P 2,00	P 2,50	P 2,50	P 2,50	P 3.00
DIAM	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	22 mm	24 mm
	•	•	•	•	•	•	•			

### **GALVANIZADA, PULGADAS - ROSCA USS**

DIAM	1/18	5/32	3/16	1/4	5/16	3/8	7/16	1/2 WHT	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•	•	•	•	•

### **GALVANIZADAS, METRICAS**

PAS0	P 1,00	P 1,25	P 1,50	P 1,75	P 2,00	P 2,00	P 2,50	P 2,50	P 2,50	P 3.00
DIAM	6 mm	8 mm	10 mm	12 mm	14 mm	16 mm	18 mm	20 mm	22 mm	24 mm
									•	•





### **BULON INOXIDABLE**

### **ROSCA USS**

	DIAMETRO	1/4	5/16	3/8	7/16	1/2 WHT	9/16	5/8	3/4
09	1/2	•	•	•					
LARG0	5/8	•	•	•					
	3/4	•	•	•	•	•			
	7/8	•	•	•	•				
	1	•	•	•	•	•	•	•	
	1 1/4	•	•	•	•	•	•	•	•
	1 1/2	•	•	•	•	•	•	•	•
	1 3/4	•	•	•	•	•	•	•	•
	2	•	•	•	•	•	•	•	•
	2 1/4	•	•	•	•			•	•
	2 1/2	•	•	•	•	•	•	•	•
	2 3/4	•	•	•	•			•	
	3	•	•	•	•	•	•	•	•
	3 1/4	•	•						
	3 1/2	•	•	•	•	•	•	•	•
	4	•	•	•	•	•	•	•	•
	4 1/2					•	•	•	•
	5						•		•



### **ROSCA USS**

D.14145770								
DIAMETRO	1/4	5/16	3/8	7/16	1/2 WHT	9/16	5/8	3/4
	•	•	•	•	•	•	•	•





### **BULON INOXIDABLE**

### **METRICOS**

	PAS0	P 0,70	P 0,80	P 1,00	P 1,25	P 1,50	P 1,75	P 2,00	
	DIAMETRO	4 mm	5 mm	6 mm	8 mm	10 mm	12 mm	14mm	
09	10 mm	•	•	•					
LARGO	12 mm	•	•						
	15 mm			•	•				
	16 mm	•	•			•			
	20 mm	•	•	•	•	•			
	25 mm	•	•	•	•	•	•		
	30 mm	•	•	•	•	•	•		
	35 mm	•	•	•	•	•	•		
	40 mm	•	•	•	•	•	•		
	45 mm	•	•	•	•	•	•		
	50 mm	•	•	•	•	•	•		
	55 mm	•	•	•	•	•			
	60 mm	•	•	•	•	•	•		
	65 mm				•				
	70 mm			•	•	•	•		
	80 mm			•	•	•	•	•	
	90 mm			•			•		



### **TUERCA INOXIDABLE**

### **METRICAS**

PAS0	P 0,70	P 0,80	P 1,00	P 1,00	P 1,25	P 1,50	P 1,75	P 2,00	P 2,00
DIAMETRO	5 mm	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm	14 mm	16 mm
	•	•	•		•	•	•	•	•



### **ARANDELAS INOXIDABLES**

#### **PLANA METRICAS**

DIAMETRO	4 mm	5 mm	6 mm	7 mm	8 mm	10 mm	12 mm
	•	•	•		•	•	•



#### **PLANA PULGADAS**

DIAMETRO	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•	•	•

#### **GROWER METRICAS**

DIAMETRO	4 mm	5 mm	6 mm	7 mm	8 mm	
Acero Inoxidable	•	•	•		•	



#### **GROWER PULGADAS**

DIAMETRO	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
Acero Inoxidable	•	•	•	•	•	•	•	•	•	•	•

### **TUERCAS INOXIDABLES**

### **AUTOFRENANTE METRICAS**

PAS0	P 0,80	P 1,00	P 1,50	P 1,75	P 2,00	P 2,00
DIAMETRO	5 mm	6 mm	10 mm	12 mm	14 mm	16 mm
	•	•	•	•	•	•



### **AUTOFRENANTE - PULGADAS - ROSCA USS**

DIAMETRO	1/4	5/16	3/8	7/16	1/2 WHT	9/16	5/8	3/4	7/8	1
	•	•	•	•	•	•	•	•	•	•



# TORNILLO ALLEN C/CILINDRICA INOXIDABLE

### **ROSCA USS**

	DIAMETRO	3/16	1/4	5/16	3/8	
30	3/8	•				
LARGO	1/2	•	•			
	5/8	•	•			
	3/4	•	•			
	7/8					
	1	•	•	•	•	
	1 1/4		•	•		
	1 1/2		•	•	•	
	1 3/4					
	2		•	•		

#### **METRICOS**

	PAS0	P 0,70	P 0,80	P 1,00	P 1,25	P 1,50	P 1,75
	DIAMETRO	4 mm	5 mm	6 mm	8 mm	10 mm	12 mm
30	10 mm	•	•	•	•		
LARGO	16 mm	•	•	•	•		
	20 mm	•	•	•	•	•	•
	25 mm	•	•	•	•	•	•
	30 mm	•	•	•	•	•	•
	35 mm	•	•	•	•	•	•
	40 mm	•	•	•	•	•	•
	45 mm	•	•	•	•	•	
	50 mm	•	•	•	•	•	•
	55 mm			•	•	•	
	60 mm	•			•	•	•
	65 mm						
	70 mm				•	•	•
	80 mm					•	•
	90 mm				•	•	•





### **TORNILLOS C/FRESADA INOXIDABLE**

### **PULGADAS**

	DIAMETRO	3/16	1/4	5/16	3/8
LARGO	3/8		•		
	1/2		•		
	5/8				
	3/4		•	•	
	7/8				
	1		•	•	•
	2				
	3				
	4				



# TORNILLOS ALLEN C/FRESADA INOX.

### **METRICOS**

PA	SO SO	P 0,70	P 0,80	P 1,00	P1,25	P 1,50
DIA	AMETRO	4 mm	5 mm	6 mm	8 mm	10 mm
30	10 mm	•	•	•	•	
LARGO	15 mm	•	•	•	•	
	20 mm	•	•	•	•	•
	25 mm	•	•	•	•	•
	30 mm	•	•	•	•	•
	35 mm	•	•	•	•	•
	40 mm	•	•	•	•	•
	45 mm		•	•	•	
	50 mm		•	•	•	
	55 mm				•	
	60 mm				•	





### **TORNILLO TANQUE INOXIDABLE**

### **ROSCA USS**

	DIAMETRO	3/16	1/4
09	3/8		•
LARGO	1/2	•	•
	5/8	•	•
	3/4	•	•
	7/8		•
	1	•	•
	1 1/4	•	•
	1 1/2	•	•
	1 3/4	•	
	2	•	•
	2 1/4		
	2 1/2	•	•
	2 3/4		
	3	•	•







### **TORNILLO PARKER INOXIDABLE**

	DIAMETRO	6	8	10	12	
LARGO	5/16					
	3/8	•	•			
	1/2	•	•	•		
	5/8	•	•	•	•	
	3/4	•	•	•	•	
	7/8	•	•	•	•	
	1	•	•	•	•	
	1 1/4	•	•	•	•	
	1 1/2	•	•	•	•	
	1 3/4		•	•	•	
	2		•	•	•	
	1 3/4	•	•	•	•	

### **TIRAFONDOS INOXIDABLES**

	DIAMETRO	1/4	5/16	3/8	
0	1				<b>£</b>
LARGO	1 1/4	•			#
J	1 1/2	•	•		*
	1 3/4	•			
	2	•	•		
	2 1/4				4000
	2 1/2	•	•	•	
	3	•	•	•	
	4		•	•	
	5	•			



### **VARILLA ROSCADA**

### **PULGADAS**

DIAM	5/32	3/16	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
		•	•	•	•	•	•	•	•	•	•	•

### **METRICAS**

DIAMETRO	1,00	1,25	1,50	1,75	2,00	2,00
	6mm	8mm	10mm	12mm	14mm	16mm
	•	•	•	•	•	•





# **TUERCAS DE BRONCE**

#### **MARIPOSAS**

DIAMETRO	1/8	5/32	3/16	7/32	1/4	5/16	3/8	7/16	1/2 WHT	
Rosca USS	•	•	•		•	•	•	•	•	



### **CIEGA ROSCA USS**

DIAMETRO	1/8	5/32	3/16	7/32	1/4	5/16	3/8	7/16	1/2 WHT
		•	•		•	•	•	•	•



### **ROSCA USS y ROSCA SAE**

DIAMETRO	1/8	5/32	3/16	7/32	1/4	5/16	3/8	7/16	1/2
BAJA Rosca USS	•	•	•		•		•	•	
BAJA Rosca SAE					•	•	•	•	•
ALTA Rosca USS							•	•	
ALTA Rosca SAE							•	•	



#### **METRICAS**

PAS0		P 1,00	P 1,00	P 1,25	P 1,25	P 1,50
DIAMETRO	5 mm	6 mm	7 mm	8 mm	10 mm	10 mm
BAJA		•	•		•	•
ALTA				•	•	•

