GenMAPP Gene Database for Burkholderia cenocepacia str. J2315

Bc-Std_External_20151204.gdb

ReadMe

Last revised: 1/22/16

This document contains the following:

- 1. Overview of GenMAPP application and accessory programs
- 2. System Requirements and Compatibility
- **3.** Installation Instructions
- **4.** Gene Database Specifications
 - a. Gene ID Systems
 - b. Species
 - c. Data Sources and Versions
 - d. Database Report
- 5. Contact Information for support, bug reports, feature requests
- **6.** Release notes
 - a. Current version: Bc-Std_External_20151204.gdb
- 7. Database Schema Diagram

1. Overview of the GenMAPP application and accessory programs

GenMAPP (Gene Map Annotator and Pathway Profiler) is a free computer application for viewing and analyzing DNA microarray and other genomic and proteomic data on biological pathways. MAPPFinder is an accessory program that works with GenMAPP and Gene Ontology to identify global biological trends in gene expression data. The GenMAPP Gene Database (file with the extension .gdb) is used to relate gene IDs on MAPPs (.mapp, representations of pathways and other functional groupings of genes) to data in Expression Datasets (.gex, DNA microarray or other high-throughput data). GenMAPP is a stand-alone application that requires the Gene Database, MAPPs, and Expression Dataset files to be stored on the user's computer. GenMAPP and its accessory programs and files may be downloaded from http://www.GenMAPP.org. GenMAPP requires a separate Gene Database for each species. This ReadMe describes a Gene Database for Burkholderia cenocepacia str. J2315 that was built by the Loyola Marymount University (LMU) Bioinformatics Group using the program GenMAPP Builder 2.0, part of the open source XMLPipeDB project http://xmlpipedb.cs.lmu.edu/.

2. System Requirements and Compatibility:

- This Gene Database is compatible with GenMAPP 2.0 and 2.1 and MAPPFinder 2.0. These programs can be downloaded from http://www.genmapp.org>.
- System Requirements for GenMAPP 2.0/2.1 and MAPPFinder 2.0:

Operating System: Windows 98 or higher, Windows NT 4.0 or higher (2000, XP, etc.)

Monitor Resolution: 800 X 600 screen or greater (SVGA) Internet Browser: Microsoft Internet Explorer 5.0 or later

Minimum hardware configuration:

Memory: 128 MB (512 MB or more recommended)

Processor: Pentium III

Disk Space: 300 MB disk (more recommended if multiple databases will be used)

3. Installation Instructions

• Extract the zipped archive and place the file "Bc-Std_External_20151204.gdb" in the folder you use to store Gene Databases for GenMAPP. If you accept the default folder during the GenMAPP installation process, this folder will be C:\GenMAPP 2 Data\Gene Databases.

• To use the Gene Database, launch GenMAPP and go to the menu item *Data > Choose Gene Database*. Alternatively, you can launch MAPPFinder and go to the menu item *File > Choose Gene Database*.

4. Gene Database Specifications

a. Gene ID Systems

This *Burkholderia cenocepacia* Gene Database is UniProt-centric in that the main data source (primary ID System) for gene IDs and annotation is the UniProt complete proteome set for *Burkholderia cenocepcia*, made available as an XML download. In addition to UniProt IDs, this database provides the following proper gene ID systems that were cross-referenced by the UniProt data: OrderedLocusNames, GeneID (NCBI), and RefSeq (protein IDs of the form WP_########). It also supplies UniProt-derived annotation links from the following systems: EMBL, InterPro, PDB, and Pfam. The Gene Ontology data has been acquired directly from the Gene Ontology Project. The GOA project was used to link Gene Ontology terms to UniProt IDs. Links to data sources are listed in the section below.

| Proper ID System | SystemCode |
|-------------------|------------|
| UniProt | S |
| OrderedLocusNames | N |
| GeneID (NCBI) | L |
| RefSeq | Q |

b. Species

This Gene Database is based on the UniProt proteome set for *Burkholderia cenocepacia* str. J2315, taxon ID 216591.

c. Data Sources and Versions

- This *Burkholderia cenocepacia* Gene Database was built on December 4, 2015; this build date is reflected in the filename Bc-Std_External_20151204.gdb. All date fields internal to the Gene Database (and not usually seen by regular GenMAPP users) have been filled with this build date.
- UniProt complete proteome set for *Burkholderia cenocepacia* str. J2315, downloaded from this page: http://www.uniprot.org/uniprot/?query=organism:216591 Filename: "uniprot-taxonomy%3A216591.xml" (downloaded as a compressed .gz file and extracted)
 - Version information for the proteome sets can be found at http://www.uniprot.org/news/ The proteome set used for this version of the *Burkholderia cenocepacia* Gene Database was based on UniProt release 2015_11 released on November 11, 2015.
- Gene Ontology gene associations are provided by the GOA project: http://www.ebi.ac.uk/GOA/ as a tab-delimited text file. The *Burkholderia cenocepacia* GOA file was accessed from the GOA proteomes FTP site:
 - < ftp://ftp.ebi.ac.uk/pub/databases/GO/goa/proteomes/>
 - Filename: "31277.B_cepacia.goa". Version 11/10/15, 1:47:00 PM
- Gene Ontology data is downloaded from http://geneontology.org/page/download-ontology#Legacy_Downloads
 - Data is released daily. For this version of the *Burkholderia cenocepacia* Gene Database we used the ontology version 11/19/2015 2:24 AM.
 - Filename: "go daily-termdb.obo-xml.gz".

d. Database Report

- UniProt is the primary ID system for the *Burkholderia cenocepacia* Gene Database. The UniProt table contains all 6994 UniProt IDs contained in the UniProt proteome set for this species.
- The OrderedLocusNames ID system was derived from the cross-references in the UniProt proteome set. Each ID appears in either the form BCAL###, BCAM###, BCAS###, or pBCA###. Some IDs included a letter, A-Z, at the end. There are 7121 protein coding genes

listed in the OrderedLocusNames table in the Gene Database. We compared this table with the list of "CDS" sequences downloaded from the Model Organism Database (MOD) http://beta.burkholderia.com/strain/show/146. There were 2 IDs listed in the MOD that are not in our Gene Database because they were not part of the proteome set from UniProt.

• The following table lists the numbers of gene IDs found in each gene ID system:

| ID System | ID Count Current version |
|-------------------|--------------------------------|
| EMBL | 8 |
| GeneID (NCBI) | 5953 |
| GeneOntology | 5665 |
| InterPro | 4894 |
| OrderedLocusNames | 7121 |
| PDB | 67 |
| Pfam | 2496 |
| RefSeq | 5953 |
| UniProt | 6994 |

• The Gene Database Testing Report for this Gene Database can be found at: < https://xmlpipedb.cs.lmu.edu/biodb/fall2015/index.php/G%C3%89NialOMICS_Gene_Database_Testing_Report_%28Build_4_Export%29>

5. Contact Information for support, bug reports, feature requests

- The Gene Database for *Burkholderia cenocepacia* was built by the Loyola Marymount University (LMU) Bioinformatics Group as part of the Fall 2015 BIOL/CMSI 367 Biological Databases course using the program GenMAPP Builder, part of the open source XMLPipeDB project http://xmlpipedb.cs.lmu.edu/>.
- For support, bug reports, or feature requests relating to XMLPipeDB or GenMAPP Builder, please consult the XMLPipeDB Manual found at http://xmlpipedb.cs.lmu.edu/documentation.shtml or go to our GitHub site https://github.com/lmu-bioinformatics/xmlpipedb.
- For issues related to the *Burkholderia cenocepacia* Gene Database, please contact:

Kam D. Dahlquist, PhD. Department of Biology

Loyola Marymount University

1 LMU Drive, MS 8888


Los Angeles, CA 90045-2659

kdahlquist@lmu.edu

• For issues related to GenMAPP 2.0/2.1 or MAPPFinder 2.0 please contact GenMAPP support directly by e-mailing genmapp@gladstone.ucsf.edu or GenMAPP@googlegroups.com.

6. Release Notes

- a. Current version: Bc-Std_External_20151204.gdb
- Anindita Varshneya, Brandon Litvak, Veronica Pacheco, Kevin Wylie, Kam D. Dahlquist, and John David N. Dionisio contributed to this release.



GenMAPP Gene Database Schema for Burkholderia cenocepacia str. J2315

NOTE: Some Relations tables are not shown. All possible pairwise Relations tables exist between Proper ID systems and between Proper and Improper ID systems, but not between Improper ID systems (i.e., Proper-Proper, Proper-Improper, but NOT Improper-Improper).