



Presentation Outline

- ➤ The significance of communities' role in reducing emissions
- Indonesian policies regarding community-based REDD+
- Current status of Plan Vivo Project in Indonesia
- Lessons Learned
- ➤ How to Scale up?







The significance of communities' role in reducing emissions

- Villagers living surrounding forests are one of key players in preventing deforestation and forest degradation:
 - 2,036 villages located inside the forest and 19,247 village surrounding the forest
 - ➤ Human Development Index below that average (<0.7)
 - Positive correlation between village infrastructure and deforestation
- ❖ There is an increase of the social forestry target from 2.5 million hectares in 2014 (Ministry of Forestry, 2010) to 12.7 million hectares in 2019 (Mediumterm National Development Plan 2015 – 2019)
- With an appropriate policy to achieve the social forestry target, villagers would play a significant role in climate change mitigation






The Role of FFI in developing community-based emission reduction program through Plan Vivo Standard

- In 2012, FFI started developing an international standardized payment for ecosystem services (PES) scheme that is acknowledged by Indonesian Government
- In 2013, supported by communities, FFI started a communitybased PES using Plan Vivo standard



SKIDE

Current status of Plan Vivo Project in Indonesia



S	

Description	Manjau Village Forest	Rio Kamunyang Village Forest	Aik Bual Community Forest
Location:			
Village	Laman Satong	Durian Rambun	Aik Bual
District	Ketapang	Merangin	Lombok Tengah
Province	West Kalimantan	Jambi	Nusa Tenggara Barat
Land Status	Village Forest	Village Forest	Community Forest
Population	290 Households	87 Households	163 Households
Concession Area	1,070 ha	3,616 ha	100 ha
Accounting Area	654 ha	2,516 ha	79 ha
Intervention	Avoided deforestation	Avoided deforestation	Ecosystem rehabilitation/agroforestry
Baseline	Planned deforestation	Unplanned deforestation	Non-forest/degraded
	Land conversion 1000	Deforestation rate	Tree density = 91/ha
	ha/year	1.99%/year	
Project Scenario	Rate of deforestation	Deforestation rate	Tree density = 400/ha
	0.3%/year	0.5%/year	
Carbon Stock	97.88 ton C/ha	216.81 tC/ha	93.09 tC/ha
Estimated Emission Reduction	4,258 tCO2e/year	7,113 tCO2e/year	1,542 tC02e/year
Sold Carbon Credit	1,064 tCO2e/year (2015- 2017)	1,064 tCO2e/year (2015- 2018)	381 tCO2e/year (2015-2017)
Price	USD 14/tCO2e	USD 14/tCO2e	USD 14/tCO2e
Source of Fund	ICCO	Disney	BAT






Step in Developing the Scheme

- Participatory Planning
- Patrolling while doing inventory
- The results of inventory are used as the basis for developing reference emission level
- The results are also supported by satellite image analysis
- The plan is then implemented and verified
- Performance-based payments



SZ

Performance-based Payments



SKIDE

Lessons Learned

- Need to gradually transfer of knowledge to the community
- Performanced-based payments should be simplified
- Focus on the fund that is needed for guarding the forest, not on the fund that would be obtained
- FPIC and not only promise
- Limited access to fund instruments



How to Scale up?

- Through ACIAR Project, P3SEKPI is preparing to replicate the success of current development of Community-based ER program using Plan Vivo in three different locations, comprising:
 - > Rumbio Customary Forest, Riau Province
 - > Rakumpit Customary Forest, Central Kalimantan Province
 - > Yapase Customary Forest, Papua province
- A training on how to develop the scheme has been conducted involving three communities and related parties



Timeline



Early 2017



 December 2017

Implementin g Program

Early 2018





Looking Ahead

- Partnership with other agencies, NGOs, and private sectors
- Understanding the risks and issues that may hinder the development of the scheme
- Taking action





THANK YOU!