```
Δ
        # mVisible
# mParentPlot
# mParentLayerable
# mLayer
# mAntialiased
+ QCPLayerable()
+ ~QCPLayerable()
+ visible()
+ parentPlot()
+ parentLayerable()
+ layer()
+ antialiased()
setVisible()
+ setLayer()
+ setLayer()
setAntialiased()
+ selectTest()
+ realVisibility()
# parentPlotInitialized()
# selectionCategory()
# clipRect()
# applyDefaultAntialiasingHint()
# draw()
# selectEvent()
# deselectEvent()
# mousePressEvent()
# mouseMoveEvent()
# mouseReleaseEvent()
and 6 more...
     QCPLayoutElement
# mParentLayout
# mMinimumSize
# mMaximumSize
# mSizeConstraintRect
# mRect
# mOuterRect
# mMargins
# mMinimumMargins
# mAutoMargins
# mMarginGroups
+ QCPLayoutElement()
+ ~QCPLayoutElement()
+ layout()
+ rect()
+ outerRect()
+ margins()
+ minimumMargins()
+ autoMargins()
+ minimumSize()
+ maximumSize()
and 18 more...
# calculateAutoMargin()
# layoutChanged()
# applyDefaultAntialiasingHint()
# draw()
# parentPlotInitialized()
              Δ
         QCPLayout
+ QCPLayout()
+ update()
+ elements()
+ elementCount()
+ elementAt()
+ takeAt()
+ take()
+ simplify()
+ removeAt()
+ remove()
+ clear()
# updateLayout()
# sizeConstraintsChanged()
# adoptElement()
# releaseElement()
# getSectionSizes()
# getFinalMinimumOuterSize()
# getFinalMaximumOuterSize()
              Δ
       QCPLayoutGrid
# mElements
# mColumnStretchFactors
# mRowStretchFactors
# mColumnSpacing
# mRowSpacing
# mWrap
# mFillOrder
 + QCPLayoutGrid()
 + ~QCPLayoutGrid()
 + rowCount()
 + columnCount()
 + columnStretchFactors()
 + rowStretchFactors()
 + columnSpacing()
 + rowSpacing()
 + wrap()
 + fillOrder()
 and 26 more...
# getMinimumRowColSizes()
# getMaximumRowColSizes()
              Д
         QCPLegend
# mBorderPen
# mlconBorderPen
# mBrush
# mFont
# mTextColor
# mlconSize
# mlconTextPadding
# mSelectedParts
# mSelectableParts
# mSelectedBorderPen
# mSelectedIconBorderPen
# mSelectedBrush
# mSelectedFont
# mSelectedTextColor
+ QCPLegend()
+ ~QCPLegend()
+ borderPen()
+ brush()
+ font()
+ textColor()
+ iconSize()
+ iconTextPadding()
+ iconBorderPen()
+ selectableParts()
and 32 more.
# parentPlotInitialized()
# selectionCategory()
# applyDefaultAntialiasingHint()
 araw(
# selectEvent()
```

# deselectEvent() # getBorderPen() # getBrush()

QObject