
BD-014

Deflection Angle:


Horizontal Deflection Angle [°] -7.1785


Field Profile:




Integrated Normal Multipoles:

n	Nominal [T.m^(1-n)]	BD014 [T.m^(1-n)]	Error [%]
0	-1.2575	-1.2546	-0.2321
1	2.4788	2.4260	-2.1286
2	25.6277	26.4683	3.2801








Magnet Multipole Errors Specification @r = 17.5 mm:

Multipole	Sys Normal	Sys Skew	Rnd Normal	Rnd Skew
B2/B0			5.5e-04	1.0e-04
B3/B0	4.0e-04		4.0e-04	1.0e-04
B4/B0	-3.6e-04		4.0e-04	1.0e-04
B5/B0	2.7e-04		4.0e-04	1.0e-04
B6/B0	-1.3e-04		4.0e-04	1.0e-04

Residual Field:



BD014:

Filename:

2017-03-09_BD-014_Model09_Hall_I=991.63A_3.dat

fieldmap name: BD-014

timestamp: 2017-03-09 08-00-00

 nr_magnets:
 1

 magnet_name:
 BD-014

 gap[mm]:
 28

 control_gap[mm]:
 -

 magnet_length[mm]:
 1206

 current_main[A]:
 991.63

 NI_main[A.esp]:
 11899.56

center_pos_z[mm]: 0
center_pos_x[mm]: 0
rotation[deg]: 0

Particle energy 3 Gev
Trajectory step 0.01 mm
Trajectory x @z=0mm 9.1301 mm

Multipoles grid [-18 mm, 18 mm]

R0 relative multipoles 17.5 mm

Simulation:

Filename:

2016-11-11_BD_Model09_Sim_X=-80_35mm_Z=-1000_1000mm_I=981.778A.txt

fieldmap_name: Dipole_Booster_BD_Modelo09

timestamp: 2016-11-11 16-18-19

nr magnets: 1

magnet name: BD Booster

 gap[mm]:
 28

 control_gap:
 -

 magnet_length[mm]:
 1206

 current_main[A]:
 981.778

 NI_main[A.esp]:
 11781.34

center_pos_z[mm]: 0
center_pos_x[mm]: 0
rotation[deg]: 0

Particle energy 3 Gev
Trajectory step 0.01 mm
Trajectory x @z=0mm 9.065 mm

Multipoles grid [-18 mm, 18 mm]

R0 relative multipoles 17.5 mm

CAMTO Version: 13.0.1